

globalDoc Solution®

User manual

Version 9.8 / 9.9



Table of Contents

Legal matters	4
Release notes.....	5
Preliminary remarks	6
1. General introduction to globalDoc	7
1.1. The idea behind globalDoc	7
1.2. The features of globalDoc	7
1.2.1. Common documentation platform for all persons involved in the documentation process	7
1.2.2. Modular structure of the documentation contents	7
1.2.3. Centralized collection of information relevant for several reporting entities	8
1.2.4. Central management of documentation-relevant data	9
1.2.5. Workflow management.....	9
1.2.6. Optionally available additional functions	10
1.2.6.1. TP Data Hub (TPDH)	10
1.2.6.2. TP matrix	10
1.2.6.3. TP questionnaire	10
1.2.6.4. CbC2Go	10
1.3. The user roles of globalDoc	10
1.3.1. System administrators	10
1.3.2. Security administrators	10
1.3.3. Users with the right Task administration	11
1.3.4. Users with the right Approve tasks	11
1.3.5. User rights of Local users.....	11
1.3.6. Reporting company related user roles	12
1.3.6.1. Accountable	13
1.3.6.2. Reviewer	14
1.3.6.3. Responsible	14
1.3.6.4. Delegated User	14
1.4. The modules of globalDoc	14
1.4.1. Module classes	15
1.4.2. Formatting the contents of modules	16
1.5. Overview of the most important symbols of the user interface	18
2. First steps.....	19
2.1. Login.....	19
2.2. Home Screen	20
2.2.1. Help and contact.....	21
2.2.2. User profile	23
2.2.3. Selection of Reporting entity and Reporting period.....	24

2.2.4. Navigation to the individual program items	25
3. Program item Reporting entity	28
3.1. Menu item Master data	28
3.2. Menu item Transactions	30
3.2.1. Transaction matrix	30
3.2.1.1. Manual data entry	31
3.2.1.2. Centrally provided attachments	33
3.2.1.3. Data entry via Excel import	34
3.2.2. Transaction partners	35
3.2.3. Transaction groups	37
3.2.3.1. Synchronise Transaction Groups	37
3.2.3.2. Request new Transaction group	38
3.2.3.3. Determine materiality thresholds	39
3.2.4. Analysis	40
3.2.4.1. Functional analysis/Risk analysis	40
3.2.4.2. Transfer pricing analysis	42
3.3. Menu item Documentation content	43
3.3.1. Overview	44
3.3.1.1. Status of TP Documentation	45
3.3.2. Search & replace	49
3.3.3. Edit Module	50
3.3.3.1. Tab Details	50
3.3.3.2. Tab Info	60
3.3.3.3. Tab Attachments	61
3.3.3.4. Tab Change history	63
3.3.3.5. Status of the module	64
3.3.3.6. Use of variables	73
3.4. Menu item Attachments	87
3.5. Menu item Create report	90
3.6. Menu item Questionnaire	93
3.6.1. Status of the questionnaire	94
3.6.1.1. Filling in the questionnaire	94
3.6.1.2. Review process for the questionnaire	94
3.7. Final review	96
4. Program item Tasks	101
4.1. Overview	101
4.2. Menu item Task management	112
5. Definition of Terms	117
6. Appendix	120
6.1. General click paths	120

6.1.1. Tasks	120
6.1.2. Create report.....	121
6.1.3. Final approve process of a Report	123
6.2. Variables to be used in globalDoc	128
6.2.1. Standard variables.....	128
6.2.2. Complex Variables	132
6.3. Table of figures	138

Legal matters

This manual is protected by copyright and may only be used by companies that have concluded a license agreement with Fachverlag Moderne Wirtschaft GmbH (hereinafter referred to as "Fachverlag") or PwC Solutions GmbH (hereinafter referred to as "PwC Solutions") for the provision of *globalDoc Solution*® (hereinafter referred to as "*globalDoc*") for an unlimited period of time, or a Software as a Service ("SaaS") agreement with PwC Solutions, or that form a group of companies with such a company within the meaning of §§ 15 et seq. AktG (German Stock Corporation Act) and use *globalDoc* to create their company- and group-wide transfer pricing documentation.

This manual may be copied for internal company and group purposes. Under no circumstances may copyright notices of the Fachverlag, PwC Solutions and/or PwC be changed or removed.

The right of use does not include the reworking, distribution and public reproduction or any reproduction going beyond the aforementioned purpose. This requires the express written consent of the Fachverlag, PwC Solutions or PwC.

© August 2026

Release notes

This manual explains the functions of *globalDoc* versions 9.8 / 9.9. The user interfaces of both versions are almost identical with only minor changes.

Functional enhancements:

- New fields for the transaction matrix in Germany have been added (TP method, standard taxation, base value).
- The fields available for creating the transaction matrix can be configured in the navigation point "Settings Reporting Period." Country-specific deviations can also be configured.
- The fields that are output in the transaction matrix appendix to the report can also be configured in the navigation point "Settings Reporting Period." Country-specific deviations are also possible here.
- **Attention: Introducing the two aforementioned features resets the fields to default settings. Any previously made adjustments (e.g., the display of optional fields) will be lost with this update and must be manually restored in the settings (approximately five minutes effort per reporting period).**
- In the new navigation point "Customizing" -> "Role Assignment," it can be set whether approvers (responsible, accountables, etc.) can directly print the final report or if they must first request approval from the administrator (Print with approval).
- In the navigation point "Customizing" -> "General," it can be set whether attachments are included in the report archive (Zip file) as long as the report is not yet final. The attachment directory will be included in any case with the contained attachments.
- The checkbox for creating the report archive upon finalizing a report can be preset and, if necessary, deactivated (also under "Customizing" -> "General").
- In the Final Review, downloading the report as a Word file can be allowed. The Word file can be partially or completely protected against changes (via settings - Customizing -> General). The password is configured on the server.
- The transaction matrix can be attached as a PDF to the report archive (under "Settings" -> "Settings Reporting Period").
- A new overview page for downloading all reports has been added.
- Documents can be translated directly from globalDoc. Currently, the Microsoft Azure translator can be activated for this purpose.
- The reporting entities' deadlines have been included in the dialog box for changing the active reporting entity.
- The emails can be customised. The content can be completely adapted and the recipients can also be changed.

Your *globalDoc Solution*® Team

Preliminary remarks

In addition to a general introduction to *globalDoc* ([Chapter 1](#)), this *globalDoc* User manual contains a description of the first steps in working with *globalDoc* ([Chapter 2](#)) as well as a detailed description of working with *globalDoc*, in particular a detailed description of the program items **"Reporting entity"** ([Chapter 3](#)) and **"Tasks"** ([Chapter 4](#)) relevant to all users (see also Figure "globalDoc program items for all users"):




Figure 1: *globalDoc* program items for all users

[Chapter 4](#) of this user manual also describes basic Task administration features relevant to users with the user right "Task administration".

The separate *globalDoc* Administration manual describes the advanced functions that are only relevant for the administrators of your *globalDoc* system (see figure "Additional program items for administrators").

Depending on the user rights assigned to you by your System- or Security administrator, not all program items may be enabled.



Figure 2: Additional program items for administrators

For a better understanding of the terms contained in this User manual, you will find the most important term definitions in Chapter 5. General click paths through the *globalDoc* tool and an explanation of the variables available for an automated creation of your documentation reports can be found in the appendix of this manual (Chapter 6).

1. General introduction to globalDoc

1.1. The idea behind globalDoc

globalDoc is the continuously optimized solution developed by PricewaterhouseCoopers GmbH WPG ("PwC") for the worldwide documentation of transfer prices within a corporate group.

globalDoc was developed based on national and international documentation regulations in order to meet the requirements of transfer pricing documentation efficiently and comprehensively.

globalDoc is designed to be flexible so that both medium-sized groups of companies and multinational corporations can meet the various international documentation standards to the highest degree.

globalDoc facilitates, simplifies, and standardizes the documentation process worldwide through a modular structure of the documentation content. This is supported by a systematic compilation of documentation already available within the group, a centralized collection of the information relevant to several reporting companies, a centralized data management as well as an integrated and comprehensive workflow management. Furthermore, there is also the option of an automated upload of documentation-relevant data from other IT systems.

1.2. The features of globalDoc

1.2.1. Common documentation platform for all persons involved in the documentation process

To cope with the complex structures of a corporate group, the persons involved in the documentation process at the headquarters, the individual business lines and the reporting entities work on a common documentation platform.

All employees entrusted with documentation tasks have access to *globalDoc* and thus also to the database stored on a central web server.

The access rights of the individual employees vary depending on which roles and authorizations have been enabled by the administrator.

1.2.2. Modular structure of the documentation contents

The documentation contents are divided into individual text blocks. These text blocks are valid for all or several reporting entities or only for a single reporting entity.

Any number of attachments can be added to each of these text blocks. Each text block and the associated attachments are assigned to a so-called **module** ("data container") in *globalDoc*. In such a module, all changes made to the text block during the documentation creation process and the assigned attachments are historized in an audit-proof manner.

By assigning all modules relevant to a reporting entity, an individual documentation report is created for each reporting entity.

Module contents, i.e., text blocks and associated attachments that are relevant for all reporting entities, are created centrally and can be automatically assigned to all reporting companies via the documentation level designated as "**Global**" in *globalDoc*.

Module contents, i.e., text blocks and associated attachments that are relevant for several, but not all, reporting entities are also created centrally and assigned to all entities that require these text blocks for their documentation via the documentation level called "**Divisional**" in *globalDoc*. Any number of **globalDoc-divisions** can be created in *globalDoc*. For example, a *globalDoc* division can contain text blocks that are relevant for companies in a region, business line, or function, or for companies that are transaction partners in a particular transaction group.

Module contents, i.e., text blocks that are only relevant for a single reporting entity are usually created by employees of this reporting entity locally and assigned to this single reporting entity only, via the so-called “**Local**” documentation level. For such local text blocks, the headquarter can provide prefilled templates to local users for download in *globalDoc*.

The documentation of transfer prices in *globalDoc* thus takes place at three documentation levels (see Figure “Documentation levels in *globalDoc*”).




Figure 3: Documentation levels in *globalDoc*

The outline structure for the individual documentation reports, and the grouping of transactions specified by the group serve as the basis for the structured entry of information in the individual modules. Through this procedure, and a documentation creation process based on the division of labor, the workload in connection with the documentation is significantly reduced in the long term.

Before entering information in *globalDoc* it is therefore advisable to create a concept (“architecture plan”/ “blueprint”) regarding the structure of the documentation (“module structure”) and the assignment of tasks to the individual users of the *globalDoc* software.

1.2.3. Centralized collection of information relevant for several reporting entities

While information that is relevant for all reporting entities of the multinational group is usually recorded by the corporate headquarters at the **Global** level of *globalDoc*, the documentation is refined to the level of detail required for the respective reporting company by further subdividing it into information recorded at the **Divisional** level (for several reporting entities) and information recorded at the **Local** level of *globalDoc* (only for one reporting entity).

With the help of the **Variables** function integrated in *globalDoc*, text blocks can be created uniformly and yet individually filled with content. In addition to the master data of the reporting entities and information about the documentation period, questionnaire variables and numerous tables are also available as variables.

As a rule, a local user answers the questionnaire provided by the corporate headquarters in *globalDoc*, enters on the Local level of *globalDoc* the company-specific information not recorded by the central offices (at the Global or Divisional documentation levels) that is only relevant for his reporting entity and, if required, loads the corresponding attachments into the system (contracts, charts, etc.).

For such Local text blocks, the corporate headquarters can, as already mentioned, provide the local user with centrally pre-filled templates.

Depending on the documentation level, specific information is entered, which is shown as an example in Figure “Possible documentation contents within the various *globalDoc* documentation levels”. The assignment of the documentation contents to the individual documentation levels depends on the respective documentation concept (“architecture plan”).

GLOBAL	DIVISIONAL	LOCAL
• MNE's Organisational structure • Description of MNE's business • MNE's intercompany financial activities • TP-policy • Central transaction groups	• Division background • General description • Business relationships • R&D pool • System-/Process documentation • Purchasing • Service provision • Intangibles • Functional and risk analysis • Benchmarking study	• Company background • Business strategy • Local financial overview • Organizational chart • Transaction analysis - Business relationships - TP analysis • (Extraordinary issues)

Figure 4: Possible documentation contents within the various *globalDoc* documentation levels

From this global, divisional, and local information, *globalDoc* can create individual reports for each reporting entity, which do not reveal which information has been created and combined on a global, divisional or local documentation level.

1.2.4. Central management of documentation-relevant data

The business transactions to be documented (transactions or transaction groups) as well as the group companies involved in the documented business transactions (transaction partners) can be managed centrally in *globalDoc* to avoid redundancies.

Additional specific transaction groups and partners can be added to the centrally managed lists of transaction groups and transaction partners by local users, but these are only available to all users after they have been approved by the System administrator.

Uploading documentation-relevant data from existing IT systems via Excel interfaces avoids time-consuming and error-prone manual data transfer to the transfer pricing documentation. Direct interfaces between existing IT systems and *globalDoc* can be programmed separately depending on the data quality already available on the IT side. However, such interfaces are not part of the *globalDoc* software.

Transactions or transaction groups, transaction partners and/or transaction volumes for a single reporting entity can also be entered by the local user, for example, if the documentation concept of the group provides for a largely decentralized responsibility for the documentation contents.

1.2.5. Workflow management

The workflow management enables the central controlling and monitoring of the tasks to be performed by the various *globalDoc* users within the documentation process. This ensures a goal-oriented preparation- and update-process by local users as well as the control of the documentation process by the corporate headquarters.

For each text block which requires editing in *globalDoc*, a corresponding task is automatically created by the system.

In the workflow management of *globalDoc*, additional tasks can also be defined and delegated to local users. The tasks of the local users of a reporting company can be assigned to individual team members in *globalDoc* and, depending on the processing status, have a different traffic light color:

 = "new" or "in process" or "reopened";  = "in review";  = "final".

In addition, a status overview of the created tasks can be generated, and local users can be reminded of due tasks via an e-mail function. Thus, it can be ensured that all work steps for the creation of your documentation reports are completed in time.

1.2.6. Optionally available additional functions

For further automation of the use of *globalDoc* it is possible to use the following, optionally available additional features. Furthermore, interfaces to your existing IT systems and databases (participation database, employee database, contract database, etc.) can be set up. The additional features TP matrix and TP questionnaire as well as any programmed interfaces to other IT systems or databases are not part of the *globalDoc* software.

1.2.6.1. TP Data Hub (TPDH)

The TPDH add-on feature supports you in the decentralized collection, validation, and consolidation of any kind of quantitative data required for the preparation of the individual local files. Data is recorded via an Excel document that is customized to your needs and uploaded to the software in a decentralized manner for each reporting company. When the Excel document is uploaded, an automatic quality check of the recorded data is carried out. Any number of completeness and consistency checks, customized to your requirements, are performed in TPDH and the user receives immediate feedback from the system via error and warning messages. This ensures that only quality-assured data is processed in *globalDoc*.

1.2.6.2. TP matrix

The add-on feature TP matrix supports you in creating the transaction matrix and allows you to determine the transaction volumes of your intra-group relationships based on the booking data available in your financial accounting system. Optionally it allows you to set up an interface from your ERP system to TP matrix. To ensure consistent and error-free documentation, TP matrix also allows transaction volumes to be matched between the performing and receiving reporting companies.

1.2.6.3. TP questionnaire

The add-on feature TP questionnaire enables local data retrieval using individually created questionnaires as well as the centralized or decentralized import of data from existing systems. The answers to the TP questionnaire questions can be automatically transferred as placeholders into the documentation contents of *globalDoc*.

1.2.6.4. CbC2Go

As part of the evaluation and aggregation of the data, CbC2Go, a specific further development of TP questionnaire, also supports you in the preparation of the country-by-country reporting (CbCR).

1.3. The user roles of globalDoc

1.3.1. System administrators

System administrators are *globalDoc* users with the most extensive authorizations. For users with administrator rights, a separate administrator manual is available in which the program items of *globalDoc* relevant exclusively for this user group are described in addition to the explanations in this user manual.

1.3.2. Security administrators

Security administrators take care of the creation and administration of users and the assignment of user roles.

Again, please refer to the separate Administrator manual, which describes, in addition to the explanations in this User manual, the program items of *globalDoc* that are exclusively relevant for this group of users.

Only users with the roles System administrator or Security administrator have administrator rights.

The roles System administrator or Security administrator can be assigned to several users.

A user can be assigned both the System administrator and Security administrator roles.

All other user roles described below have specific functions with certain read and edit rights, which are assigned to the users by a System administrator or a Security administrator.

1.3.3. Users with the right Task administration

Users who hold the role "Task administration" take over tasks in the Workflow Management. They can but do not have to be System administrators with the most extensive permissions at the same time.

Since local users can be assigned the rights of a local Task administration user, the basic functions of the Task administration relevant to local Task administration users are described in [Chapter 4](#) of this manual.

1.3.4. Users with the right Approve tasks

The users who are responsible at the **Local**, **Divisional** or **Global** documentation level, and hold the role "Approve tasks", are entitled to review and approve work results prepared locally (for a specific reporting company), divisionally (for one or more *globalDoc* Divisions) or globally.

1.3.5. User rights of Local users

In this manual, the term local user is used for all *globalDoc* users who are neither System administrators nor Security administrators. They can, but do not have to, have the already mentioned user rights "Task administration" and "Approve tasks".

Depending on the authorization concept selected in your group, the Security administrator will assign each user individual read and write permissions to the different areas of *globalDoc*. For this reason, a user can usually only see certain areas of *globalDoc* and only perform actions released by the System- or Security administrator. Depending on the documentation level, different roles can be assigned to the local users:

Module class	Roles
Global	• Admin edit module • Approve tasks • Define content structure • Edit global content • Manage attachments • Read global content • Tasks administration
Divisional	• Admin edit module • Approve tasks • Define content structure • Edit global content • Manage attachments • Read global content • Tasks administration
Local	• Admin edit module • Approve tasks • Assignment bases access • Define content structure • Edit local content • Edit Master Data • Edit Transactions • Manage attachments • Print report • Print with Approval • Read data collection • Read divisional content • Read global content • Read local content


- Read/Insert benchmarking studies
- Task administration

1.3.6. Reporting company related user roles

In addition to the user rights described above, up to four user roles can be assigned to each reporting company by the System- or Security administrator.

Those four user roles are: “**Accountable**”, “**Reviewer**”, “**Responsible**” and “**Delegated**”.

One Accountable and one Responsible user must be assigned to each reporting company. All other user roles are optional. How these other user roles are related to each other and what their tasks are is outlined in the following illustrations.



NOTE: Accountable and Responsible can be the same person!

Figure 5: Relationship between Accountable and Responsible

If only an Accountable User is assigned to a reporting company, the system automatically assigns this user also the user role Responsible. The above figure illustrates the relationship between Accountable and Responsible, as well as their responsibilities.

The user with the role Responsible can assign individual modules to another *globalDoc* user for processing, to the so-called Delegated User. The role assignment to the Responsible User remains the same. The delegate role exists only until the Delegated User has completed the task or the delegation is revoked by the Responsible (see Figure "Relationship between Accountable, Responsible and Delegated User").




Figure 6: Relationship between Accountable, Responsible and Delegated User

To comply with the principle of dual control (“4-eyes-principle”), the System administrator can optionally assign the one or more Reviewer roles (see Figure “Interaction of all roles”). Depending on the approach chosen by the System administrator, there may be several review levels, both at module level and at report level. It is also possible to assign the review role to several people simultaneously at each review level (review team).




Figure 7: Interaction of all roles

These reporting company related user roles simplify the documentation creation process and increase its transparency.

1.3.6.1. Accountable

Every reporting company must have an Accountable.

An Accountable is a *globalDoc* user who has the overall responsibility for the TP documentation of a reporting company and finally confirms the documentation report of this reporting company. Similarly, an Accountable can

also be the Responsible for the reporting company if no other user has been selected as Responsible for this reporting company.

1.3.6.2. Reviewer

If desired, one or more Reviewers can be defined for each reporting company.

To enable this, the System administrator can define reviewers both at module level ("module reviewer") and at report level ("report reviewer"). If several review levels are required, these can also be set up by the System administrator.

One or more Users can then be assigned to each reporting company at each review level. If no user is assigned to a Reporting company at a review level, this level is skipped in the review process.

A module reviewer is a *globalDoc* user who checks the modules processed and submitted for review by the Responsible or by a Reviewer of the previous review stage and then confirms them as final or passes them on to the Reviewer(s) of the next stage. A module reviewer can also reopen the module for processing by the Responsible if required.

A report reviewer is a *globalDoc* user who checks the report submitted for review by the last module reviewer (or, if there is no module reviewer, by the Responsible) and then forwards it to the next level reviewer(s). The report reviewer at the last stage submits the report to the Accountable for final sign-off ("final review"). If required, a report reviewer can also return the report to the previous report reviewer for a new review or reopen it for processing by the last module reviewer or Responsible.

1.3.6.3. Responsible

Every reporting company must have a Responsible.

The Responsible is entitled to edit Local modules and, if a reviewer has been defined, to submit modules to the Reviewer for approval. If there is no Reviewer, the Responsible can directly set modules as final. In addition, the Responsible has the right to delegate the editing of modules to other users, the so-called Delegated Users.

As already mentioned in the [Accountable](#) section, the Accountable is, by default, also the Responsible unless a different Responsible has been defined.

NOTE: It is possible for the System administrator to create additional reviewers and responsible persons. The authorization structure within Reviewer or Responsible is preset so that the workflow runs according to the order of the Reviewer or Responsible. For example, if 2 review levels are set up, Reviewer 1 would submit the module or report he has reviewed to Reviewer 2 for approval.

1.3.6.4. Delegated User

The Delegated User is a *globalDoc* user who is only granted temporary editor rights for a module by the Responsible. As explained in the [Responsible](#) section, a user becomes a Delegated User when a Responsible assigns the editing of a module to a user. As soon as the module has been delegated to the user, he can start processing it and can, upon completion, submit it to the Responsible again. By submitting the module, the delegation is terminated and all editor rights for the respective module are automatically revoked from the Delegated User, unless the user has any of the other user rights described above for the module.

1.4. The modules of globalDoc

The term "**module**" is used in *globalDoc* to describe placeholders for the individual text blocks. In addition, any number of files can also be attached to each module. For each file attached to a module, it can be individually defined, for example, whether it should be included as an attachment to the transfer pricing documentation report or whether it should only be used internally and only be archived in *globalDoc*, such as meeting minutes, purely internal presentations, internal Excel spreadsheets and any other data sources for backup purposes.

1.4.1. Module classes

Corresponding to the three documentation levels in *globalDoc* (**Global**, **Divisional** and **Local**), the modules are also divided into three classes. A module class indicates to which level the information is to be assigned (see Figure "Module classes").

- **Global modules** are usually created by the headquarters and contain general information that is relevant to documentation for all reporting entities.
- **Divisional modules** are created by centralized departments (e.g., business unit, national holding company, central group-internal service provider) and contain specific information that is relevant to documentation for several, but not all, group companies. Any number of **divisions** can be formed (e.g., by regions, functions, transactions, business lines, etc.), to which any number of modules can be assigned.
- **Local modules** are usually created by the local reporting entities themselves and therefore only contain information relevant to local documentation. It is also possible to create modules at the "Local" module class level that can only be edited by the headquarters.




Figure 8: Module classes

Thus, the corporate headquarters and other centralized offices can provide the centrally available information to the local reporting companies via *globalDoc* in the form of global or divisional text blocks and file attachments. Also, the headquarters can support the local companies by providing prefilled text templates and file attachments which can be used for the creation of local modules.

It is important that the documentation contents of such text blocks and file attachments are abstract, reusable, and therefore free from details of individual local reporting companies. For specific information, the variables (placeholders) available in *globalDoc* can be used to allow a text block to be used for multiple reporting entities. Only then can these text blocks and file attachments be used efficiently across multiple reporting entities.

More detailed explanations of the variables available in *globalDoc* and their uses can be found in the appendix of this user manual and in the administrator manual.

In *globalDoc*, text blocks can be created and edited directly in **Microsoft Word**, or you can use the online editor integrated in the tool.

In addition, existing Microsoft Word files can also be uploaded to *globalDoc* as text blocks.

1.4.2. Formatting the contents of modules

Detailed information on working with *globalDoc* can be found in the following chapters of this user manual. There, for example, Chapter 3.3.3 (Edit module) describes in detail how to edit the module content.

At this point, however, we would like to point out that when editing the module content with Microsoft Word, you must take good care to ensure that the formatting of all **Word files** is consistent.

To ensure this, a System administrator can create (at least) one **report template** according to your corporate identity guidelines (colors, fonts, font sizes, formatting of headings, logos, etc.) and make it available to you in *globalDoc*. How to create such a report template and what to pay attention to is explained in the administrator manual in the chapter "Customizing/Report template". Otherwise, the "Default template" included in *globalDoc* by default can also be used.

If you edit the module contents via **Microsoft Word**, it is of great importance that the formatting of your Word file always corresponds to the report template provided to you. Only with consistently formatted Word files can a consistently formatted report be generated automatically and without manual (re-)formatting.

If your System administrator has provided you with a report template, it is important that you familiarize yourself with your corporate identity specifications so that you can edit the module contents using the correct formats and, for example, format the headings correctly.

In this context, please note that it is crucial how you edit the module content:

1. If the module is edited using the "Edit Module" button, Microsoft Word will automatically open with the formats corresponding to the report template. If Microsoft Word opens with different formats when you click the "Edit Module" button for the first time, please open the online editor first. This will ensure that the formats from the report template are adopted correctly. You can then close the online editor and edit the module content using the "Edit module" button.
2. If the module is edited via the online editor, the correct report template is also automatically used here. Some formats may not be displayed correctly in the online editor. However, please note that this only applies to the display of the module content on the user interface. It is not necessary to correct the formatting, because the formats are taken correctly from the report template when creating the report.
3. If you prefer to update the modules locally on your computer, you can download the module content as a Word file from *globalDoc*, edit and save it locally, and then upload it back to *globalDoc*.

You can also upload a Word file directly to a module without first downloading any existing module content as a Word file from *globalDoc*. In this case, the existing module content is replaced by the new module content.

When doing so, it is extremely important that you create the new module content with the **template** that can be downloaded from *globalDoc*. This template is an empty Word document, which is preformatted according to the template. You can download it on the detail page of each module (for details see chapter 3) by clicking on:



Unless a specially formatted report template is used in your group, the default template included in *globalDoc* can be used under [Download template](#). The following formatting is set there by default for the headings if the respective text block is to contain headings:

Heading level	Template
A.	Heading 1
A.1	Heading 2
A.1.1	Heading 3
A.1.1.1	Heading 4
A.1.1.1.1	Heading 5

Regardless of the reporting template used, the following should be noted regarding **headings**:

Many chapter headings are already created by the System administrator in the *globalDoc* software. Additional use of headings in the respective module content is therefore only necessary if it is to be further subdivided. In this case you must pay attention to the correct specification of the heading level in the module content. For example, if the module to be edited is in a chapter for which the system administrator has already assigned heading level 1, headings from heading level 2 must usually be used in the module content.

Subsequent format problems or changes

If you face any problems with the format later, when editing or creating reports, check, or let your System administrator check the following steps:

1. Have the report templates been correctly stored in the Report Configuration and in the navigation item Settings Report Period.
2. Open the relevant module and check if the module was saved with the correct template.
3. If not (you will recognize this if your format specifications are not displayed), download the template using the "Download template" button. Now copy the content of the module and paste it into the empty template. Check the formats or assign them again, e.g., if the format of a headline was not recognized. Then save the file with the desired file name and upload it back to *globalDoc*.
4. If the module is saved with the correct template and the format is still not displayed, the formats should be assigned again individually. That's because it can happen sometimes that a similarly named format was assigned.
5. It may happen that your system administrator changes the report template at some point, for example, because new corporate design specifications are introduced. In this case, you can reassign these new formats in the module which you are editing so that the new formats are applied to the module view. Regardless of this, *globalDoc* automatically updates these formats when creating reports.
6. If the module does not have any content yet, an empty Word document will appear after clicking on "Edit module", formatted according to your report template. If you find that the predefined formats are not available for selection, contact your System administrator.
7. If text blocks should be transferred directly from Internet pages into modules, make sure that the texts are inserted unformatted into Word, since otherwise Internet objects that are not visible to the user may be included in the text of the module, which can cause errors during report generation.

NOTE: If you have any further questions, please do not hesitate to contact your System administrator.

1.5. Overview of the most important symbols of the user interface

By clicking on the different symbols in *globalDoc*, a user with the corresponding user rights can create, edit, and delete data records, modules, etc. The following table provides an overview of the most important symbols.

Symbol	Description
	Unfolding the navigation items
 or 	Download file
	Upload file
	Detailed view/Edit
	Delete
	New data set
	Add rule (Search function)
	Delete rule (Search function)
	Print preview
	Replace pre-filled template
	Create chapter/module
	Preview (module content)
	Display information
	Close the open program item and forward to the start screen
	Forwarding to the program item "Task Management"
	Forwarding to the program item "Task TP Documentation"
	Forwarding to the program item "Create report"
	Import of an (Excel)-file
	Export of an (Excel)-file

2. First steps

2.1. Login

To login to *globalDoc*, please enter the Internet address provided to you into your browser:

- Chrome version 45
- Edge version 13
- Safari version 10 (except version 12.0)
- Firefox version 34
- Opera Version 92

If other browsers are used, *globalDoc* may not be displayed correctly. Microsoft Internet Explorer is no longer supported as of *globalDoc* version 9.1.

If Single-Sign-On (SSO) has been enabled in your *globalDoc* system, the *globalDoc* start screen opens immediately.

Otherwise, after entering the Internet address, the following login window appears (see Figure "Login to *globalDoc*"). Enter there the data provided to you by the System- or Security administrator. Usually these are username and password.




Figure 9: Login to *globalDoc*

It is optionally possible to use a two-factor authentication for the login to increase the security of your *globalDoc* system against unauthorized access. If your group chose this option, after entering the username and password, another field appears in which a six-digit OTP code must be entered, which you will receive by email or SMS (see Figure "Two-factor authentication (OTP-Code entry)"). Please note that a new OTP code (one-time-password) is generated at each login:

[Resend OTP-Code](#)
[Back to login page](#)

Please submit the OTP-Code which is already sent to your registered mobile number or email.

OTP-Code (One-Time-Pad via ...)

Submit OTP-Code

Figure 10: Two-factor authentication (OTP-Code entry)

NOTE: If the password is entered incorrectly several times, the username will be locked and needs to be unlocked by the Security administrator. Due to security reasons, the user does not receive any additional notification about being locked out by the system.

2.2. Home Screen

After a successful login the home screen appears (see Figure "Home screen of *globalDoc*"). The home screen contains an overview of the tasks assigned to you and any completed documentation reports already available as well as the program items of the main menu of *globalDoc* that have been released by the System- or Security administrator for the respective user on the left side of the screen. As a rule, the main menu of a local user will look like this:




Figure 11: Home screen of *globalDoc*

Depending on the responsibilities and the project status, you can access tasks in three different categories:

“Management tasks”  displays those management tasks which still need to be performed and which previously have been set up by a user with the user right “Task administration”.

“Documentation tasks”  displays those tasks related to the preparation of the TP documentation, which still need to be performed. Unlike the manually created **“Management tasks”**, these tasks have automatically been created by the system with reference to open modules of the transfer pricing documentation. The

automatically created tasks apply to everyone who has access for the reporting period/reporting entity. However, "Your current tasks" shows tasks that are specifically assigned or delegated to you.

"Tasks from other reporting entities/reporting periods" , in contrast to the two task overviews, shows you tasks that have only been delegated to you from another reporting entity/reporting period.

With the symbol  you can directly navigate to the respective task.

Right below the symbol **"Create report"**  you can, if such reports are already available, download the final reports and subsequently print them (in the screenshot above, no final report is available yet).

A click on the printer-icon  takes you to the *globalDoc* user interface, where you can download and subsequently print new reports from the selected reporting entity (see menu item **"Create report"**).

NOTE: As soon as the status of the TP documentation of a reporting entity is set to Review or Final, no more open tasks are displayed on the start screen of this reporting entity. All tasks that are still open at this point of time are hidden. If a final report already exists, it will be displayed for download.




Figure 12 Start screen in the review status of the report:

2.2.1. Help and contact

By clicking the symbol  in the upper right-hand corner of the screen you may obtain further information on *globalDoc*. Furthermore, you have access to the current manuals, and you may directly contact your *globalDoc* contact person at PwC, there.

The following screen opens after clicking on the symbol  (see figure "Help section overview"). Depending on the assigned role, the help section offers more or less categories for a user to choose from:




Figure 13: Help section overview

In the section "Manuals and How-to videos", the link "Manuals and How-to videos" will take you directly to *globalDoc*'s external support page (see Figure "External support page of *globalDoc*").




Figure 14: External support page of *globalDoc*

On the external support page of *globalDoc*, you will find user manuals and videos, sorted by *globalDoc* version. This page is updated on an ongoing basis.

You may also contact the *globalDoc* contact persons at PwC directly via a contact form on the *globalDoc* external support website.

In the **"Additional help documents"** section, you will usually find group-specific documents that your System administrator has uploaded for your support.

NOTE: The section "System log messages" and the link "System log messages" is only relevant for PwC to support you efficiently in case of system errors.

2.2.2. User profile

By clicking the profile-symbol  you can view your individual user profile, change your language settings for the user frontend, change your password and log out of the system, or (see Figure "User profile").




Figure 15: User profile

Via the icon  and a subsequent click on , your profile will be displayed (see Figure "Overview User Profile").




Figure 16: Overview User Profile

The user roles displayed in the view represent only the roles you have for the reporting period selected above. In another period, you might have different roles and rights if they are set up by a Security administrator.

Changes to the user profile can be made here, but not for the user roles. These must be made by the Security administrator.

Below the "User profile" button, you can select the desired language. If you move the mouse cursor over "en" (as an example), all languages enabled in your *globalDoc* system are displayed. Here you can directly select the desired language. By changing the language, the complete *globalDoc* user interface will be displayed in the selected language, but the language of the documentation content will not change.

Admin
martyna.szpieg@pwc.com

MY ACCOUNT

language: en

cs de es it pl pt-BR pt-PT

LOG OUT

Figure 17: User profile - Language selection

2.2.3. Selection of Reporting entity and Reporting period

The current reporting entity and reporting period are displayed in the top left corner of the window on a red background (see Figure "Display of the reporting entity and reporting period").



Figure 18: Display of the reporting entity and reporting period

If the local user has the appropriate authorization, he or she can select another reporting entity and/or another reporting period. This is done by a click on the  symbol in the top left corner and a subsequent click on **Select** in the appearing window. The user can also select the reporting period in the top left corner (see Figure "Selection of the reporting entity and reporting period").

Select reporting entities								
For the period: 1/1/2022 - 12/31/2022				 Search...				
	Report status	Code ↑	Name	Country	Creation deadline	Submission deadline	Business line	Sub business line
Select	In progress	DIV 1	Function_Research and Development					
Select	In progress	DIV 2	Function_Support Services					
Select		DIV 3	Function_Delivery of Finished Goods					
Select		DIV 4	APAC Division					
Select		DIV 5	EMEA Division					
Select		DIV 6	NAFTA Division					
Select	In progress	GLOBAL	GLOBAL					
Select	In progress	U01	DE-Demo Headquarters AG	DE - Germany	06/30/2023		AVI	AIR,SAT,UAV
Select	Completed	U02	FR-Demo S.A.	FR - France			HEC	PHA,BIT,LFS,EQU,HSV
Select	In progress	U03	CZ-Demo s.r.o.	CZ - Czech Republic			AVI	AIR
Select	In progress	U09	US-Demo Sales Hub America Inc.	US - United States	04/15/2023		HEC	PHA
Select	In progress	U12	MEX-Demo Sales Ltd.	MX - Mexico			AVI,HEC	AIR,SAT,UAV,BIT,LFS
Select	In progress	U16	CH-Demo Finance AG	CH - Switzerland			HEC	BIT,LFS
Select	In progress	U21	DE-Research Lab	DE - Germany	06/30/2023		AVI,HEC	SAT,UAV,HSV
Select	In progress	U22	IT-Demo sales S.p.A.	IT - Italy	11/30/2023		HEC	HSV
Cancel								

Figure 19: Selection of the reporting entity and reporting period

In the top right corner of the window, the deadlines with respect to preparation and filing of the TP documentation for the selected reporting entity are shown. Detailed information about the deadlines as well as details about country-specific documentation requirements in the corresponding country can be made available by the System administrator for the user under the menu item **"Reporting entity/Master data"** under the tab **"Reporting deadlines details"** (see chapter 3.1). By clicking on the link "Country specific preparation deadline", details about deadlines and local documentation requirements for the reporting entity are displayed, provided these have been

entered into the system by an Administrator as described above. For users who are not Administrators, the page is read-only.




Figure 20: Preparation and filing deadline

NOTE: Depending on the documentation strategy selected in your group, the date displayed as “filing deadline” may, for example, be the legal deadline by which the report must be submitted to the tax authorities at the latest. Under “preparation deadline”, the date by which the report must be completed can also be displayed, e.g., because it can be requested by the tax authorities from this date onwards (see Figure "Preparation and filing deadline"). However, deadlines specified within the group can also be displayed here, for example, especially for countries or Reporting entities for which no statutory deadlines are existent.

2.2.4. Navigation to the individual program items

On the home screen, depending on the assigned roles, various program and menu items are displayed in the menu column on the left side of the screen.

The Figure "Program items of the home screen (local user)" depicts the program items of a local user:




Figure 21: Program items of the home screen (local user)

By clicking on the respective program item of the main menu or by clicking on , you will reach the respective submenus, provided they have been activated for you.

The following sections provide a first overview of the individual program items of the main menu as well as their respective submenus and navigation items. A detailed description of how to work with these program items is given in [chapter 3](#).

The following Figure shows the submenus of the program item "**Reporting entity**":

NOTE: Depending on the user rights assigned to you by the System- or Security administrator, not all submenus may be visible to you.




Figure 22: Submenus of the program item "Reporting entity"

If a user has the role "Task administration", he can navigate to the submenu in program item "Tasks" by clicking  (depending on the user rights assigned to the user by the System- or Security administrator, not all submenus may be visible to you here either):




Figure 23: Submenus of the program item "Tasks"

The program item "Tasks" provides the local user with an overview of the tasks assigned to him. The tasks are either assigned centrally by a System- or Security administrator, or they are created by the local user (with appropriate rights).

A change to the detailed view (by clicking on the  icon directly in home start screen or alternatively in the submenu "Tasks/Task management" by clicking on the  icon in the column "Name") allows the user to navigate directly to the corresponding navigation item of the task (e.g., a module).

Basic task administration functions that are relevant for local users with the role "Task administration" are described in chapter 4.

3. Program item Reporting entity

Under the program item “**Reporting entity**”, the following submenus (“menu items”) are being displayed:




Figure 24: Possible submenu (“menu items”) of program item “Reporting entity”

NOTE: The submenus (“menu items”) available to you depend on the user rights set up for you by the Security administrator or System administrator. It is therefore possible that some of the menu items described in this manual are not visible for certain users.

3.1. Menu item Master data

Within the menu item “**Master data**” the general information of the reporting company can be inserted, viewed, and edited in the tab “**Reporting company details**” (see Figure “Reporting company details”).

Reporting company details	
Full name*	DE-Demo Headquarters AG
Entity type	Central Entrepreneur (CEN)/ Manufacturer (M)
Short name	Demo AG
Country*	DE - Germany
Code*	U01
Address	Main Street 11,11111 Sample City
ERP number	12X110
Local currency	EUR - Euro
Previous name	Demo HQ GmbH

Figure 25: Tab "Reporting company details"

These include information regarding the full name, short name, previous name, entity type, country, address, ERP number, and the local currency of the respective entity. The input-fields marked with an asterisk (*) must be filled in. The obligatory input-field "Code" must be filled with an alphanumerical, individual number. The number can be chosen freely for each entity.

NOTE: The fields not marked with an asterisk (*) do not have to be filled in. However, information can be inserted into these fields as variables in the documentation reports. If such a field is used as a variable but no entry is made, the variable remains empty when the report is generated.

Furthermore, it is possible to fill in additional information in the tab "**Optional details**" (see Figure "Optional details of a reporting company").

Optional details	
Name of tax office	Sample City local tax authority
Formation date	1/1/1990
Address of tax office	Tax Office Street 47, 11111 Sample City
Acquisition date	12/24/2017
Alternative business year	1. Juli bis 30. Juni
Tax number	11/111111
Short business year	
Number of trade register	123456789
Optional information	
Name of trade register	Sample City Trade Register
Address of trade register	High Street 364, 11111 Sample City
Legal representative (with address)	Max Mustermann
Business objective of the entity	The company is the ultimate parent of the Demo group. Its purpose is the development, marketing and distribution of the Group's

Figure 26: Tab "Optional details"


In the tab "**Reporting deadlines details**" you can enter your own preparation and filing deadlines or, if necessary, adjust the deadlines entered by the System administrator. The stored details are then displayed in the top right-hand corner of the start screen.

3.2. Menu item Transactions

In accordance with national and international documentation regulations, it is necessary to document transactions between group companies, stating their actual volumes and currencies.

In the menu item "**Transactions**", the transactions already entered are displayed in the form of a pivot table (see Figure "Transactions' overview").

In this overview table you have the possibility to adjust the view. You can group the transactions by transaction partner, country or transaction group and also determine the currency of the financial data.



Grouping by: Transaction partner	Country	Transaction group	Selected Currency	Provider	Recipient
>	USD - FR-Demo Helicopte S.A.			101,000	1,000
>	USD - CZ-Demo Satellite s.r.o.			1,001	999
>	USD - UK-Demo R&D Cer Ltd				2,011,000
>	USD - PL-Demo Sales H&B s.r.o.				100,000
>	USD - SG-Demo Sales H&Asia Inc.				200,000
>	USD - BR-Demo Sales				16,000
>	USD - DE-Demo Factory GmbH				520,000
Grand Total				102,001	2,848,999

Figure 27: Transactions' overview

In addition, you can navigate to the corresponding submenus via the navigation items "Transaction matrix", "Transaction partners", "Transaction groups" and "Analysis" (see Figure "Possible submenu ("menu items") of program item "Reporting entity").

3.2.1. Transaction matrix

Under the navigation item "**Transaction matrix**" it is possible to specify the transactions in more detail regarding the type of transaction, the volume or the type of product or service (see Figure "Transaction matrix - Overview page").

globalDoc Solution 9.6

Transaction matrix

Uta - DE-Demo Headquarters AG

4/1/2023 - 3/31/2024

Reporting entity

Master data

Transactions

Overview

Transaction matrix

Transaction partners

Transaction groups

Analysis

Documentation content

Attachments

Create report

Questionnaire

Tasks

Transaction matrix

Transaction part	Transaction partner	Transaction partner country	Transaction code	Transaction group	Role of reporting entity	Contractual basis	Invoice currency	Invoice amount	Agreement avail	Modified by	Modified date
U00	FR-Demo Helicopter S.A.	FR - France	U00_U00_0000	Support Services	Provider		EUR - Euro	999.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	FR-Demo Helicopter S.A.	FR - France	U00_U00_0000	Support Services	Recipient		EUR - Euro	1,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	FR-Demo Helicopter S.A.	FR - France	U00_U00_0000	Support Services	Provider		EUR - Euro	100,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	CZ-Demo Satellites s.r.o.	CZ - Czech Republic	U00_U00_0000	Support Services	Provider		EUR - Euro	1,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	CZ-Demo Satellites s.r.o.	CZ - Czech Republic	U00_U00_0000	Support Services	Recipient		EUR - Euro	999.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	UK-Demo R&D Centre Ltd.	GB - United Kingdom	U00_U00_0000	Support Services	Recipient		EUR - Euro	11,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	UK-Demo R&D Centre Ltd.	GB - United Kingdom	U00_U00_A_R&D_EUR	Research and Development	Recipient		EUR - Euro	2,000,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U00	PL-Demo Sales Hub EE s.r.o.	PL - Poland	U00_U00_0000	Research and Development	Recipient		EUR - Euro	100,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U08	SG-Demo Sales Hub Asia Inc.	SG - Singapore	U00_U08_0000	Research and Development	Recipient		EUR - Euro	200,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U01	BR-Demo Sales	BR - Brazil	U00_U01_0000	Support Services	Recipient		EUR - Euro	35,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U08	DE-Demo Factory GmbH	DE - Germany	U00_U08_0000	Support Services	Recipient		EUR - Euro	10,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U08	DE-Demo Factory GmbH	DE - Germany	U00_U08_0000	Request transaction group	Recipient		EUR - Euro	300,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM
U08	DE-Demo Factory GmbH	DE - Germany	U00_U08_0000	Request transaction group	Recipient		EUR - Euro	300,000.00		ddem.mur.ylinaz	10/10/2024 9:34:35 AM

1/10 - 1/10

globalDoc Solution 9.6.0.27 © 2023 - PwC. All rights reserved.

Figure 28: Transaction matrix – Overview page

Within this submenu item it is possible for the user to create new transactions via **+ New** and to delete existing transactions via **Delete** or **Delete**, respectively. The deletion of transactions is irrevocable. Therefore, it is recommended to export the data as a backup via the "Export" button. This creates an Excel file, which can be saved by you outside of *globalDoc*.

Furthermore, transactions can be entered and edited manually via **Edit** or imported from Excel via **Import**.

The last two options are presented below.

3.2.1.1. Manual data entry

By clicking on the icon **Edit** user can reach the details of a transaction (see Figure "Transaction matrix - manual data entry - tab "Business transaction details" with exemplary data).

Figure 29: Transaction matrix - manual data entry – tab “Business transactions details”

In the “**Business transaction details**” tab, you can enter more detailed information (e.g., “**Transaction partner***”, “**Invoice currency***”, “**Transfer pricing method***”, “**Transaction code***”, etc.) on the individual transactions. Fields marked with an asterisk (*) must be filled in. The “**Role of reporting entity***” field is particularly important here. This field determines whether the reporting entity for which the transaction is documented is the supplier (provider) or the receiver (recipient) of the transaction.

In the “Invoice amount” field, the amounts entered are displayed in decimal notation.

NOTE: Negative numbers preceded by “minus” signs are not reflected in the sorting and display. Since the “**Role of reporting entity***” field is used to select whether the documenting reporting entity is the recipient or provider for the respective transaction, it is sufficient to enter positive amounts in the “Invoice amount” field. Negative amounts will then only be used for adjustment entries.

Since it is necessary for the system to assign a unique transaction code to each transaction, transaction codes are automatically generated for all transactions if this field is not filled when entering the transaction. In this case, the transaction code is inserted automatically after saving the transaction partner in the “**Transaction code**” field and can still be changed manually afterwards. If the field is empty, a new unique transaction code is always generated.

When selecting the transaction currency, up to three common currencies (group currency, local currency of either transaction partner) are suggested. The suggestions are displayed and highlighted at the beginning of the list (see Figure “Manual data entry – Default currencies”).

Invoice currency*

EUR - Euro

Default currencies

EUR - Euro

GBP - Pound Sterling

Other currencies

AED - UAE Dirham

AFN - Afghani

ALL - Lek

AMD - Armenian Dram

ANG - Netherlands Antillean Guilder

AOA - Kwanza

Figure 30: Manual data entry - Default currencies

NOTE: There is no automatic currency conversion. However, the calculation is performed during automatic allocation if the threshold rate is specified for the currency. The exchange rate is not multiplied but divided.

3.2.1.2. Centrally provided attachments

The user also has the option of adding local attachments to this transaction (e.g. spreadsheets, contracts, etc.) in the "Attachments" tab, which is displayed after saving once. This works either via the button **Upload** or via drag & drop function in the marked area (see illustration "Transaction matrix - Manual entry - "Attachments" tab"). When creating central transaction groups, System administrators can provide attachments that are made available to the user when entering transactions.

If a file has already been provided centrally by the administrator. A corresponding warning message now appears

for the user, as shown in the following warning message

 Centrally provided attachments are available.

Transaction matrix

U01 - DE-Demo Headquarters AG

4/1/2023 - 3/31/2024

Modified by: didem.nuryilmaz, 10/10/2024 9:31:35 AM

Created by: globalAdmin, 9/22/2023 11:39:57 AM

Business transaction details

Attachments

History

Centrally provided attachments are available.

+ Add centrally provided attachment ...

Upload

Drag & Drop Files

File name	Short name	Attachment T	Is contra	Report	Reference	Modified by	Modified da
Screenshot 2024-10-17 11:19:27							

Page 1 of 1

100

Note: For editing attachment, please double click on filename

Save

Save and close

New

Delete

Close

Figure 31: Centrally provided attachments - Warning message

Now, the user has the option to add the attachment(s) to the transaction by selecting the "Add" checkbox (see Figure "Centrally provided attachment - Adding attachments"). If the file shall not be added, no action is required.

Figure 32: Centrally provided attachment - Adding attachments

3.2.1.3. Data entry via Excel import

In addition to manual data entry, transactions can also be created or changed using an Excel import (for example, when updating a new reporting period).

This is done via the fields **Import** and **Export** in the following screen (see Figure "Transaction matrix - Overview"), where data can be uploaded and downloaded.

In either case, manual data entry and data import, a unique transaction code must be assigned to the transaction. This is necessary because the program assigns the changes to existing transactions to each individual transaction using the transaction code. That is why for every transaction, a transaction code is generated automatically should the corresponding field be left empty.

NOTE: When importing the transactions into Excel, a dialogue appears in which you can specify e.g., whether the existing data should be supplemented or overwritten by the imported data.

Transaction	Transaction partner	Transaction partner country	Transaction code	Transaction group	Role of reporting	Contractual base	Invoice currency	Invoice amount	Agreement	Modified by	Modified date
☐	U02	FR-Demo Helicopter S.A.	FR - France	U01_U02_0001	Support Services	Provider	EUR - Euro	999.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U02	FR-Demo Helicopter S.A.	FR - France	U01_U02_0002	Support Services	Recipient	EUR - Euro	1.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U02	FR-Demo Helicopter S.A.	FR - France	U01_U02_D_FR-Cash Pool	Provider		EUR - Euro	100.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U03	CZ-Demo Satellites s.r.o.	CZ - Czech Republic	U01_U03_0001	Support Services	Provider	EUR - Euro	1.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U03	CZ-Demo Satellites s.r.o.	CZ - Czech Republic	U01_U03_0002	Support Services	Recipient	EUR - Euro	999.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U05	UK-Demo R&D Centre Ltd GB - United Kingdom		U01_U05_0001	Support Services	Recipient	EUR - Euro	11.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U07	PL-Demo Sales Hub EE s.r.l. - Poland		U01_U07_0001	Research and Dev	Recipient	EUR - Euro	2.000.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U08	SG-Demo Sales Hub Asia Pte Ltd - Singapore		U01_U08_0001	Research and Dev	Recipient	EUR - Euro	200.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U11	BR-Demo Sales	BR - Brazil	U01_U11_0001	Support Services	Recipient	EUR - Euro	16.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U18	DE-Demo Factory GmbH	DE - Germany	U01_U18_0001	Support Services	Recipient	EUR - Euro	19.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U18	DE-Demo Factory GmbH	DE - Germany	U01_U18_0002	Delivery of Finished	Recipient	EUR - Euro	201.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51
☐	U18	DE-Demo Factory GmbH	DE - Germany	U01_U18_0003	Delivery of Finished	Recipient	EUR - Euro	300.000.000	☐	didem.nur.yilmaz	10/10/2024 9:51

Figure 33: Transaction matrix – Overview


An empty Excel template can be downloaded via **Download template**, which ensures that the format specifications of *globalDoc* are always adhered to during the creation process (see Figure "Transaction matrix - Overview").

3.2.2. Transaction partners

Under the navigation point **"Transaction partners"**, you can select the affiliated companies of the reporting company with which the reporting company maintains business relationships (transactions) during the selected period (see Figure "Transaction partners - Overview").

By clicking the icon , transaction partners can be removed from the overview. This is only possible if the respective transaction partner does not have any transaction with the reporting company.

Once transaction partners have been removed from the overview, they are still available as transaction partners to other reporting companies. Only a System administrator can delete transaction partners from the system conclusively.



Approval	Code	Full name	Business relation type	Country	Modified by	Modified date
☐	R-APAC	APAC Division	Direct shareholders		system	10/14/2004 9:24:35 AM
☐	SH1	Arya Stark	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	BL-AT	BL Aviation	Direct shareholders		system	10/14/2004 9:24:35 AM
☐	U11	BR-Demo Sales	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U16	CH-Demo Finance AG	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U14	CN-Demo Agent	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U13	CZ-Demo Satellite S.A.	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U18	DE-Demo Factory GmbH	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U10	DE-Demo Parts Europe GmbH	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U1001	Demo Headquarters PLC	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U11	DE-Research Lab	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U102	FR-Demo Helicopter S.A.	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U103	FR-Demo Services Informatique S.A.	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM
☐	U104	IN-Demo Healthcare Ltd.	Direct shareholders		didem.mur.yilmaz	10/10/2004 9:30:33 AM

Figure 34: Transaction partners - Overview

If the transaction data shall be entered manually in the navigation item "Transaction matrix" to create the transaction matrix, all transaction partners which shall be available for selection can be adapted as described via the navigation item "Transaction partner". Thus, the maintenance of the transaction partners facilitates the selection of the correct transaction partner of a transaction.

Else, the navigation point "Transaction partner" only needs to be used by a local user if the transaction partner you are looking for has not already been created in the system.

That's because in this navigation item a local user can create a new transaction partner provisionally in the system via the following function. This must then be accepted by the System administrator.

By clicking on the button **Synchronize from group entities**, you can select those group companies from the group companies already centrally managed by the system administrator with which the reporting company had business relationships in the year under review (see Figure "Synchronization of transaction partners").




Figure 35: Synchronization of transaction partners

The existing transaction partners can be selected and directly assigned to the reporting entity by clicking on . Further, you may also use the **"Request new group entity"** tab in this view to ask the System administrator creating new transaction partners.




Figure 36: Request new group entity

Please note that the request for a new transaction partner is subject to a confirmation process by the System administrator. Until the confirmation process has been completed, the transaction partner remains highlighted in red in the transaction partner overview and is not available for other reporting entities. This feature ensures uniformly maintained transaction partners throughout the whole Group and avoids redundancies.

When creating a new transaction partner and selecting a centrally defined transaction partner, after clicking on **"Synchronize from group entities"**, a distinction must be made between the following categories of transaction partners (in the field **"Business relationship type"**). The categories may already have been preassigned by the system administrator in the system. Nevertheless, they may have to be amended from the viewpoint of a reporting entity by the local user:

- Indirect shareholders
- Direct shareholders
- Indirect shareholdings
- Direct shareholdings
- Permanent establishments/head office
- Other related parties

The transaction partners can be listed with name and address. In addition, the shareholding ratio and the duration of the shareholding can be specified (e.g., beginning to end of the reporting period to be documented).

As long as the requested transaction partner has not been released, it is highlighted in colour in the overview view.

Approved	Code	Full name	Business relation type	Country	Modified by	Modified date
☒	00000	Request Entity XYZ	Direct shareholders		LocalUser001	10/17/2024 12:30:38 PM
☒	R-APAC	APAC Division	Direct shareholders		system	10/14/2024 9:34:33 AM
☒	SHH	Asia Stack	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	BL-Viet	BL-Vietnam	Direct shareholders		system	10/14/2024 9:34:33 AM
☒	U14	BR-Demo Sales	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U16	CH-Demo Finance AG	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U14	CN-Demo Agent	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U03	CZ-Demo Satellite s.r.o.	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U18	DE-Demo Factory GmbH	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U20	DE-Demo Parts Europe GmbH	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U004	Demo Headquarters PLC	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U14	DE-Research Lab	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U02	FR-Demo Helicopter S.A.	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM
☒	U14	FR-Demo Services Informatique S.A.	Direct shareholders		didem.nur.yilr	10/10/2024 9:34:33 AM

Figure 37: Not approved transaction partner

3.2.3. Transaction groups

It is possible to create transaction groups for similar transactions. The transaction groups are managed centrally for your Group by the System administrator. The selection of the transaction groups which are relevant for the transactions to be recorded, can be made in the navigation item **"Transaction groups"** (see Figure "Transaction groups - Overview").

3.2.3.1. Synchronise Transaction Groups

Like for the transaction partners, a final deletion of transaction groups can only be performed by the System administrator. As a local user, however, you may adjust and update the allocation of transaction groups to your reporting entity accordingly, unless the respective transaction group is already used for a transaction in your reporting entity.

Number	Name of transaction group	Transfer pricing method	Local threshold for	Local threshold for	Approve	Group analysis	Modified by	Modified on
A	Research and Development				☒	☐	didem.nur.yilr	10/10/2024 9:34:33 AM
B	Support Services				☒	☐	didem.nur.yilr	10/10/2024 9:34:33 AM
C	Delivery of Finished Goods				☒	☐	LocalUser001	10/17/2024 12:30:38 PM
C.T.	Request transaction group				☒	☐	LocalUser001	10/17/2024 12:30:38 PM
D	Cash Pool	CUP			☒	☐	didem.nur.yilr	10/10/2024 9:34:33 AM
E	Distribution Service				☒	☐	didem.nur.yilr	10/10/2024 9:34:33 AM

Figure 38: Transaction groups - Overview

By clicking the button **Synchronize from transaction groups**, you may select transaction groups from a centrally managed list (comparable to what has been described in this manual for the navigation item "Transaction partners") (see Figure "Synchronization of transaction groups"). These can be allocated to your reporting entity via the icon .




Figure 39: Synchronization of transaction groups

3.2.3.2. Request new Transaction group

Comparable to the navigation item "Transaction partners", the reporting entity has the option of requesting specific transaction groups or transaction subgroups individually. This is done via the **"Request new transaction group"** tab (see Figure "Requesting a new transaction group").




Figure 40: Requesting a new transaction group

The requested transaction (sub)group is subject to a confirmation process by the System administrator, much like the confirmation process of the transaction partners. The aim is to ensure uniformly maintained and comparable information throughout the Group and thus avoid redundancies. Until the confirmation process has been completed, the transaction group remains highlighted in red in the transaction group overview and is not available throughout the group (see Figure: "Unconfirmed transaction group").




Figure 41: Unconfirmed transaction group

When requesting a transaction (sub)group, the user must choose to which transaction the transaction group is assigned as well as a transaction group name. The group number is displayed in the "**Number**" field.

Setting a check mark in "**Group analysis**" (within the detail view) will later allow you to perform function and risk analyses as well as transfer pricing analyses in the optionally usable menu item "**Analysis**" at transaction group level.

The System administrator determines whether the menu item "Analysis" is used in your Group. If the menu item "Analysis" is used and transactions within a transaction group require a separate analysis, the "**Group analysis**" must not be selected. The deletion of transaction groups can only be performed by the System administrator. However, the local user has the possibility to adjust and update the allocation of transaction groups to his company accordingly.

3.2.3.3. Determine materiality thresholds

Click  to open the transaction group for editing. Here, you may also see all the details including code, name, description, transfer pricing methods and materiality thresholds which may have been set by your System administrator:

- **General materiality threshold for I/C matrix:** If the value of a transaction is above or equals the materiality threshold, the transaction is included in the Excel file attached to a report. If it is below, the transaction is not included.
- **General materiality threshold for modules:** Individual modules can be allocated via an automatic allocation mechanism. In this case, if the value of a transaction is above or equal to this materiality threshold, the modules that are linked to the transaction automatically allocated to the report. If the value is below this threshold, they are not allocated.

In this view, a user can set a local threshold that is below the general materiality threshold, which has been set centrally by the System administrator for the transaction groups.

This can be done via one of both of the following fields:

- **Local threshold for I/C matrix**
- **Local threshold for modules**

Figure 42: Determine local materiality thresholds

NOTE: If the System administrator didn't set a currency for a general materiality threshold or has not set an exchange rate to convert the transaction volume into your local currency, the local user cannot set a materiality threshold here either. The user receives the following message: "In order to translate the materiality threshold into local currency, the exchange rate of the local currency must be stored in group currency. Please contact your System administrator for this".

3.2.4. Analysis

The explanations in this chapter are only relevant for you if the corresponding *globalDoc* functions are actually used in your Group. If *globalDoc* modules are used in your Group to create and edit the functional and risk analyses as well as the transfer pricing analyses, the analyses provided by the system do not have to be used (additionally).

The decision whether *globalDoc* modules or the functions described in this chapter are used in your Group is made by your System administrator.

Please note that the Analysis menu entry is by default disabled as it is very seldomly used. The administrator can enable this in the Settings menu.

3.2.4.1. Functional analysis/Risk analysis

In accordance with national and international documentation regulations, it is necessary to document the functions performed and risks assumed by individual companies. This can be done within the submenus "**Functional analysis**" and "**Risk analysis**" of the navigation item "**Analysis**". Both are structured according to the same logic and are therefore summarized here (see Figure "Risk analysis - Overview").

Selecting one of the submenus takes you to an overview page with the existing analyses, which can be searched by using the selection field , edited by clicking  and deleted by clicking .




Figure 43: Functional analysis -Overview

In addition, a new analysis can be created with **+ New**. The detail view, which opens when you want to edit an existing analysis or create a new one, differs only in the fields that are filled in (see Figure: "Risk analysis - Detailed view").




Figure 44: Risk analysis - Detailed view

Within the detail view, the **"Transaction group"** and **"F&R Templates"** can be selected via a drop-down menu.

By clicking **+** a new description can be added, and it can be removed by clicking **x**. By clicking **📄**, a copy of the relevant company can be generated.

The selection of the bars can be used to express that a function is performed / a risk is assumed. The number of bars can be used to represent the corresponding impact. Additionally, comments can also be inserted to describe the function performed or the risk assumed in more detail.

NOTE: The number of bars available to you in the Functional- and the Risk analysis is specified by your System administrator.

3.2.4.2. Transfer pricing analysis

The navigation item "**Transfer pricing analysis**" allows to explain the selected transfer pricing method and the appropriateness of the transfer prices for the individual transactions or transaction groups.




Figure 45: Overview of transfer pricing analyses

All transfer pricing analyses are displayed in the overview (see Figure: "Overview of transfer pricing analyses"). These can be searched, edited, deleted, and recreated via *globalDoc* (see also Chapter "Functional analysis / Risk analysis"). You can use the **+ New** icon to carry out a transfer pricing analysis for the respective transaction group (see Figure "Creation of a transfer pricing analysis").




Figure 46: Creation of a transfer pricing analysis

The applied transfer pricing method can be selected in the "**Method**" selection field. If no check mark has been set for "**Group analysis?**" in the navigation point "*Documentation setup / Transaction groups*" for the relevant transaction group (which may only be done by a System administrator), the documentation takes place at the level of the previously defined transaction group.

Via the different tabs displayed in the view, the transfer pricing method applied can be described ("**Description of applied method**") and its appropriateness can be explained in more detail, here. Furthermore, it is possible to describe the cost basis ("**Description of the cost base**") and to present the transfer pricing analysis as well as the appropriateness of transfer prices in more detail ("**Appropriateness of applied method**" and "**Appropriateness of transfer pricing**").

The transfer pricing analysis can also take place at the global level and be centrally provided to the local level in the form of prefilled text blocks. However, the user can still change the text blocks or enter free text at the local

level. The centrally predefined text blocks are available for selection in the **"Text Option"** selection field depending on the previously selected transfer pricing method. After the editing of the texts is finished, the button **Set** must be clicked.


If the "Best Method Rule" is required for a (US) company and the System administrator has created the company accordingly, a fifth tab will appear in addition to the four tabs already described.

NOTE: The functionalities of the submenu **"Transfer pricing analysis"** are only available if the transaction groups under the navigation item "Transactions/Transaction groups" and the individual transactions under the navigation item "Transactions/Transaction matrix" have already been created.

3.3. Menu item Documentation content

By clicking on the menu item **"Documentation content"** (under menu item **"Reporting entity/Documentation content"** in the main menu of *globalDoc*) an overview of the report configurations provided by the System administrator for the reporting entity in the selected reporting period opens, provided you have rights for several report configurations. In many cases the report configurations "Standard Local File" and "Standard Master File" should be available for selection here.

Click on  to select one of the available report configurations (see Figure "Relevant report configurations").



Name	Type	Scope	Country	Company	Is active	Is default?	Modified by	Modified date
Standard Local File	Local file	General			☐	☐	selma.toldin@pwc.com	10/10/2014 10:09:47 AM
Standard Master File	Master file	General			☐	☐	globalAdmin	6/17/2014 3:39:06 AM

Figure 47: Relevant report configurations

After appropriate selection, an overview of the chapters (highlighted in grey) and modules (highlighted in light) contained in the respective report configuration and allocated to your reporting entity is displayed. The structure and name can usually not be changed by the local user. The local user can only edit the content as long as the authorization for the respective module are available.

This overview is illustrated by the Figure "Report configuration", exemplary.




Figure 48: Overview Report configuration

If you only have rights for one report configuration of your company, the overview of the documentation content will appear immediately after clicking on the menu item **"Documentation content"** (under **"Reporting entity/Documentation content"** in the main menu of *globalDoc*).

The button **Collapse all** collapses all open chapters. If many chapters are assigned to your company in *globalDoc*, clicking this button will increase the overview. Afterwards all or selected chapters can be expanded again.

By clicking , you can generate a print preview of the individual module.

By clicking , you can upload a Word document to fill the module with content and thus replace an existing module's content.

Via  you may view and edit the module content. Details are explained in the chapter "Edit module".

3.3.1. Overview

In the navigation bar on the left-hand side of the screen, the system headings, and the associated modules of your *globalDoc* documentation are displayed below the menu item "Search and replace" (see Figure "Documentation content - Selected module").

If necessary, you must first expand the individual chapters by clicking on  in this navigation bar so that the system headings and associated modules are displayed there.

In this display, the module classes of the individual modules and their status in the workflow process are represented as follows:

 for Divisional,  for Global and  for Local.

The respective icons are displayed in four different colors:

 Gray stands for **"Module cannot be edited by the user for the selected reporting entity"**. When editing modules on a Local level, global and divisional modules are displayed in gray because they can only be read but not edited. (please note that global and divisional modules are only displayed, if the corresponding user has the right to view them).

- L Red stands for **"In progress"**. The module is available for editing by the user.
- L Yellow stands for **"Waiting for approval"**. Editing is no longer possible here unless the module is reopened.
- L Green stands for **"Finished"**. The module content has been created and reviewed.

On the modules to which the user does not have editing rights, the status of the module is shown with a correspondingly colored circle. For example, red G for "In progress" yellow for "Waiting for approval" or green G for "Finished".

The documentation content itself can therefore be read and, if necessary, edited in two ways: by clicking on a module L in the overview (see Figure above) or by opening the chapter structure in the navigation bar on the left side of the screen and then clicking on one of the modules (marked with G, D or L; see Figure "Documentation content - Selected module"):




Figure 49: Documentation content - Selected module

The arrow navigation at the bottom right of the screen can then be used to "scroll" from module to module in the documentation, similar to reading an e-book.

3.3.1.1. Status of TP Documentation

The **"Status of TP Documentation"** button at the top right of the overview page (see Figure "TP Documentation overview") shows the overall status of the TP documentation.




Figure 50: TP Documentation overview

This allows, depending on the user's rights, to submit the entire TP documentation for review or also to **confirm it finally** (for individual modules, see "Status of module"). The **"Submit for review"** function can be used, for example, if the complete documentation report is to be approved again by a third person, such as the local finance manager or your contact person in the Group tax department (with the Accountable role), after all local modules have been completed. When finalizing the complete report, all local modules contained in it are automatically set to final as well.




Figure 51: Overview TP Documentation Confirm as final

With **Re-open** it is possible to edit the entire documentation again. **Confirm as final** approves the entire documentation for release (both functions are only available to users with the role "Approve tasks" in addition to a user with the role "Accountable").

The status colors or names are similar as for modules. However, here they actually refer to the entire TP documentation. The following status messages are available:




Figure 52: Status type TP Documentation

If you click on the status of the documentation, the workflow view opens on the right side of the screen. Here, you may e.g., change the status of the documentation.

NOTE: The individual sections of the workflow view are explained in detail in the chapter "Edit module/Status of the module".

Here in this chapter, only the differences to the module status are explained.

The most important differences exist in the sections Action and Info.

NOTE: While it's possible in the module related view to delegate the task to someone else (see chapter Status of the module), this is not possible in the TP documentation view.

Option section - Action

In this option section the user with the required rights (Responsible, Reviewer, Accountable and System administrator) may submit the report for review ("**Submit for approval**") or, for example as an Accountable, confirm the report as final ("**Confirm as final**").

In some cases you might also see a button that allows you to upload a file with the status change. This can be enabled in the reporting period settings and can be used to attach the report with comments that require further adjustments to the documentation. This is especially useful, when the comment field is not sufficient anymore (e.g. because of a lot of required changes). The uploaded file can either be a Word file or – if enabled – any other kind of document. The uploaded document is available on the landing page for download. The administrator can also enforce the upload of a document and prevent the status change if no file is supplied.

If the default checkmark "**Send email**" is not deselected, a message text for the next person in the workflow process can be entered in the "**Optional comment**" field. With a subsequent click on one of the red buttons for the status change (Submit for approval, Confirm as final, Reopen), this person is informed about the status change by email. If a text has been entered in the "Optional comment" field, this text will be added to the e-mail.

NOTE: Depending on the settings made by your system administrator, an e-mail is always sent to the next person in the workflow process when a status change occurs, even if you remove the default "**Send e-mail**" checkmark.

Action

☒ Send email?

Optional: e-mail text

☐ Archive report

Confirm as final

Figure 53: Option section - Action - Status of TP Documentation

If **"Archive report"** is ticked, a PDF file of the report is generated and archived at the same time as the report is finalised. For globalDoc, archive means that this report is finalised and uploaded as a PDF file.

As with the modules, the status can be reverted by clicking the **"Re-open"** button.

Option section - Info

In this section it is possible to see which users have the roles in the workflow process mentioned above. For the Accountable or Responsible it is also possible to create a deadline for the completion of the module related tasks. The information about the tasks is also displayed on the *globalDoc* start page.

Info

Approver level report:

Accountable 1*

Accountable01 ✕

Martyna ✕

MartynaL ✕

S-Accountable ✕

S-Accountable2 ✕

Reviewer 2 - entire report

Martyna ✕

Reviewer 1 - entire report

Martyna ✕

Processing deadline *

12/31/2023

Name*

DE-Demo Headquarters AG

Description*

DE-Demo Headquarters AG

Details

Close

Save

Figure 54: Option section - Info - TP Documentation

NOTE: You can also use this area to create documentation-related tasks.

The following input fields can be found:

Accountable: The specified user is the overall responsible for the reporting entity's documentation.

Reviewer (optional): Module content (single text blocks and file attachments) is submitted by the Responsible to the Reviewer for review. The Reviewer can then either approve them or re-open them for editing. As can be seen from the illustration, several review levels can be set-up and several Users per review level can be nominated (including Responsible and Accountable). The approval levels are indicated from bottom to top. This means that the module content is first checked by review level "Reviewer1" and then by "Reviewer2".

Responsible: The specified user is responsible for the module content (single text blocks and file attachments) and can delegate editing to other users if necessary. As with the Reviewer approval level, several users can be added as Responsible.

Processing deadline*: In this field, a user, if authorized, can specify by when a task must be completed. If the task is not completed by the deadline, the following message text appears directly here: "Please note: The processing deadline has been exceeded." In addition, the System administrator can define at which times *globalDoc* sends automatic emails as a reminder of an impending deadline. Own tasks and the respective processing deadline are also visible directly on the start page.

NOTE FOR SYSTEM ADMINISTRATORS: While the fields on the module level are for information only, the user with required rights can change roles here. The roles can also be changed directly under the navigation item "Group companies" (which is not visible for a local user) in the detailed view of the respective company. However, this is only possible for local companies but not so for the levels "Global" and "Divisional". For Global and Divisional company types, this can only be changed here (in the navigation item Documentation content / Overview).

3.3.2. Search & replace

It is possible to search and replace texts or variables within the entire documentation. This enables efficient retrieval and consistent implementation of the desired changes. A possible change could be, for example, the replacement of the company name with the corresponding variable in the entire document.

Clicking on "**Search & replace**" opens a search mask with the entire documentation (see Figure "Search & replace").




Figure 55: Search & replace

The search can be refined by entering the following information:

Figure 56: Search & replace input

Find type*: Here you can specify the type of information to be searched for. You can either search for a text or for a variable in the documentation.

Replace type*: Here you can specify the type of information to be replaced. You can either insert a text or a variable.

Find*: Here you can specify which text or variable to search for. If "Variable" has been selected for "**Search type**", a small arrowhead is displayed for "**Find***". If you click on this arrowhead, all variables available in the documentation are listed and can be selected by clicking on them.

If "Text" has been selected for "**Find type**", a free search text can be entered here.

Replace: If "Variable" was selected for "**Replace**", a small arrowhead is displayed. If you click on this arrowhead, all variables available for replacement are listed and can be selected by clicking on them.

If "Text" is selected for "**Replace type**", then you can enter a free text for replacement here.

Match whole word: By ticking this box, you can specify whether only whole words should be searched for.

Match case: If you tick this box, the search is case-sensitive.

All fields marked with an asterisk (*) are mandatory fields. Click on **Find** to execute the search.



The "**Search and replace**" function is intuitively designed and comparable to the function in, e.g., Microsoft Word. The "**Undo all**" button resets all newly made changes and cancels the search. The "**Previous**" and "**Next**" links can be used to navigate from one search result to the next and back again. "**Replace**" replaces the results found individually. "**Replace all**" replaces all results found at once.

With the function "**Save changes**" all changes are saved and cannot be undone.

NOTE: Each user can only change the text of modules for which this user has the required editor rights and have the status **Status of module** **In progress** . You may either select "**Replace all**" or always click the "Next" button and then click "**Replace**".

3.3.3. Edit Module

3.3.3.1. Tab Details

As described in the previous chapters, you can open the desired documentation report via Reporting entity / Documentation content. If you must edit modules in several reports for the selected reporting entity, these reports are displayed on an overview page. In most cases these reports are "Standard local file" and "Master file".

After opening the selected documentation report, an overview page of the documentation content of this documentation report is displayed.

If you only have modules to edit in one report for the selected reporting entity, you will be taken directly to the overview page of the Documentation content.

From the overview page of the documentation content, you can switch to the display of the individual module contents by clicking on  (alternatively: by opening the chapters in the left navigation column and then clicking on a module (marked with ,  or )).

In the upper area of each module, you will find the following tabs: **"Details"**, **"Attachments"** and **"Change history"**. Users can perform three primary tasks in the module (the following figure shows a module in the preview mode): edit the module, add or delete attachments to the module, and view the module's change history (see Figure "Local module in preview mode").




Figure 57: Local module in preview mode

For a module that can be edited by you, the following buttons are usually visible under the **"Details"** tab:



Figure 58: Buttons in an editable module

You can edit such a module in three ways:

1. by clicking on the "Edit module" button.
2. by clicking on the "Edit with Online Editor" button
3. by clicking on the "Download file" or "Replace file" button.

3.3.3.1.1. Edit module in Microsoft Word

This function allows you to edit the module directly in Microsoft Word. When opening the module for the first time, you may receive a Microsoft Word warning message. This must be confirmed with "OK". Afterwards you can edit and save the Word document by clicking on the "Enable Editing" button in Microsoft Word.




Figure 59: Edit module in Microsoft Word

All changes in the Word document are immediately transferred to the *globalDoc* software when saved.

NOTE: If the Word document is opened by you, other users cannot edit the module. Therefore, please close the Word document when you have finished editing it.

When editing, you can use all the features and formats that Microsoft Word offers. You can use footnotes, bookmarks or MS Shapes and Forms, etc. It is also possible to use your company's format templates, so that you can select your company-specific formats such as font, tables, etc. at any time when editing in Microsoft Word.

NOTE: It can happen in review mode that images and tables are displayed in the other module if the paragraph is not recognizable. In these cases, a paragraph should therefore be inserted manually at the end of the paragraph by pressing Enter. Or insert a paragraph in the image and table properties.

NOTE: Please familiarize yourself with your company-specific formats beforehand so that you select the correct formats when editing in Microsoft Word.

Furthermore, the option to insert variables into the module text is available for you, here. To insert variables, you may use the following functions:




These functionalities offer the possibility to easily insert standard variables, questionnaire variables or even pre-defined tables for transactions, shareholders, contracts, and attachments. The use of variables is explained in detail below (please see chapter "Using variables").

Only a first overview shall be provided, here:

To insert variables into the Word document, first click on "Variables and tables" and then on the respective button for the variable (Standard variables or Questionnaire variables). There you can search for the desired variable and select it by clicking on it. Thus, the selected variable will be copied to the clipboard and can then be pasted into your Microsoft Word document using the Microsoft Word "Paste" function.

Alternatively, by clicking on the "Download" button and then on "Standard variables", you can also download a Microsoft Word file from the system in which all standard variables are listed. From there you can select the desired variable with the Microsoft Word function "Copy and Paste" and insert it into your Word document with the module content:



globalDoc Solution recognizes the variables inserted in either way in your Word document and will output them when printing.

3.3.3.1.2. Online Editor

The Online Editor integrated in the *globalDoc* software allows the user to create or edit content directly in *globalDoc*.

NOTE: If you cannot see or access the Online Editor in *globalDoc*, this means that it may have been deactivated depending on the security requirements of IT. If you wish to use the Online Editor, please contact your IT department and/or your PwC contact person.

Via the button  the selected module can be opened in the Online Editor for editing. After opening the module, the following warning appears above the editor:

Warning: The editor supports the majority of word-formats and word-functions. However in particular cases, unsupported formats or functions can be lost.

Figure 60: Warning about switching to online editor

Editing the module in the Online Editor is essentially the same as in the familiar Word environment (see Figure "Editing a mode via the Online Editor").




Figure 61: Edit module via the Online Editor

Unlike editing via Microsoft Word, some formats such as shapes, SmartArt are not supported in the Online Editor.

Within the Online Editor, in addition to the usual editing options, it is also possible to insert a variable stored in globalDoc or a benchmarking study stored in *globalDoc* via the **"Variables"** tab. If a questionnaire is available, the entered answers can also be used as variables (see menu item Questionnaire).

Clicking on the **"Insert variable"** area marked in Figure **"Variables - Insert variables"** opens a dialog box in which you can select from the stored variables (see menu item "Master data").




Figure 62: Variables - Insert variables

NOTE: While many variables (standard variables) can be added directly in the Online Editor, some special variables (table variables) must be inserted outside of *globalDoc* in the module downloaded as a Word file. These are transaction tables that are copy-pasted into the module. These special variables allow the transactions for each company and reporting period to be presented in a structured way in the printed documentation. The variables available in *globalDoc* are shown in the appendix to this user manual.

Clicking on the **"Insert benchmarking study"** area marked in Figure **"Variables - Insert benchmarking study"** also opens a dialog box in which a selection can be made from the stored benchmarking studies.




Figure 63: Variables - Insert benchmarking study

The following dialog box, with a list to select the benchmarking studies previously created by Admin, appears:

Select benchmarking study

Country										
	Name	First year of study	Last year of study	Country	PLI name	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
←	OE Research and Development	2019	2021	DE - Germany	Berry ratio - in %	2,30	4,30	6,40	7,80	11


Region										
	Name	First year of study	Last year of study	Region	PLI name	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
←	NAFTA Research and Development	2018	2020	Americas	Berry ratio - in %	2,30	4,30	5	7,10	9,90
←	NAFTA Support Services	2018	2020	Americas	Mark-up on direct cost - in %	2,10	3	5,40	7,70	13,70
←	APAC Support Services	2018	2020	APAC	Berry ratio - in %	4,30	4,60	5,30	6,10	7
←	APAC Support Services Test	2018	2020	APAC	Berry ratio - in %	2,30	4,30	6,40	7,80	11
←	EMEA Research and Development	2018	2020	EMEA	Berry ratio - in %	1,90	2,60	3,60	4,90	7,90
←	EMEA Support Services	2018	2020	EMEA	Gross margin - in %	2,90	3,60	5,40	7,30	12,20
←	Test Selma Bench	2010	2019	EMEA	Interest rate - in %	2	3	4	6	8

Additional available studies										
	Name	First year of study	Last year of study	Region	Country	PLI name	Minimum	Lower Quartile	Median	Maximum
←	DE Research and Development	2018	2020	CN - China		Berry ratio - in %	2,30	4,30	6,40	7,80
←	FR Support Services	2018	2020	FR - France		Berry ratio - in %	2,30	3,50	5,30	9
←	US Research and Development	2018	2020	US - United States		Berry ratio - in %	1,20	2,50	3,70	5,90

Figure 64: Selection of benchmarking studies

Within this window, the desired benchmarking study can be selected by clicking the icon  and the benchmarking study will thus be inserted into the module to be edited.

Once all the desired changes have been made within the editor, it is necessary to save the changes using the icon  under the "Home" tab.

The button  displays the module content in preview mode. You can return to the Online Editor by clicking the button .

NOTE: The benchmarking study function described here is only possible within the Online Editor. Online Editor may be deactivated by IT due to system requirements. Therefore, please use the button **"Insert benchmarking study"** outside of Online Editor. The use of this function is described further below.



3.3.3.1.3. Download and replace Word document

By clicking on  the module content can be downloaded to your computer as a Word document. You can then edit the module with all Word functionalities, save it on your computer and then upload it back to *globalDoc* by clicking on  "Replace file".

Alternatively, you can also work directly in the overview of the modules visible to you (see Figure "Documentation content - overview of modules"):




Figure 65: Documentation content - overview of modules

The icon indicates that the user can upload a Word document.

If no Word document has been uploaded yet, the following upload window appears after clicking the icon :




Figure 66: Upload Word-Documents

If a Word document has already been uploaded, the following upload window will appear after clicking on the icon :




Figure 67: Replace Word-Documents

After clicking on "**Choose File**" the user is asked to select the corresponding file to be uploaded. By "**Upload**" or "**Replace File**" the (local) module will be filled with content.

3.3.3.1.4. Benchmarkingstudie einfügen

Click on the "Insert benchmarking study" button  to open a dialogue window in which you can select from the stored benchmarking studies. Benchmarking studies available for selection can be uploaded or managed in globalDoc under **Documentation management/Benchmarking** studies.

The following dialogue window appears with a list for selecting the benchmarking studies previously created by Admin:

Select benchmarking study

Region

Name	First year of study	Last year of study	Region	PLI name	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
← NAFTA Research and Development	2019	2021	Americas	Berry ratio - in %	2.3000	4.3000	5.0000	7.1000	9.9000
← NAFTA Support Services	2019	2021	Americas	Mark-up on direct cost - in %	2.1000	3.0000	5.4000	7.7000	13.7000
← APAC Support Services	2019	2021	APAC	Berry ratio - in %	4.3000	4.6000	5.3000	6.1000	7.0000
← EMEA Research and Development	2019	2021	EMEA	Berry ratio - in %	1.9000	2.6000	3.6000	4.9000	7.5000
← EMEA Support Services	2019	2021	EMEA	Gross margin - in %	2.9000	3.6000	5.4000	7.3000	12.2000

Additional available studies

Name	First year of study	Last year of study	Region	Country	PLI name	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
← DE Research and Development	2019	2021	DE - Germany		Berry ratio - in %	2.3000	4.5000	6.4000	7.8000	11.0000
← FR Support Services	2019	2021	FR - France		Berry ratio - in %	2.2000	3.5000	5.3000	6.7000	9.0000
← US Research and Development	2019	2021	US - United States		Berry ratio - in %	1.2000	2.5000	3.7000	5.5000	8.9000

Figure 1: Selection of the Benchmarking study

Within this window, the desired benchmarking study can be selected by clicking on the symbol ← and the benchmarking study is copied to the clipboard and attached to the module as an attachment.

A temporary note then appears in the module with the file name of the benchmarking study, which can also be downloaded:

Documentation content
U01 - DE-Demo Headquarters AG
4/1/2023 - 3/31/2024

2 General information : Key Competitors
Local, Word document

Centrally provided attachments are available.
Status of module

DETAILS
ATTACHMENTS
CHANGE HISTORY

Edit module
Download file
Replace file
Module content
Download
Variables and tables
Insert benchmarking study

Modified by: didem.nur.yilmaz, 10/10/2024 9:51:35 AM
Created by: didem.nur.yilmaz

Benchmarking study
Demo benchmarking study report - NAFTA Research and Development 2018 2020.pdf

a) Local competition

This section sets out the competition on the local market. Each market typically has two main competitors the local entity has to deal with.

Figure 68: Temporary note that benchmarking is copied and attached

If you have not yet opened the module in edit mode, you can now open it for editing via "Edit module". Now you can place the cursor where the benchmarking study, which is still in the clipboard, should be inserted.

a) Local competition

This section sets out the competition on the local market. Each market typically has two main competitors the local entity has to deal with.

Mark-up on direct cost - in % 2019 2021						
Compara ble set	Number of <u>compara bles</u>	Minimu m	Lower quartile	Median	Upper quartile	Maximum
	9	<u>NaN</u>	<u>NaN</u>	<u>NaN</u>	<u>NaN</u>	<u>NaN</u>

Figure 69: Insert benchmarking study from the clipboard

+ Add centrally provided attachment ...

Upload
Drag & Drop Files

File name	Short name	Attachment Type	Is contract	Report	Reference	Modified by	Modified date
Demo benchmarking study report - NAFTA Supp			X	✓	✓	didem.nur.yilmaz	10/10/2024 9:51:38

Page 1 of 1
100
View 1 - 1 of 1

Note: For editing attachment, please double click on filename

Figure 70: Attached benchmarking study

NOTE: To delete an inserted benchmarking study, the procedure is the same as for deleting an ordinary table. Open the module in Edit mode and select the complete benchmarking table to delete it with the Delete key. You can also use the Microsoft Word function "Remove table".

3.3.3.1.5. Central prefilled template documents

If the System Administrator has updated the template document for this module, the system recognizes this and draws attention to it accordingly by means of a message window (see Figure "Central template document - message").




Figure 71: Central template document - message

The "Compare" button can be used to compare the current module content and the template document updated by the System Administrator.

The differences between the two versions are displayed in color in a separate window (see the "Accept/reject central template document" Figure). The same window opens also when you press the button **Compare**.




Figure 72: Accept/reject central template document

You can either use the "Apply new template" function to apply the template provided by the system administrator or use the "Keep previous content" function to not update the content. If you select "Keep previous content", you still have the possibility to adopt it afterwards via the button **Use prefilled template**.

This is because globalDoc also offers the option of using a template pre-filled by the system administrator (which can then be adapted by the local user as required) by clicking on the button **Use prefilled template**.

Since the use of the template replaces any existing documentation content, the use of the prefilled template must be additionally confirmed (see figure "Message - Use prefilled template").




Figure 73: Message – Use prefilled template

The function  **Use prefilled template** only appears if the centrally provided template document has not been adopted. This is because this function gives you the option of subsequently adopting the prefilled template.

3.3.3.1.6. Overview of the buttons for editing the module

 Edit module	The module is opened in Microsoft Word.
	The function is described in detail below.
 Edit with Online Editor	The module is opened with the online editor integrated in globalDoc.
	The function is described in detail below.
 Replace file	Uploading or replacing the module content from a Word document.
 Download file	Downloading the module content as a Word document to the local computer.
Module content ▲  Use prefilled template  Compare to prefilled template  Remove	Use prefilled template: Use a pre-filled template specified by the system administrator (displayed only if such a template exists for the module).
	Compare to prefilled template: If changes have already been made in the module, it is still possible to compare between the template and the current module content.
	Remove: Delete the module content. To completely delete a module content, the template must also be deleted.
	Download template: Download a template specified by the System Administrator (empty but correctly formatted Word file).
Download ▲  Download template  Standard variables  Questionnaire variables	Standard variables: Download standard variables. A Word document opens from which the variables can be copied and pasted into the documentation content. Important: The variables have a field function in Word. Therefore, the format must be taken over when pasting (just taking over the text is not sufficient). Transaction group variables are contained in the standard variables file.
	Questionnaire variables: Download the variables that have been defined in the questionnaire (see menu item Questionnaire).
Variables and tables Standard variables ▶ Questionnaire variables ▶ Transaction tables Shareholders table Contracts table Attachments table	Transaction tables, Shareholders table, Contracts table and Attachment table are predefined tables filled with the required variables.
	Standard variables, transaction group variables and questionnaire variables can be used individually directly in the continuous text.
	The use of these functions is described in detail in the chapter "Use of variables".
 Insert benchmarking study	You can use the button to insert benchmarking studies into the report which have previously been uploaded to <i>globalDoc</i> by a System administrator.

3.3.3.2. Tab Info

The info tab shows information about the module and the associated task and this is for informational purposes only. This is usually the module name and any description that the administrator has assigned to the task.

2 General information : Company history

Status of the module
In progress

Local, Word document

DETAILS
INFO
ATTACHMENTS
CHANGE HISTORY

☐ Preview of the transferred data

Task name
Module assignment - Company history

Task description
Please submit the module according to the deadline.

3.3.3.3. Tab Attachments

In the "**Attachments**" tab, users can upload file attachments that are assigned to this module (see figure "Module attachments"). Attachments can contain files in any format such as spreadsheets, Excel tables, images, and PDF documents.




Figure 74: Module attachments

Within the tab "**Attachments**", all uploaded module attachments are being displayed.

The icons  and  cause the respective attachment to be moved up or down in the list.

By clicking in the cells of the columns "**Is contract**", "**Report**" and "**Reference**" you can determine whether the module attachment is a contract ("Is contract"), whether the module attachment should be printed as an attachment to the report ("Report") and whether in this case a reference to this attachment should appear in the documentation text ("Reference").

The selection of the fields "**Is contract**", "**Report**" or "**Reference**" are displayed in the overview with the symbol  for non-selection and with the symbol  for selection.

The information "**Modified by**" and "**Modified date**" are filled by the system.

The file name of the module attachment is displayed in the "**File name**" column.

Double-clicking on this file name opens an editing window (see following figure). There, the module attachment can be provided with a short name and an

A double-click on this file name opens an editing window (see following figure). There the module attachment can be provided with a short name and an attachment type for grouping similar attachments during report generation. The user can freely choose a short name for the file and select an attachment type from a drop-down

menu with document types already specified by the System administrator. Attachments marked with both "Is contract" and "Report" are stored in the "Contracts" folder when the report is generated.

Attachments that are only marked with "Report" are stored during report generation in the ZIP file generated by the system either in the folder "Documents" or in one of the correspondingly designated subfolders created by the System Administrator as "Attachment type". To store an attachment in a subfolder created by the System Administrator, the respective Attachment type must be selected (see figure "Set attachment characteristics" - in this example, the attachment type "Charts" was selected).




Figure 75: Set attachment characteristics

If the appendix is additionally marked with "as reference", the module attachment is indicated in the module text. The figure "Reference to attachments in the module text" shows an example of such a reference to an attachment in the module text. The reference text can be edited by the System Administrator.

	Please find attached the following additional information:
#	File name
1	Transactions-PL-Demo_Sales_Hub_EE_s.r.o.-2017-01-01-2017-12-31.xlsx
2	Transactions-CZ-Demo_s.r.o.-2022-01-01-2022-12-31.xlsx

Figure 76: Reference to attachments in the module text

NOTE: The module attachments can only be edited if the status of the module is "In progress" (i.e., red). See Status of the module.

3.3.3.3.1. Centrally provided attachments

The System administrator can provide attachments centrally for local modules. If this is the case, the local user is shown the following message after opening the module:



Figure 77: Module – Message centrally provided attachments

Likewise, the "Attachments" tab in the module is displayed in red color with an exclamation mark.

Furthermore, in the "Attachments" tab of the module, a grey button **+ Add centrally provided attachment ...** is displayed with which you can decide whether you want to accept the provided attachment (see Figure "Overview module attachments with note: + Add centrally provided attachment ...").




Figure 78: Overview module attachments with note: + Add centrally provided attachment ...

After clicking the button **+ Add centrally provided attachment ...**, the following pop-up window opens. Here you have the option of placing a check mark in the "Add" column or in the "Dismiss" column and thus adding the centrally provided attachment to the module or not (see Figure "Selecting centrally provided attachments"). If multiple centrally provided attachments are available for the module, all these centrally provided attachments will be displayed in this pop-up window. The selection can be made individually for each attachment. Also, if needed, the centrally provided "Is contract", "Report", and "Reference" settings can be changed. And finally, as described above, a Short name can be assigned if required and an Attachment Type can be selected from the attachment types provided by the System administrator in order to assign the attachment to the corresponding folder of the ZIP file during report generation.




Figure 79: Selecting centrally provided attachments

3.3.3.4. Tab Change history

The **"Change history"** tab lists all saved versions of the module content and attachments (see Figure "Change history"). The user can view the individual versions, compare them with the current version, or replace the current version with a selected version (this does not delete the current version, but continues to be available via the change history).




Figure 80: Change history

After selecting a saved version of the module content, the user has the option to perform the following actions within the "Change history" tab:

Revert to this revision: The module content is reset to the status of the selected version. The previous module content is also historicized.

Compare with current: A display appears showing the differences between the current and the selected module content in track-change mode.

Download comparison: A Word file is created here in which the differences between the current and the selected module contents are displayed in track-change mode.

3.3.3.5. Status of the module

If a user has been selected as "Responsible" for a reporting company, this user can change the status of a module and pass it on to the "Reviewer" (see [Reviewer](#)) or to a user with the role "Approve task" (see [Approve tasks](#)) to check the changes he has made ("**Submit for approval**").

The status of a module **Status of module** **In progress** ● can be found in the upper right corner of the screen:








Figure 81: Status of a module

Also here, the processing status of the module is indicated using traffic light colors.

	If a module has not yet been processed, the status "New" will be displayed.
	If the module is in progress, it has the status "In progress".
	If the Responsible delegated editing a module to another user, it has the status "Delegated".
	The module has been submitted for approval to the Reviewer or a user with the role "Approve tasks", respectively. Further processing by the submitter is no longer possible in this module status (unless he or she also has the role "Approve tasks"). Only when the Reviewer or a user with the role "Approve tasks" has executed the "Reject" or "Reopen" command is it possible for the local user (Responsible) to edit the module again.
	The module has been approved and, thus, has the status "Finished".

NOTE: System administrators and users with the role "Approve tasks" can change the status of a module to "Finished" at any time if the entire TP documentation has not yet been completed.

3.3.3.5.1. Module review process

By clicking the button  in the upper right corner of the screen, the review mode will be opened.

In this mode, for example, the Responsible can submit the module to the Reviewer for approval.

NOTE: If no user has been assigned the role of Reviewer for the reporting company by the System/Security administrator, the Responsible can release the module directly (i.e. without an approval process). In this case the status of the module changes immediately from "In progress" to "Finished": .

Task owners (users with the role "Approve tasks", "Responsible" or "Reviewer") can check the modules directly in globalDoc, depending on the module status. If this function has been activated in *globalDoc* by the system administrator, task owners are automatically notified by the system by e-mail about modules that are to be reviewed. Furthermore, task owners can comment on the module, approve changes to the module or, as a reviewer, arrange for the module to be reworked by the responsible person by reopening the task, which changes the status of the module back to "In progress": .

Users with the role "Reviewer" must check all modules with the status "Pending approval": .

On the right-hand side of the screen are the various options for each editor of the module: "Activity", "Comments", "Info", "History", "Checklist" (see figure "Options for the review process").




Figure 82: Options of the review process

Depending on the module status, the following options are available for tracking the module status (see Figure for module status).

By clicking the button , the individual sections can be opened. The Figure "Options of a Responsible" is an example of how a status of a module can look like (in this case from the point of view of a Responsible):

Info 

Approver level content:

Module reviewer level 2

Module reviewer level 1

Responsible

Processing deadline *
 10/21/2024

Name*
 Module assignment - Company history

Description*
 Please submit the module according to the deadline.

Details **Close**

Figure 83: Options of a Responsible

3.3.3.5.2. Action

The option section **"Action"** lets the user with permission to edit a module (e.g., as "Responsible") forward the module for approval via the link "Submit for approval". The responsible user with the role **"Submit for approval"** (or Reviewer) will be informed by e-mail, if the selection field **"Send email?"** was selected, as shown in the Figure "Submit for approval" below. In this case, an optional input field also appears in which a message or comment for the user with the right "Approve tasks" or for the "Reviewer" can be stored when submitting the task.

Action

☒ Send email?

Optional: e-mail text

Delegated

Martyna

Confirm as final

Delegate

Figure 84: Submit for approval

Within this option section it is also possible for the responsible person (Responsible) to delegate the editing of the module to a local user. This can be done by selecting the appropriate user from the drop-down menu below **"Delegated"** and then clicking **Delegate**. All users created by the System/Security administrator are available for selection. The delegation may be withdrawn at any time in the same place.

The user, to whom the processing of the module was delegated, now has the possibility in the same option section (i.e., under **"Status of module"**) to reject the delegation or complete the delegation after successful processing (see Figure "Edit delegation").

NOTE: One module can be assigned to several users at the same time. However, for editing a module, not more than one user should be working on it at the same time.

Action

☒ Send email?

Optional comment

Delegated

Responsible01

Withdraw delegation

Finalize delegation

Figure 85: Edit delegation

Once the delegation has ended, the responsible person (Responsible) is again provided with the option **"Submit for approval"**.

If the Responsible selects this option, the status of the module changes from "In progress" to "Waiting for approval" **Status of module** **Waiting for approval** if the Security administrator has assigned the Reviewer role to a user for the reporting entity. Otherwise, the Responsible can release the module directly (i.e. without an approval

process). In this case the status of the module immediately changes from "In progress" to "Finished":

Status of module Finished 

Due to the status change, the functions **"Re-open"** and **"Confirm as final"** appear in the option section **"Action"**, depending on the authorization of the user (see Figure "Edit request for approval"), or the option section is empty, since the next processing step lies with the Reviewer.



Figure 86: Edit request for approval

The function **"Re-open"** resets the status of the module and it again has the status "In progress" and the color red.

Status of module In progress 

With the function **"Confirm as final"** the responsible reviewer can approve the module and set the status to **"Finished"**.

Status of module Finished 

If the module is **"Finished"**, the reviewer has the possibility to reopen it. The status can be reset to **"In progress"** using the **"Reject"** function.

This ensures that the approval process runs according to clear criteria and is closed after one review loop.

NOTE: The status of the module can also be seen on the left side of the screen in the structure level. This means that if the status of the module changes, it is also changed accordingly for the symbols of the module classes (see Figure "Module classes - Status of module"). See also chapter *"Menu item Documentation content"*.




Figure 87: Module classes - Status of module

NOTE: If the responsible user has been assigned the role "Approve Tasks", he or she can directly make changes to the module. By activating the **"Approve"** function, the module receives the status **"Finished"**.

In the "Action" section, a note is also displayed if the defined checklists (see checklists) for the module have not yet been completely checked off (see also Figure "Checklist warning").

You have not yet finalized all items from the checklist. Therefore, status module can not be changed.

Figure 88: Checklist warning

3.3.3.5.3. Comments

In the Comments section, the different user groups involved in the review process (e.g.: Responsible, Delegated User, Reviewer, and other users with editing rights), are enabled to add comments, e.g., instructions for action or queries about the editing process of the module (see Figure "Add comments").

Comments ^

The status of this task was changed to In progress on 2024-01-22 13:36:29.

Comment

Add

Please add the latest org chart.

Responsible01, 2026-08-04 08:18:55

Delete

Please verify the employee count.

Reviewer01, 2026-08-03 08:18:34

Figure 89: Add comments

A comment can also be entered when re-opening a module. All comments are displayed in chronological order.

You can delete your own comments if necessary. Administrators are allowed to delete all comments.

3.3.3.5.4. Info

In this section, it is possible to see which users have the aforementioned roles. The Accountable or Responsible have the additional possibility to create a deadline for the completion of the module-related tasks as a responsible. The information on the tasks is also displayed on the home screen of *globalDoc*.

The screenshot shows a form titled 'Info' with a vertical arrow on the left indicating the approval workflow. The workflow includes 'Module reviewer level 2' (Reviewer01), 'Module reviewer level 1' (empty), and 'Responsible' (Responsible01). Below this, there are fields for 'Processing deadline*' (12/31/2025), 'Name*' (Key Competitors), and 'Description*' (Key Competitors). A red 'Close' button is at the bottom.

Figure 90: Option section Info

NOTE: You can also create module-related tasks via this area.

Following input fields are displayed:

Accountable: The Accountable has overall responsibility for the documentation of a reporting company and confirms the report as a whole.

Reviewer (optional): The Reviewer reviews content of the local modules. He can then either approve it or reopen it. Several review levels can be added if required.

Responsible: The Responsible is responsible for the module content (text blocks and file attachments) and may delegate editing to other users, if necessary.

NOTE: Several users can be created as Responsible, Reviewer or Accountable. When sending for review or approval, not all users who have the role need to confirm. It is sufficient if one user gives the approval. As can be seen in the illustration, the order of the roles is indicated by an arrow. This means that the approval workflow starts with the Responsible and ends with the Accountable via the Reviewer. Each responsible person is informed by email when the status changes. The exact functionality is described in the administrator manual.

Processing deadline*: Here, an authorized user can specify by when a task must be completed. If the task is not completed by the deadline, the following message appears: "Please note: The processing deadline has been exceeded." In addition, the system administrator can define at which points *globalDoc* sends automatic e-mails as reminder of an impending deadline. Of course, your own tasks and the respective deadline can also be seen directly on the home screen.

NOTE: This processing deadline refers to specific tasks in the documentation process. It is not to be confused with the creation or submission deadline that appears on the top right of the home page.

Name*: Depending on the authorization, the processor of the module can enter a name for the respective assignment. Normally, it contains the information which module class is assigned to the module and which structure level it has.

Description*: A short description of the task is stored in this field.

By clicking the button **Close**, the option section can be closed without saving. The button **Save** saves the changes you have entered. This button is displayed as long as you have the authorization to edit tasks.

The button **Details** opens the detailed view. Via "Details" you, as a user of *globalDoc* Solution, receive, in addition to the above-mentioned information, an overview of the comments (see Comments) and the history of changes made to the editing deadline (see Figure "Info details").



Edit

Task details | Additional guidance

Info

Name*
Module assignment - Organisational chart

Description*
Please submit the module according to the deadline.

Processing deadline*
7/28/2023

☒ annually recurring

☐ Checklist mandatory

Navigation item*

Documentation content

Comment

Please note: Processing deadline Date should be in the future.

Figure 91: Info details

The responsible person (or the system administrator) also has the option of entering additional information in the **"Additional guidance"** tab by clicking on the "Details" button, where the complete information on the module can be seen (see Figure "Additional guidance").



Edit

Task details | Additional guidance

File name	Short name	Attachment Type

Page 1 of 1 | 100 | No records to view

Figure 92: Additional guidance

NOTE: The status of the module described here should not be confused with the status of the TP-documentation. While module-related tasks can be displayed here (or created with the appropriate rights), tasks relating to the report can be created in the status of the TP-documentation. And if you have the necessary rights as a user, you can also change the roles (Accountable, Reviewer, Responsible) for this TP-documentation there.

3.3.3.5.5. History

The **"History"** section shows which user changed the module status at what time and how. In order to show the name of the respective user, the mouse must be placed on top the profile picture icon (see Figure "History").




Figure 93: History

3.3.3.5.6. Checklist

Checklists can be assigned to modules (see Figure "Checklist"). This can be done centrally by the system administrator or locally during module editing by the Delegated User. Before a module is finalized by the editor, all the items listed must be checked off as completed.




Figure 94: Checklist

A new list entry can be created via the link [+ Add item to Checklist ...](#). As in the illustration above, a short description is required. Each change can be saved via the **"Save"** button.

As usual in globalDoc, entries are deleted by clicking on the symbol .

With the symbol , however, the order of the entries can be changed. To do this, click on the symbol with the mouse, hold it and move it.

If you move the mouse over the information symbol , the person who created and changed the entry is displayed (see Figure "Checklist details").

Checklist

☐ Please insert chart
☒ Please add a Variable

Created by: Responsible01, Creation date: 1/20/2021 1:47:53 PM
 Modified by: Responsible01, Modified date: 1/25/2021 1:53:10 F

[Red Button]

Figure 95: Checklist details

The status change of a module is only possible when all checklist entries have been checked off. To ensure that open items are not forgotten in longer checklists, an according note is always displayed in the "Action" section if there are entries that have not been completed (see Figure "Checklist warning").

Action

☒ Send email?

Optional comment

Delegated

Select an Option

You have not yet finalized all items from the checklist. Therefore, status module can not be changed.

Figure 96: Checklist warning

NOTE: System administrators can create the checklists in the Report Configuration area. These are copied with the roll-forward opposite those created directly in the module. This function is described in the administrator manual.

3.3.3.6. Use of variables

3.3.3.6.1. Standard option to insert variables in the module content

This way of inserting variables can be used while editing a module with Microsoft Word. For this purpose, the module content must have been opened in Microsoft Word by clicking the button "Edit module", as described above.

While the module is open in Microsoft Word, you can switch back to *globalDoc* and select under the button **"Variables and tables"** the category of variables you intend to insert.

Standard variables

If you intend to add a standard variable in the documentation content, such as a reporting period, a report entity name or any other item listed here, you just need to select this variable by clicking on it.

To do this, please click on "Standard variables", then on the desired variable, which will be displayed to the right:




Figure 97: Insert standard variables in a module

With the scroll bar you can scroll down to view further available standard variables.

If you have selected the desired variable by clicking on it, this variable will be copied automatically to the clipboard.

Now you may switch back to the opened Microsoft Word document and place the variable wherever you like via the Microsoft Word "paste" function (shortcut: "ctrl + v").

NOTE: It may be required to format the pasted variable with your target format.

Transaction group variables

Transaction group variables are used in a similar way to standard variables.

The difference is that some of the transaction group variables are only reserved for transaction groups and can only be added to modules that are actually assigned to a transaction group. This means that these specific transaction group variables can only be selected via "Variables and tables" if the module has also been assigned to a transaction group.

For modules that are not assigned to a transaction group, only 4 general transaction group variables are displayed. See the following illustrations:




Figure 98: Insert transaction group variables in the module with assigned transaction group

Variables and tables	
Standard variables	
Transaction group variables	Transaction Group Entity Threshold
Questionnaire variables	Transaction Group Entity Threshold Allocation
Transaction tables	Transaction Group Effective Threshold
Shareholders table	Transaction Group Effective Threshold Allocation
Contracts table	
Attachments table	

Figure 99: Insert transaction group variables in the module - no assigned transaction group

NOTE: Transaction groups are assigned by the administrator under Documentation setup.

Module details	Module assignments	Module checklist	Central module attachments	Task
Please save the entries on this page and then define the assignments of this module to the reporting companies in the 'Module assignments' tab. Without such a module assignment, the module will not be assigned to any reporting company!				
Chapter*	Print option*			
8 Selection of the Transfer Pricing Method	Optional			
Module name*	The selection of a transaction group in 'Module details' has no effect on the automatic allocation of this module. Please navigate to 'Module assignments' to set up the allocation.			
Module class*	Transaction group			
Divisional	A Research and Development			
Division*	Transaction role*			
Function_Research and Development	Provider & Recipient			
Template document Selection of the Transfer Pricing Method (Research and Development).docx Uploaded document acts as predefined content given by the central office ☒ Assigned roles: - Read divisional content Read - Edit divisional content Edit				

Figure 100: Assignment of a transaction group in the module configuration

Questionnaire variables

As described above, a user with the role of a System Administrator may create a questionnaire in *globalDoc*. Each question can be answered for each reporting entity separately. If you intend to add a questionnaire variable, the required steps are very similar to what has been described above for the standard variables, you will just select the desired questionnaire variable.

To do this, please click on "Questionnaire variables", then on the desired questionnaire variable, which will be displayed to the right:

Variables and tables	
Standard variables	
Questionnaire variables	
Transaction tables	Question1:NUMBER_OF_EMPLOYEES
Shareholders table	Question2:WERE_THERE_BUSINESS_RESTRUCTUR
Contracts table	Question3:NAME_OF_CFO
Attachments table	Question4:FOUNDING_DATE
	Question5:ANNUAL_REPORT_AVAILABLE

After you have selected a questionnaire variable, it will be copied automatically to your clipboard. Now you may switch back to the opened Microsoft Word document and place the variable wherever you like via the Microsoft Word "paste" function (shortcut: "ctrl + v").

NOTE: It may be required to format the pasted variable with your target format.

Transaction tables

Via "Transaction tables", you have the option to insert predefined transaction tables into the opened Microsoft Word module.

Variables and tables	
Standard variables	
Questionnaire variables	
Transaction tables	
Shareholders table	
Contracts table	
Attachments table	

After clicking on it, a pop-up window will open which allows you to configure your table.

NOTE: Please do not forget to open the module content in Microsoft Word before selecting a Transaction variable via click on "Edit module".

Configure table

Table	Select...	Number of columns	5
-------	-----------	-------------------	---

Just drag the desired column name from the list below and drop it on to the desired table column.

Account Codes

Accounts

Agreement Date

Agreement Date Max

Agreement Date Min

Figure 101: Transaction table configuration

Via the "Select..." item you can select which type of transaction table you intend to insert in the Microsoft Word document.

By clicking on the icon , a list of available and predefined transaction tables will be shown.




Figure 102: Selection of transaction tables

The following predefined transaction tables are available:

- Summary by transaction group
- Summary top ten by transaction group
- Summary by transaction group and partners
- Summary of top ten by transaction group and partners
- Summary by partners
- Summary of top ten by partners

After you have selected one of the predefined transaction tables, an empty table is added in the same view. Now you can specify, via the "Number of columns" item, how many columns there should be. In the next step the content of the columns can be configured.

To do this, you may simply drag the column names (i.e., the available variables) on the left side with your mouse and drop them into the column where its value shall be displayed. Please note that the column names (i.e., the variables which are available for your selection) only contain variables which are related to this table.




Figure 103: Selection of transaction tables

After specifying the type of transaction table, the number of columns and the column names (i.e., the available variables), the transaction table can be copied to the clipboard by clicking the "Copy" button.

As an example, the transaction table "Summary by transaction group" could be configured as follows.




Figure 104: Transaction table configuration - Summary by transaction group

Now you can switch to the module which is opened in Microsoft Word and insert this table at the desired place of the text block.

If required, you can then format the table according to your needs using the standard Microsoft Word "Table Design" function:




Figure 105: Editing a transaction table via the Microsoft Word "Table Design" function

Shareholder table

If you have maintained the shareholders of the reporting entities in *globalDoc*, you may create a shareholder list in your report.



The steps are very much like what has already been explained for the transaction tables. After clicking on "Shareholders table", a pop-up window is displayed in which you may configure the Shareholder table as described above and then copy it into the clipboard.

Configure table

Table Shareholders

Number of columns 5

Just drag the desired column name from the list below and drop it on to the desired table column.

Shareholder

Share in %

From

To

Cancel Copy

Figure 106: Shareholders table configuration

NOTE: For a detailed explanation about the configuration of a table, we refer to the section "Transaction tables".

Opposite to the "Transaction tables", only one Shareholder table type is available. The list of variables which is displayed as potential column headers does also only contain the variables which are related for a shareholder list. After you adjusted the number of columns and selected the column headers you may insert the table into the opened Microsoft Word module by clicking "Copy" and pasting it there.

Contracts table

Via the "Contracts table" all variables relating to attachments which have been marked as contracts can be used to create a list of contracts. To mark an attachment as a contract, the attachment type "Contract" must be selected when uploading the attachment.

Variables and tables

Standard variables

Questionnaire variables

Transaction tables

Shareholders table

Contracts table

Attachments table

Similar to what has been explained above, a click on "Contracts table" will open a pop-up window, where you may configure the Contracts table according to your needs.

NOTE: For a detailed explanation about the configuration of a table, we refer to the section "Transaction tables".

Opposite to the "Transaction tables", only one Contracts table type is available. The list of variables which is displayed as potential column headers does also only contain the variables which are related for a contract list. After you adjusted the number of columns and selected the column headers you may insert the table into the opened Microsoft Word module by clicking "Copy" and pasting it there.

Configure table

Table Contracts

Number of columns 5

Just drag the desired column name from the list below and drop it on to the desired table column.

Display name

Document type

File

ShortName

Report

Cancel Copy

Figure 107: Contracts table configuration

Attachments table

This table allows you to create an attachments overview. This is an alternative to generate a list of attachments that is directly integrated into the report.

NOTE: The attachments are listed once in the list, regardless of how many modules they have been referenced in.



After clicking on **"Attachments table"**, a pop-up window will also open here, in which you can again configure the table according to your needs. This means that you can decide which columns should be included and the order of the columns.

NOTE: For a detailed explanation about the configuration of a table, we refer to the section "Transaction tables".

Opposite to the "Transaction tables", only one Attachments table type is available. The list of variables which is displayed as potential column headers does also only contain the variables which are related for an Attachments overview. After you adjusted the number of columns and selected the column headers you may insert the table into the opened Microsoft Word module by clicking "Copy" and pasting it there.




Figure 108: Attachments table configuration

3.3.3.6.2. Advanced options to insert variables and tables into a module

Standard variables

As already explained, variables can be used as placeholders to fill documentation content as automatically as possible, thereby reducing the tasks of local users.

Standard variables as well as questionnaire variables can be downloaded by System Administrators under the navigation item "Report configuration" and by any other users under the navigation item "Documentation content" after having selected a module via the "Download" button:



Here you may download all available variables into a Microsoft Word document, select your desired variable and insert it via "Copy & Paste" in the downloaded Microsoft Word module.

NOTE: When selecting a variable from the Microsoft Word document, please note that even if the variable text is highlighted in gray when you simply click on a variable, this does not mean that the variable is selected. Therefore, please mark the variable text completely before copying it. Otherwise, only the text may have been copied and not the associated field function.

Standard variables are variables that are already predefined by the system. Currently more than 100 standard variables may be used in *globalDoc*.

With the new *globalDoc* version some new variables have been added. These are listed below.

Transaction group description	«GroupDescription»
Earliest agreement date (non-empty values)	«AgreementDateMin»
Latest agreement date (non-empty values)	«AgreementDateMax»
Earliest last amendment date (non-empty values)	«LastAmendmentDateMin»
Latest last amendment date (non-empty values)	«LastAmendmentDateMax»
Product description (all values comma separated for non-empty values)	«ProductDesc»
Product description (alphabetically first value for non-empty values)	«ProductDescriptionMin»
Product description (alphabetically last value for non-empty values)	«ProductDescriptionMax»
Transaction detail (all values comma separated for non-empty values)	«TransactionDetail»
Transaction detail (alphabetically first value for non-empty values)	«TransactionDetailMin»
Transaction detail (alphabetically last value for non-empty values)	«TransactionDetailMax»
Comment (all values comma separated for non-empty values)	«Comment»
Comment (alphabetically first value for non-empty values)	«CommentMin»
Reporting Entity Code	«DPUCode»
Reporting Entity Name	«DPUName»
Reporting Entity CodeName	«DPUDisplayString»
Reporting Entity Country	«DPUCountry»
Provider Code	«ProviderCode»
Provider Name	«ProviderName»
Provider CodeName	«ProviderCodeName»
Provider Country	«ProviderCountry»
Provider Country Code	«ProviderCountryCode»
Provider Country Name	«ProviderCountryName»
Receiver Code	«ReceiverCode»
Receiver Name	«ReceiverName»
Receiver CodeName	«ReceiverCodeName»
Receiver Country	«ReceiverCountry»

Receiver Country Code	«ReceiverCountryCode»
Receiver Country Name	«ReceiverCountryName»
Comment (alphabetically last value for non-empty values)	«CommentMax»

NOTE: A variable has been renamed. If you have this variable in use, it should be replaced by the new one.

Total (invoice) short	«RenumerationLocalShort» has been amended to: «RemunerationLocalCurrencyShort»
-----------------------	---

Questionnaire variables

As described in the chapter "Menu Item Questionnaire", each question which has been created by a System Administrator in the questionnaire can be used as a variable. As the questions typically are answered by the local users of the different reporting entities, using the questionnaire feature allows an individualization of the documentation contents without requiring the local user to edit a module.

Please note that a local user may only answer the questionnaire once it has been activated by the System Administrator.

Inserting a questionnaire variable into the documentation content works the same as for standard variables.

The use of the questionnaire variables, just like the use of the standard variables, can be done either by downloading a Microsoft Word file with the available variables and then using the Microsoft Word "Copy & Paste" function, or directly in the online editor. Accordingly, if a variable has no content, there will be no content in the report. If the variable has no value, then the variable name is displayed as a placeholder.

However, the system administrator has the possibility to get an overview of all answers via the function "Manage questionnaire" and to insert them if necessary. An overview of the questionnaire variables can be downloaded as described at the beginning of this chapter.

Variables in tables

In *globalDoc*, variables can also be used in tables. Several often-used tables have already been preconfigured and are available in the Microsoft Word file. Furthermore, it is also possible that you configure tables of your own.

8. Preconfigured tables

In addition to individual variables that can be used in the module as required, such as "«ReportingCompany-Name»" there are predefined tables that are intended for listing transactions.

These tables can be used to display all transactions of a reporting company with its transaction partners. To do this, select the desired table type in full, copy it and paste it into the module.

Business transactions for a module

In general, transactions can be included per module, by using the variables described in the next section. If a module has a transaction group, the transactions are filtered by this group.

Summary by transaction group

Transaction group	Role	Invoice Currency	Total (Invoice)
«TableStart:ByGroupBTList»«Group»	«Role»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupBTList»

Summary top ten by transaction group

Transaction group	Role	Invoice Currency	Total (Invoice)
«TableStart:ByGroupBTList10»«Group»	«Role»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupBTList10»

Summary by transaction group and partners

Transaction group	Role	Transaction partner	Transaction partner country	Transaction partner country name	Invoice Currency	Total (Invoice)
«TableStart:ByGroupPartnerBTList»«Group»	«Role»	«PartnerDisplayString»	«PartnerCountry»	«PartnerCountryName»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupPartnerBTList»

Figure 109: Standard transaction variables

After having done so, you may of course customize the format of table according to your needs. You can access these tables by downloading the standard variables as a Microsoft Word document from globalDoc.

Currently, the following predefined tables are available:

- Summary by transaction group
- Summary top ten by transaction group
- Summary by transaction group and partners
- Summary of top ten by transaction group and partners
- Summary by partners
- Summary of top ten by partners

9. Self-configured tables

It is also possible to create your own transaction tables independently of the predefined transaction tables. As an example, you may create separate transaction tables for the "Recipient" and the "Provider" within a transaction group. It is also possible to sort the tables by one or more columns and specify whether the columns should be sorted in ascending or descending order.

The creation of such self-configured tables requires some experience in Microsoft Word. The easiest way to create a table according to your own requirements is to start by copying one of the existing preconfigured tables.

After selecting the most suitable transaction table, it should be pasted into the downloaded Microsoft Word module. After that, the table should first be customized, i.e., which columns are required and how should they be named. Here it is to be considered, according to which variables the table is to align itself and/or with which it is to start and how and with which variable the sorting is to take place.

To do so, you may take the following steps:

Select the most appropriate preconfigured table, e.g., "Summary by transaction group" and paste it into your opened Microsoft Word module:

Summary by transaction group

Transaction group	Role	Invoice Currency	Total (Invoice)
«TableStart:ByGroupBTList» »«Group»	«Role»	«LocalCurrencyl D»	«RemunerationLocal» «TableEnd:ByGroupB TList»

Figure 110: Preconfigured table inserted for further processing

Click with the right mouse button on the first variable at the table and then select "Edit field" in the pop-up window:




Figure 111: Preconfigured table inserted for further processing

After having done so, the Microsoft Word window for field editing opens:




Figure 112: Edit field in Microsoft Word

In the "Field name" input field, insert the current variable with which the table should start.

As an example, this could look like this:

„TableStart:ByGroupAndPartnerCountryNameSortGroupAndRemunerationLocalDesc“

„TableEnd:ByGroupAndPartnerCountryNameSortGroupAndRemunerationLocalDesc“

„TableStart:ByGroupAndPartnerCountryNameSortGroupAndRemunerationLocalDesc“

1 2 3 4 5 6

1. Each transaction table starts with "TableStart:" and ends with "TableEnd:". It is important that this syntax is structured the same, but only starts with either TableStart or TableEnd.
2. The grouping starts with "By". I.e., in this example the variable "Group" would be the variable after which the table is to be grouped first.
3. With "And" other variables can be linked from the standard variables.
4. In the above example, within the transaction group, the transactions are additionally grouped by the country names of the transaction partners "PartnerCountryName".
5. The sorting of the tables is optional and is introduced by the string "Sort". Similar to the grouping, the variables to be sorted follow here. In the above example, all transactions are first sorted alphabetically by transaction group. Multi-level sorting can be configured through And.
6. To each standard variable, which is used in connection with transactions, "Desc" can be appended. This will sort the column values in descending order. Without this addition, the columns will be sorted in ascending order.

In addition to the example, with the addition of "Top10" you can output only the first 10 records. This variable syntax could look like this:

"TableStart:ByTop10GroupAndPartnerCountryName..."

Such a variable syntax may create the following exemplary output in your report:

Transaction group	Partner Country Name	Role	Invoice Currency	Total (Invoice)
A Research and Development	GB	Recipient	EUR	2000000.00
A Research and Development	SG	Recipient	EUR	208000.00
A Research and Development	PL	Recipient	EUR	100000.00
B Support Services	BR	Provider	EUR	16000.00
B Support Services	GB	Recipient	EUR	11000.00
B Support Services	CZ	Provider, Recipient	EUR	2000.00
B Support Services	FR	Provider,	EUR	1999.00

Figure 113: Example for self-configured table

NOTE: Experienced Microsoft Word users can of course edit the variable field in Word with "Edit field" so that you can already specify here, e.g., how the decimal places are to be displayed. For further creation options, please directly contact your *globalDoc* support team.

10. Calculated tables for administrators

This type of table is a combination of self-created tables and questionnaire variables.

Such tables are particularly relevant if you want to display a specific table depending on the answer. An example would be benchmarking tables that should only be displayed if, for example, the company belongs to the "EMEA" region.

NOTE: These tables are not displayed during normal editing. Therefore, these modules should be created and changed by the administrators, especially during the initial creation.

For this purpose, questions should be created and answered via the questionnaire. As explained above in the questionnaire variables, these variables can also be used with this type of table.

The screenshot shows the 'globalDoc Solution 9.6' interface. The top bar indicates the 'Questionnaire' is being edited, with a date range of 4/1/2023 to 3/31/2024. The sidebar on the left lists various modules, with 'Questionnaire' selected. The main content area displays the questionnaire form, which includes sections for 'Variables' and 'Group entity details'. The 'Variables' section contains questions about the number of employees, business restructurings, CFO name, founding date, and annual report availability. The 'Group entity details' section contains fields for company name, code, ERP number, previous name, entity type, country, address, and local currency. The form is currently in 'In progress' status, as indicated by the 'Status of questionnaire' field.

Figure 114: Create question over the questionnaire

With ALT+F9 you can activate the view in Word in which you can display hidden fields and codes.

You can then build your calculated table in this view. With an IF query, you also have the option of displaying several tables depending on the criteria.

This can be clearly seen in the following screenshot. A benchmarking table is created here as an example. The field codes are filled with the questionnaire variables that were previously created and answered under Manage questionnaire.

Regular Table

Weighted average 2019-2021 <u>MoTC of comparables in NAFTA</u>						
Comparable Set	Companies	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
	16	-1.35%	3.74%	11.82%	14.64%	19.26%

Calculated Table

{ IF {MERGEFIELD Question47:BMSSEMI1INCLUDE} = "yes" "



Weighted average {MERGEFIELD Question48:BMSSEMI1YEARS} <u>MoTC of comparables in {MERGEFIELD Question49:BMSSEMI1REGION}</u>						
Comparable Set	Companies	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
	{MERGEFIELD Question50:BMSSEMI1COMPANIES}	{MERGEFIELD Question51:BMSSEMI1MINIMUM}	{MERGEFIELD Question52:BMSSEMI1LOWERQUARTILE}	{MERGEFIELD Question53:BMSSEMI1MEDIAN}	{MERGEFIELD Question54:BMSSEMI1UPPERQUARTILE}	{MERGEFIELD Question55:BMSSEMI1MAXIMUM}

Figure 115: View of the module after ALT+F9

NOTE: For support or further questions, please contact the globalDoc team at PwC.

3.4. Menu item Attachments

The menu item "**Attachments**" lists all uploaded attachments for the selected reporting company and the corresponding reporting period (see Figure "Overview page attachments").




Figure 116: Overview page attachments

Here, all attachments are listed, independent from which module they are allocated to, in a tabular form. The search options under **Search options** allow for a specific search. The individual data sets can be edited by clicking the button . The button allows to download the respective attachment. By clicking the button **+ New**, it is possible to create a new attachment (see Figure "Upload attachment").




Figure 117: Upload attachment

Similar to what has already been described in the chapter "Tab Attachments", further settings for the attachment can be specified here. While in the "Attachments" tab only the attachments of the selected module can be edited, in the "Attachments" menu item the attachments of all modules editable by the editor can be edited simultaneously, regardless of which module they belong to.

When uploading an attachment via **+ New**, first select the "Type" of attachment (Module, Transaction or TP analysis) and then select the higher-level element via the contextual drop-down menu (Chapter, Transaction, TP

analysis), for example the chapter. You can also assign a "Short name" to the attachment and specify the "Attachment Type".

The "Attachment Type" determines which (sub)folder the attachment is assigned to in the ZIP file that is created in globalDoc when you create a report (see the following chapter "Creating a report").

If you edit an already existing attachment by clicking the button , for which you have corresponding editing rights, you can use the **Replace File** function to upload a new file via drag & drop and thereby replace the existing file. This can also be done directly in the table (see figure "Upload attachment") by clicking .

NOTE: The file will be replaced directly. This action cannot be reverted.

The **Translation** buttons  in the grid can be used to translate documents. This column indicates whether a document is available for translation. Translation is supported for the following file types:

- Microsoft Word documents (.docx)
- Microsoft Excel files (.xlsx)
- PDF documents (.pdf)
- ZIP files

The translation process depends on the type of report file:

- **ZIP files:** If the report is provided as a ZIP file, the dialog displays the individual files contained in the ZIP package. The user can select the specific document they want to translate, choose the source and target languages, and then generate a translated version of that selected file.

Translate

First, select the document you want to translate, then choose its original language and the target language.

Document

☐ Table of attachments.xlsx

☐ Business Transactions 2024_DE-Demo_Headquarters_AG.xlsx

☐ Attachments/Background_Information/Demo Attachment PDF.pdf

☐ Attachments/Other/Demo benchmarking study report - NAFTA Support Services 2018...

☐ LF_2024_DE-Demo_Headquarters_AG.pdf

Original language

Auto detect

Target language

English

Translate

Close

- **DOCX and PDF files:** If the report is a DOCX or PDF file, the user can directly select the original language and target language, start the translation, and then download the translated file.

Translate

First, select the document you want to translate. Then, choose the translator you'd like to use, followed by the original language of the document and the target language for the translation.

Original language

Auto detect

Target language

English

Translate

Close

The dialog contains the following options:

- **Document:** Displays the available document or list of documents that can be translated. For ZIP files, each file inside the ZIP package is listed separately, so the user can choose which one to translate.
- **Original language:** Defines the source language of the selected document. The user can select a specific language or use **Auto detect** to allow the system to detect the original language automatically.
- **Target language:** Defines the language into which the selected document should be translated.
- **Translate:** Starts the translation process for the selected document and language combination.
- **Close:** Closes the dialog without translating a document.

With the button  **Export overview** at the top right of the overview page of the menu item **"Attachments"**, you can export the complete attachments to a report. It is not the files themselves that are exported, but the metadata for the files. With an export overview you have a better understanding of the attachments and the modules to which they are assigned (see Figure "Export attachments").

Attachment type			
A	B	C	D
Attachment type	Consecutive number	File name	Type
Invoices	1	Example invoice.xlsx	Module
H AttachmentType	1	Demo Attachment Excel.xlsx	Transaction
H AttachmentType	2	Demo Attachment Excel.xlsx	Module
Contracts	1	R&D Agreement.pdf	Module
Contracts	2	R&D Agreement.docx	Module
Contracts	3	Service Agreement.pdf	Module
Charts	1	Org structure.jpg	Module
Charts	2	Legal Chart.pptx	Module
Charts	3	Demo Attachment Excel.xlsx	Module
Charts	4	Organizational chart.pptx	Module
Charts	5	Example organizational chart.pptx	Module
Charts	6	Example organizational chart.pdf	Module
Charts	7	Example organizational chart.PNG	Module
Benchmarking Studies	1	Demo benchmarking study report - Global Research and Development 2018 2020.pdf	Module
Benchmarking Studies	2	Demo benchmarking study report - Global Support Services 2018 2020.pdf	Module
Background Information	1	List of patents.xlsx	Module
Background Information	2	Demo Attachment PDF.pdf	Module
Background Information	3	Demo Attachment Png.png	Module
Other	1	Demo Attachment Excel.xlsx	Transaction
Other	2	Demo Attachment PDF.pdf	Transaction
Other	3	Demo Attachment Png.png	Transaction

Figure 118: Export attachments

3.5. Menu item Create report

You can create and archive reports via the menu item **"Create report"**.




Figure 119: Create report

In the upper part of the window the content type can be selected between **"Standard Master File"**, **"Standard Local File"** and other reporting configurations provided by the system administrator. You can select a previously set up template as the report template. As format you can choose between **"Word"** and **"PDF"**.

By clicking the button **Create Report**, you create the report in the chosen format (Note that a ZIP file will be created). The button **Create & archive report** allows you to create the report while at the same time also archiving it. The button **View archive** will show the current archive (see Figure "Create report").

NOTE: Depending on the documentation process of your group, it is possible that the system administrator will not grant you the right to print final reports by yourself. If the report is finalized already, you have the option to reach out to the system/security administrator for the printed report (**"Request report"**).

If your System administrator has activated the respective function, you only can create a report in in PDF format with a "Draft" watermark, unless all modules have the status **"Finished"** Status of module Finished .

In addition, the button **Upload report** is also displayed. Here, the user can manually upload a report to the archive. This can be the case, for example, if the report has been changed or translated outside the tool.

Via the box **"Detailed configuration"** it is possible to make further settings, such as whether empty sections should be skipped or whether the transaction matrix should be attached to the report. In addition, it can be specified whether an overview of all group entities, transaction partners or existing contracts should be included in the report.

In addition to these settings, it is possible to output the report in a **"Review mode"**. In this mode, one can see directly in the report what status the module has, who is responsible and/or whether it has been delegated. This is advantageous if you want to print the report for checking before finalizing it or if you need an overview of the status of the report (see Figure "Review mode").

b) Organizational Structure

Demo AG is one of the Groups directly or indirectly owned subsidiaries. The organizational structure of Demo AG is further illustrated in the Appendix. The managing director (head of Demo AG) is responsible for the management of Demo AG's processes and overall coordination with other Group entities. Various teams within Demo AG ensure a lean and efficient Service provision process. Moreover, local administration and management functions (e.g. finance and human resources) are performed by employees of Demo AG.

c) Organisational chart

The organisational chart of Demo AG in FY 2019 is illustrated in the following figure:

[Please add]

- globalDoc**
Begin of module [Global] Organizational Structure
Status: Open
Delegate: No delegate
Responsible: Responsible01
- globalDoc**
End of module [Global] Organizational Structure
Status: Open
Delegate: No delegate
Responsible: Responsible01
- globalDoc**
Begin of module [Local] Organisational chart
Status: In progress
Delegate: No delegate
Responsible: Responsible01

Figure 120: Review mode

Below the above-mentioned configuration options, the user can select and de-select the chapters (and modules) and transaction groups that should appear in the report (if the user has the appropriate rights, i.e., **"Print report"** for the selected reporting company) (see Figure "Create report – Select chapters").

By clicking on , the respective module or chapter can be excluded from printing, unless the administrator has activated the print option "Always" for this module.

If the System administrator has activated the print option "Never" for a module, this module cannot be selected and the module can therefore never be included in a documentation report. This may be the case, for example, if *globalDoc* is not only used to create documentation reports in your Group.

By clicking on , the module content ("Preview") can be displayed (see Figure "Create report - Select chapters").

NOTE: The eye symbol  also shows that this module has content. If this symbol is not displayed, this means that the module actually has no content, or the system has not recognized that the module contains content. In the second case, you should open and close the module directly under Document content. This allows an update to take place in the background.

Select chapters:

- Chapters
 - General information
 - Background [Global,Word document]
 - Organizational Structure [Global,Word document]
 - Organisational chart [Local,Word document]
 - Business Overview (Research and Development) [Divisional:Function_Research and Development,Word document]
 - Business Overview (Support Services) [Divisional:Function_Support Services,Word document]
 - Key Competitors [Local,Word document]
 - Company history [Local,Word document]
 - Showcase variables + Attachments - [Local,Word document]
 - Automatic allocation [Local,Word document]
 - Local Model Prefilled TG [Local,Word document]
 - TestTaskModule [Local,Word document]
 - TestTaskNew [Local,Word document]
 - TestModule [Local,Word document]
 - Description of Relevant Transactions
 - Transaction overview [Global,Word document]
 - Description of Relevant Transactions (Research and Development) [Divisional:Function_Research and Development,Word document]
 - Transaction Matrix (Research and Development) [Divisional:Function_Research and Development,Word document]
 - Description of Relevant Transactions (Support Services) [Divisional:Function_Support Services,Word document]
 - Transaction Matrix (Support Services) [Divisional:Function_Support Services,Word document]
 - Functional Analysis
 - Functional Analysis (Research and Development) [Divisional:Function_Research and Development,Word document]
 - Functional Analysis (Support Services) [Divisional:Function_Support Services,Word document]
 - Selection of the Transfer Pricing Method
 - Description of Transfer Pricing Methods [Global,Word document]
 - Selection of the Transfer Pricing Method (Support Services) [Divisional:Function_Support Services,Word document]
 - Application of the Transfer Pricing Method
 - Application of the Transfer Pricing Method (Research and Development) [Divisional:Function_Research and Development,Word document]
 - Local Benchmarking Study (Research and Development) [Local,Word document]
 - Application of the Transfer Pricing Method (Support Services) [Divisional:Function_Support Services,Word document]

Select transaction groups:

- All transaction groups
 - B Support Services
 - C Delivery of Finished Goods
 - A Research and Development
 - AAB testing
 - 4565432145 testtesttest

Figure 121: Create report – Select chapters

A System administrator may restrict the “Create report” feature for users with editor rights. The effects for the user are as follows:

1. The user can print reports that have not yet been finalized in PDF format only (the report file in the downloaded ZIP file). In addition, the pages of this report all have a watermark labelled "Draft".
2. Once the report to be printed is finalized, the user will not be able to print the report directly but will only have the possibility to request printing of this report.

3.6. Menu item Questionnaire

Questions asked by the System administrator can be answered via the menu item “Questionnaire”. The questionnaire is divided into up to three sections.

The first section contains, if it is activated for you, the questionnaire variables ("Variables"). Here the System administrator can freely define various questions according to the specific requirements.


The second and third sections ("Group entity details" and "Optional information") contain, if they are activated for you, the master data of your Reporting company. Missing or outdated master data can be updated here by the local user.

The answers are entered into the existing text fields and then saved via the button **Save**. Fields marked with an asterisk "*" are mandatory fields and must be filled in.

After saving, the answers can be used as variables in the documentation content. Help texts can be added at the end of a text field by the System administrators. These can be read by the user via  with a mouseover.

If questions from the questionnaire are used as variables in the documentation content, the answers are transferred to the variables of the documentation content when your answers are saved in the questionnaire. As the questions are filled in by the users of the various local companies, this enables the individualization of standard texts, even when using "global" or "divisional" modules, without the local user having to edit the module content.

The questionnaire (including prefilled and empty fields as an example) is illustrated in the following figure:



globalDoc.Solution 9.6 ← Questionnaire 4/1/2023 - 3/31/2024

Modified by: didem.aryilmaz, es/16/2024 9:59:29 AM Created by: didem.aryilmaz, es/16/2024 9:59:29 AM Current state: Active

Reporting entity Master data Transactions Documentation content Attachments Create report Questionnaire Tasks

Name* Questionnaire (copy 2) (copy)

Description Please provide the optional information for documentation purposes

Processing deadline * 12/17/2024

Variables

1.1. Number of employees 200

1.2. Were there business restructurings during the reporting period? No

1.3. Name of CFO Erika Mustermann

1.4. Founding date 3/1/1960

1.5. Annual report available ☒

1.6. Company's key competitor Company X

1.7. Current market share of company's key competitor approximately 30%

1.8. Previous year's market share of company's key competitor slightly higher than 25%

Group entity details

2.1. Full name* DE-Demo Headquarters AG

2.2. Short name Demo AG

2.3. Code* U01

2.4. ERP number 12X110

2.5. Previous name Demo HQ GmbH

2.6. Entity type Central Entrepreneur (CEN)/ Manufacturer (MAN)

2.7. Country* DE - Germany

2.8. Address Main Street 12, 11111 Sample City

2.9. Local currency EUR - Euro

Optional information

3.1. Name of tax office Sample City local tax authority

3.2. Address of tax office Tax Office Street 47, 11111 Sample City

3.3. Tax number 11/111111

3.4. Number of trade register 123456789

3.5. Status of tax authority

Save Save and close Close

Figure 122: Questionnaire

3.6.1. Status of the questionnaire

If you are an "Accountable" or "Responsible"-user for your reporting company, you can change the status of a questionnaire and pass it on to the "Reviewer" (see [Reviewer](#)) or a user with the role "Approve Task" to review the changes you have made ("**Submit for approval**"). If no Reviewer or user with the role "Approve Task" is available, you can directly set the questionnaire to "final".

The status of a questionnaire can be found at the top right of the window (**Status of questionnaire** **Open** ). Like the processing status of a module (see [Status of the module](#)), the progress of processing the questionnaire is also displayed in different colors.

3.6.1.1. Filling in the questionnaire

To complete the questionnaire, the answers to the questions can be written directly as free text in the corresponding text fields. If you hold the mouse over the symbol , a help text appears for those questions for which the system administrator has provided a help text. By clicking on "Save", the answers are logged in and can be changed again at any time as long as the questionnaire still has the status "In progress".

NOTE: All answers can be used as variables in the module texts.

3.6.1.2. Review process for the questionnaire

By clicking the button **Status of questionnaire** **Open**  at the top right of the screen, you open the review mode.

In this mode, the Delegated User of a questionnaire can complete his delegated task, or a Responsible User can submit the questionnaire to the Reviewer for his approval, provided a Reviewer has been assigned to someone.

NOTE: The review mode for questionnaires is the same as for the "[Module review process](#)".

Task managers (users with the role "Approve Tasks", Responsibles / Accountables or Reviewers) can check the questionnaires directly in *globalDoc*. Task managers are notified by e-mail about tasks that are to be reviewed. Task managers can comment on the questionnaire, make changes to the questionnaire, approve it, or re-open the task to initiate further processing of the questionnaire.

The task manager must check questionnaires with the status "**Approval pending**". The right side of the screenshot shows the different options for the processor of the questionnaire: "**Action**", "**Info**", "**Comments**", "**History**" (see Figure "Options in the review process of a questionnaire").

Figure 123: Options in the review process of a questionnaire

The sections can be opened by clicking on the button , while the contents are displayed just like for modules.

Action

The section "**Action**" allows the user to control the approval process of the questionnaire, select email notifications, and delegate the responsibility for the questionnaire.

For detailed information about the options within this section, see the corresponding document section for the "**Module review process**".

Comments

The section "**Comments**" allows users with different roles to add comments, e.g. instructions or questions about the processing of the questionnaire.

For detailed information about the options within this section, see the corresponding document section for the "**Module review process**".

Info

The section "**Info**" allows the user to define and delegate tasks.

In this option section it is possible to identify the responsibilities of the roles and to create a deadline for the completion of the task as a responsible.

For detailed information about the options within this section, see the corresponding document section for the "**Module review process**".

History

The section "**History**" allows to track who processed the questionnaire and when the questionnaire was processed.

For detailed information about the options within this section, see the corresponding document section for the "**Module review process**".

Checklist

As already explained in the chapter "Status of the module", checklists can be created in order to ensure a complete and structured processing of the task.

Detailed information on the possibilities within the options section can be found in the corresponding section for the “**Module review process**”.




Figure 124: Questionnaire Checklist




Figure 125: Questionnaire Checklist-Note

3.7. Final review

If a user has been assigned the Reviewer role for the local modules of a Reporting company, this user can submit the entire TP documentation for approval once the review of all local modules has been completed.

If more than one user has been assigned the role of a Reviewer for the local modules of a Reporting company, the last Reviewer in the chain of Reviewers can submit the TP documentation for approval.

Otherwise, i.e. if there are no Reviewers, the Responsible can submit the TP documentation for approval.

After the TP documentation has been submitted for approval, a further review can take place at documentation level. If one or more users have been assigned the role of Reviewer at document level, each Reviewer submits the document to the next Reviewer in the chain and the last Reviewer submits the report to the Accountable for final approval.

The TP documentation is submitted to the (next) Reviewer or the Accountable for approval in the "Overview" view. Here, the workflow menu can be displayed by clicking on "Status of TP documentation" (top right).




Figure 126: Documentation overview – Submit for approval

There, the status of the TP documentation in the "Activity" area can be changed from "In process" (red) to "Approval pending" (yellow) by clicking on the "Submit for approval" button.

If before clicking on the "Submit for Approval" button the default checkmark for "Send Email?" has not been removed, the Accountable will receive a system automatically generated email indicating that the TP documentation has been submitted to them for approval.

NOTE: Before clicking the "Submit for approval" button, an entry can be made in the "Optional note text" field, which will then appear in the system-generated email.

The screenshot shows the 'Action' section of the 'Submit for approval' form. It includes a 'Send email?' checkbox (checked), an 'Optional comment' input field, and a 'Submit for approval' button.

Figure 127: Optional E-Mail.Text

The system-generated email contains a link that takes the accountable directly to the "Final Review" view (after entering username and password, if applicable).




Figure 128: Submit approval email to accountable

After clicking on the link (and entering username and password if necessary) the accountable will be redirected to the following page.

The screenshot displays the 'View final review' interface. The main content area shows a document titled 'Transfer Pricing Documentation' for 'CZ-Demo s.r.o.'. A large 'Draft' watermark is overlaid diagonally. Below the title, the following information is listed:

- Reporting Company: CZ-Demo s.r.o.
- Company Address: Musterstraße 11, 11111 Musterstadt
- Tax Office: Finanzamt Musterstadt
- Tax Number: 11/1111111

The right sidebar contains several sections:

- Report template:** A dropdown menu currently set to 'DefaultTemplate'.
- Activity:** Includes a checked 'Send email?' checkbox, an 'Optional: email text' input field, a checked 'Archive report' checkbox, and two red buttons: 'Confirm as final' and 'Download'.
- Comments:** Shows a status update: 'The status of this task was changed to In progress on 2024-04-24 07:00:55.' Below is a 'Comment' input field and an 'Add' button.
- Status history:** A section with a downward arrow.
- Attachments:** Lists three files: 'Business_Transactions_2022_CZ-Demo_s.r.o..xlsx', 'Demo Attachment Excel.xlsx', and 'Demo Attachment PDF.pdf'.

At the bottom of the main content area, a footer reads: 'globalDoc Solution 9.9.7.1 © 2026 - PwC. All rights reserved.'

Figure 129: View final review

Clicking on "Final Review" opens a new window in which the complete documentation can be read and reviewed, without the requirement to click from one module to the other.

Once the TP documentation has been submitted for approval, this window can also be opened in the "Reporting company" navigation item via a new "Final review" navigation item.

In this window, the Accountable can read the entire TP documentation and download it if required (watermarked "Draft" in each case). Furthermore, he can download all attachments here.

In addition to the Accountable, only the System administrators have access to this area.

The format of the report ("Report template") can be changed in the upper right-hand area and, if desired, the report can be printed out with this format. The Accountable can select the desired Report template from the drop-down menu.

Report template

PwC Template ▼

Depending on the rights assigned to you, you will see up to three selection buttons in the "Activity" area of the opened right workflow menu:



Here you can submit the TP documentation to the Accountable for final review by clicking on the "Submit for approval to 'Accountable'" button, or, by clicking on "Confirm as final" you can change the status of the TP documentation to "Final". Please note, that 'Accountable' might be named differently in your setup.

Both user roles (Accountable and System administrator) can re-open the final report in this area and set it back to draft status.

During the "Confirm as final" action, the system checks in the background whether the questionnaire is still open. If this is the case, the documentation cannot be set to final. This has the following reason: If the answers in the questionnaire have answered questions about master data or changes have been added, these must be confirmed and finalized beforehand.

Questionnaire contains unconfirmed changes ✕

The questionnaire contains unconfirmed changes to the master data.
Please finalize the questionnaire first.
Afterwards you can finalize the documentation.

Go to Questionnaire
Close

Figure 130: Open Questionnaire

By clicking on the "Go to questionnaire" button, you will be redirected to the questionnaire page.

Questionnaire 4/4/2023 - 3/31/2024

Modified by: ddbem... Created by: ddbem... Current state: Active

Status of questionnaire: In progress

Reporting entity

- Master data
- Transactions
- Documentation content
- Attachments
- Create report
- Questionnaire**
- Tasks

Variables

1.1. Number of employees	200
1.2. Were there business restructurings during the reporting period?	No
1.3. Name of CEO	Erkka Mustermann
1.4. Founding date	3/2/1990
1.5. Annual report available	☒
1.6. Company's key competitor	Company-X
1.7. Current market share of company's key competitor	approximately 30%
1.8. Previous year's market share of company's key competitor	slightly higher than 25%

Group entity details

2.1. Full name*	DE-Demo Headquarters AG
2.2. Short name	Demo AG
2.3. Code*	U01
2.4. ERP number	123X110
2.5. Previous name	Demo HQ GmbH
2.6. Entity type	Central Entrepreneur (CEN) / Manufacturer (MAN)
2.7. Country*	DE - Germany
2.8. Address	Main Street 11.1111 Sample City
2.9. Local currency	EUR - Euro

Optional information

3.1. Name of tax office	Sample City local tax authority
3.2. Address of tax office	Tax Office Street 47, 11111 Sample City
3.3. Tax number	11/111111
3.4. Number of trade register	123456789

Figure 131: Questionnaire changing status

With the "Download report" button you can download the report as a PDF file. As long as the status of the TP documentation is not yet "final", the PDF file contains the "Draft" watermark. When the status of the TP documentation is set to "final", the "Draft" watermark is also removed from the PDF file. If the administrator allows the download of Word files, the button changes to a drop-down menu and you can also download the Word file. Depending on the settings, this Word file may be editable, only allow you to change content with track changes enabled or only allow adding comments. It can also be a read-only file.

On the right side, in addition to the above buttons, you will find the option to control the email sending and to insert an optional hint text for the email.

In the **Comments** section you can leave a comment and in the History section you can view the change history.

While the **Attachments** section has all the attachments for the complete documentation, you can also download and review them directly here without having to go into the individual modules.

NOTE: If the report is reopened or rejected because changes are still needed, then these changes must be made as usual under Documentation content in the individual modules. With the comment and email function, the Accountable can leave their change requests or a reason.

Report template

PwC Template

Action

☒ Send email?

Optional: e-mail text

☒ Archive report

Confirm as final

Download report

Comments

Status of this task changed to In progress on 2024-10-21 11:20:56

Comment

Add

History

Attachments

Demo Attachment Excel.xlsx

Demo Attachment PDF.pdf

Demo Attachment Png.png

Demo benchmarking study report - Global Research and ...

Demo benchmarking study report - Global Support Servic...

Figure 132: Final review - status change

4. Program item Tasks

4.1. Overview

By clicking on the **"Tasks"** program item, the administrator or the local user is taken to an overview of all tasks to be completed or already completed for which they are authorised.




Figure 133: Overview of tasks - All companies

On the "Overview" page, there are many search and filter criteria to customise the view so that only the tasks that are relevant are actually displayed. As in other parts of the application, the colour scheme here is identical to the other status displays in globalDoc. In all sort and filter functions, the user has the option of obtaining a complete overview of the tasks, their status and the status of the module and report. They can also see at a glance what the country or company-dependent creation deadlines are and who the responsible roles are.

The following filter criteria can be found at the top of the page:





Figure 134: Overview of tasks - All Entities


1. **Reporting period:** Initially, the reporting period that is currently selected in globalDoc is always selected. However, you still have the option of selecting other periods here. Click on the arrowhead to display all available periods.



1. **Report type:** The desired report type can be selected in the 2nd filter function. If, for example, you only want to display "Standard Master File" related tasks, you can select the desired report type by clicking on the arrowhead. If your company uses different report types, e.g. country or region-specific, these are also listed here if they have been configured by the administrator. Standard Local File is always initially selected.



2. **Master data sorting and optional filters:** The following selection options are available for the master data filter.



These can be further refined using the "Options" button. This means, as described below, that the **Options** button activates the display of the business lines and sub-business lines and integrates them into the overview. See the explanation in the "Options"-section.

NOTE: By default, "Business line" and "Sub-business line" as well as the selection "Show entities only once" is activated.

- **Country - Business line - Entity:** This filter is selected by default. With this sorting or filtering, it is first filtered alphabetically by country, then grouped by business line, if activated. Finally, the reporting entities with tasks are displayed for each business line.

Tasks

GLOBAL - GLOBAL

1/1/2022 - 12/31/2022

1/1/2022 - 12/31/2022

Standard Local File

Country - Business line - Entity

Options

Export

Country name

No Country

DE - Germany

Country preparation DL

06/30/2023

Country filing DL

Report status

100%

100%

Business line

AVI - Aviation

Report status

100%

Sub business line

AIR - Aircraft

Report status

100%

Reporting period

Entity name

BusinessLine

Sub businessLine

Preparation DL

Filing DL

Processing DL

Report status

Reviewer

Responsible

Accountable

Task status

2022

U01 - DE-Demo ...

12/31/2023

Reviewer01

Responsible01

Accountable01

83%

FR - France

CZ - Czech Republic

US - United States

MX - Mexico

CH - Switzerland

IT - Italy

04/15/2023

Figure 135: Overview of tasks by country - Business line - Entity - Options Business line activated

← Tasks

GLOBAL - GLOBAL

1/1/2022 - 12/31/2022

1/1/2022 - 12/31/2022

Standard Local File

Country - Business line - Entity

Options

Export

Country name

Country preparation DL

Country filing DL

Report status

No Country

100%

Reporting period

Entity name

BusinessLine

Sub-businessLine

Preparation DL

Filing DL

Processing DL

Report status

Reviewer

Responsible

Accountable

Task status

>

2022

DV1 - Function, Resour...

12/31/2022

100%

>

2022

DV2 - Function, Suppor...

12/31/2022

100%

Task name

Task status

Process DL

Comments

Business Overview (Support services)

Description of Relevant Transactions (Support services) - Provider

Description of Relevant Transactions (Support services) - Recipient

Transaction Matrix (Support Services)

Functional Analysis (Support Services)

Selection of the Transfer Pricing Method (Support Services)

Application of the Transfer Pricing Method (Support Services)

>

2022

GLOBAL - GLOBAL

12/31/2022

100%

DE - Germany

06/30/2023

100%

FR - France

100%

CZ - Czech Rep. file

100%

US - United States

04/15/2023

100%

MX - Mexico

100%

CH - Switzerland

100%

IT - Italy

11/30/2023

100%

Figure 136: Overview of tasks by country - Business line - Entity - Options Business line no activated

The groupings can be expanded using the arrowhead symbol .

There is an additional sorting function for each column in all views. By clicking on the symbol , the list displayed below can be sorted in descending or ascending order. This button also provides additional filtering:

Country name ▾

Search

☐ Select All

☐ CH - Switzerland

☐ CZ - Czech Republic

☐ DE - Germany

☐ FR - France

☐ IT - Italy

☐ MX - Mexico

OK CANCEL

Specific companies can be selected by ticking the box. You can also use the search function to search within this list.

Search input fields are displayed at each grouping level. Each search only includes the underlying list. For example, the search in the 1st level "Country name" would only search for the column values in this level. The second level "Business line" would only search this level.

Tasks
U01 - DE-Demo Headquarters AG
1/1/2023 - 12/31/2023

1/1/2023 - 12/31/2023
Standard Local File
Country - Business line - Entity
Options
Export

Search...

Country name ▾	Country preparation DL ▾	Country filing DL ▾	Report status ▾
> No country			100%
> DE - Germany			100%
... Entity name ▾ BusinessLine ▾ Sub busine... ▾ Preparatio... ▾ Filing DL ▾ Processing ... ▾ Report stat... ▾ Reviewer ▾ Responsible ▾ Accountable ▾ Task status ▾ 2023 U01 - DE-De... 12/31/2024 ● Reviewer01 Responsible01 Accountable01 100%			
Task name ▾ Task status ▾ Process DL ▾ Organisational chart Key Competitors Company history - Showcase variables + Attachments - Local Benchmarking Study (Research and Developr Questionnaire Upload IC-matrix In progress In progress In progress In progress In progress In progress In progress 09/13/2024 12/17/2023 09/30/2024			
> FR - France			100%
... Entity name ▾ BusinessLine ▾ Sub busine... ▾ Preparatio... ▾ Filing DL ▾ Processing ... ▾ Report stat... ▾ Reviewer ▾ Responsible ▾ Accountable ▾ Task status ▾ 2023 U02 - FR-De... 12/31/2023 ● Localuser02 Localuser02 100%			
> CZ - Czech Republic			100%
> US - United States			100%
> MX - Mexico			100%
> CH - Switzerland			100%

Figure 137: Task management - search function

The columns can be shown or hidden for each level or grouping. To do this, click on the icon . A pop-up window opens in which you can move the column name with drag and drop and back. These changes are only valid for the current session.

Country name	Country preparation DL	Country filing DL	Report status
No country			100%
DE - Germany			100%

Reporting period	Entity name	BusinessLine	Sub businessLi...	Preparation DL	Filing DL	Processing DL	Report status	Reviewer	Accountable	Task status
2023	U01 - DE-Demo ...					12/31/2024		Reviewer01	Accountable01	100%

Task name	Task status	Process DL
Organisational chart	In progress	
Key Competitors	In progress	
Company history	In progress	09/13/2024
- Showcase variables + Attachments -	In progress	
Local Benchmarking Study (Research and Development)	In progress	
Questionnaire	In progress	12/17/2023
Upload IC-matrix	In progress	09/30/2024

Entity name	BusinessLine	Sub business...	Preparation DL	Filing DL	Processing DL	Report status	Reviewer	Responsible	Accountable	Task status
2023 U02 - FR-Dem...					12/31/2023			Localuser02	Localuser02	100%
CZ - Czech Republic										100%

Figure 138: Task overview - show and hide columns

The following information is displayed in this view:

Entity name: Reporting company

Country Preparation DL: Country-specific creation date of the report. If the deadline is overdue, it is displayed in red.

Country filling DL: Country-specific submission date of the report. If the deadline is overdue, it is displayed in red.

Report status: The status of the report is displayed both graphically and as a percentage.

Colour red: in progress, yellow = under review and green = final

Preparation deadline / Filling deadline: Company-specific deadlines are also displayed at the Company filter level if they have been entered in the master data. If the deadline is overdue, it is displayed in red.

Responsible / Reviewer / Accountable: Display of the roles in relation to the report of the respective company.

Task status: In contrast to the report status, which can be seen under Report company/Documentation content/Overview, which shows the entire status of the report, the task status is the entire evaluation of all modules that belong to this report. The status of the tasks is displayed both graphically and as a percentage.

Reporting period	Entity name	Preparation DL	Filing DL	Processing DL	Report status	Reviewer	Responsible	Accountable	Task status
2022	U01 - DE-Demo Headqu...			12/31/2023		Reviewer01	Responsible01	Accountable01	66% 100% 100%

Task name	Task status	Process DL
Organisational chart	Waiting for approval	12/31/2022
Key Competitors	Final	12/31/2023
Company history	In progress	08/30/2024
- Showcase variables + Attachments -	Delegated	12/31/2023
Local Benchmarking Study (Research and Development)	In progress	
Questionnaire	In progress	12/17/2023

Entity name	BusinessLine	Sub business...	Preparation DL	Filing DL	Processing DL	Report status	Reviewer	Responsible	Accountable	Task status
FR - France										100%
CZ - Czech Republic										100%

The tasks are displayed in detail as follows:

Task name: In most cases, the name of the task is the name of the module that forms the basis of the task.

Task status (in the detailed view of the tasks): Shows the individual status of the module. The display is identical to that under Reporting entity/Documentation content/Modules.

Processing deadline: A processing deadline can be defined for each task if the task was created via task management.

Comments: A comment can be stored for each task by the task editor. The comment on the task is marked with this symbol  and the number indicates the number of comments added to the task.




Abbildung 2: Comment in a Modul

- **Business line - Country - Entity:** Selecting this filter sort criterion displays the tasks from the perspective of the business line. The tasks are sorted as follows: First grouping by business line, then by country and then company. Below the company, the modules or tasks are listed according to their status. A mentioned above the settings for "Business line" and "Sub-Business line" are applied and are by default activated.

For an explanation of the individual columns, see the description of "Country - Business line - Company" above.

← Tasks U01 - DE-Demo Headquarters AG 1/1/2022 - 12/31/2022				
1/1/2022 - 12/31/2022	Standard Local File	Business line - Country - Entity	Options	Export
Business line	Report status		Search...	
AVI - Aviation	66% 34%		Search...	
Sub business line	Report status		Search...	
AIR - Aircraft	66% 34%		Search...	
Country name	Country preparation DL	Country filing DL	Report status	
> DE - Germany	06/30/2023		100%	
> CZ - Czech Republic			100%	
> MX - Mexico			100%	
HEC - Healthcare	100%		Search...	
Sub business line	Report status		Search...	
> PHA - Pharmaceuticals	100%		Search...	
> BIT - Biotechnology	100%		Search...	
> HSV - Healthcare services	100%		Search...	

Figure 139: Filter Business line - Country - Entity with Business line activated

The display of the tasks changes when the options for "Business line" and "Sub-Business line" are deactivated.

Tasks										
U01 - DE-Demo Headquarters AG										
1/1/2022 - 12/31/2022										
1/1/2022 - 12/31/2022 Standard Local File Business line - Country - Entity Options Export										
Country name Country preparation DL Country filing DL Report status										
No country 100%										
DE - Germany 06/30/2023 100%										
Reporting period Entity name Preparation DL Filing DL Processing DL Report status Reviewer Responsible Accountable Task status										
2022 U01 - DE-Demo Headqu... 12/31/2023 Reviewer01 Responsible01 Accountable01 66% 100% 16%										
Task name Task status Process DL										
Organisational chart Waiting for approval 12/31/2022										
Key Competitors Final 12/31/2023										
Company history In progress 08/30/2024										
- Showcase variables + Attachments - Delegated 12/31/2023										
Local Benchmarking Study (Research and Development) In progress										
Questionnaire In progress 12/17/2023										
FR - France 100%										
CZ - Czech Republic 100%										
US - United States 04/15/2023 100%										
MX - Mexico 100%										
CH - Switzerland 100%										
IT - Italy 11/30/2023 100%										

Figure 140: Filter Business line - Country - Entity no Business line activated

- **Task - Business line - Entity:** With this filter option, the overview of all task names is displayed first. This means that all tasks for the selected period are listed first.

Tasks										
GLOBAL - GLOBAL										
1/1/2022 - 12/31/2022										
1/1/2022 - 12/31/2022 Standard Local File Task - Business line - Entity Options Export										
Task name Process DL										
Business Overview (Research and Development)										
Description of Relevant Transactions (Research and Development)										
Reporting period Entity name BusinessLine Sub businessLine1 Preparation DL Filing DL Processing DL Report status Reviewer Responsible Accountable Task status										
2022 DIV 1 - Function... 12/31/2022 100%										
Transaction Matrix (Research and Development)										
Functional Analysis (Research and Development)										
Selection of the Transfer Pricing Method (Research and Development)										
Application of the Transfer Pricing Method (Research and Development)										
Business Overview (Support Services)										
Description of Relevant Transactions (Support Services) - Provider										
Description of Relevant Transactions (Support Services) - Recipient										
Transaction Matrix (Support Services)										
Functional Analysis (Support Services)										
Selection of the Transfer Pricing Method (Support Services)										
Application of the Transfer Pricing Method (Support Services)										
Organizational Structure										
Transaction overview										
Description of Transfer Pricing Methods										
Organisational chart 12/31/2023										
Key Competitors										
Company history										
- Showcase variables + Attachments - 12/31/2023										

Figure 141: Task - business line - company




Figure 142: Filter selection task - business line - company

- **Task - Country - Entity:** With this filter option, the overview of all task names is displayed first and foremost. This means that all tasks for the selected period are listed first.




Figure 143: Filter selection task-country-company

The tasks can be expanded by clicking on the arrowhead symbol and the associated companies can be displayed grouped by country.




Figure 144: Task - country - entity filter with Business line activated




Figure 145: Task - country - entity filter without activating Business line

- **Entity:** The entry point for this filter and sorting criterion is the reporting entity.

← Tasks

1/1/2022 - 12/31/2022

1/1/2022 - 12/31/2022

Standard Local File

Entity

Options

Export

Reporting period

Entity name

BusinessLine

Sub businessLine

Preparation DL

Filing DL

Processing DL

Report status

Reviewer

Responsible

Accountable

Task status

>

2022

DIV 1 - Function...

12/31/2022

ReviewerD1

ResponsibleD1

AccountableD1

100%

>

2022

DIV 2 - Function...

12/31/2022

100%

>

2022

GLOBAL - GLOB...

12/31/2022

ReviewerG

ResponsibleG

AccountableG

100%

▼

2022

U01 - DE-Demo ...

AVI

AIR, SAT, UAV

12/31/2023

Reviewer01

Responsible01

Accountable01

66%16%16%

Task name

Task status

Process DL

Comments

Organisational chart

Waiting for approval

12/31/2022

1

Key Competitors

Final

12/31/2023

Company history

In progress

08/30/2024

- Showcase variables + Attachments -

Delegated

12/31/2023

Local Benchmarking Study (Research and Development)

In progress

Questionnaire

In progress

12/17/2023

>

2022

U02 - FR-Demo S...

HEC

PHA, BIT, LFS, E...

12/31/2022

Localuser02

Localuser02

100%

>

2022

U03 - CZ-Demo s...

AVI

AIR

12/31/2022

LocalResponsible01

Localuser02

20%80%

>

2022

U09 - US-Demo ...

HEC

PHA

12/31/2022

Localuser02

Localuser02

83%17%

>

2022

U12 - MEX-Demo...

AVI, HEC

AIR, SAT, UAV, B...

12/31/2022

Localuser02

Localuser02

80%20%

>

2022

U16 - CH-Demo ...

HEC

BIT, LFS

12/17/2023

LocalResponsible01

Localuser02

100%

>

2022

U22 - IT-Demo sa...

HEC

HSV

12/11/2022

Localuser02

Localuser02

100%

Figure 146: Entity with Business line activated

The respective company can be expanded by clicking on the arrowhead symbol. The columns and information displayed are similar to those described above.

← Tasks

GLOBAL - GLOBAL >

1/1/2022 - 12/31/2022

1/1/2022 - 12/31/2022

Standard Local File

Entity

Options

Export

1/1/2022 - 12/31/2022

Entity name

2022

BusinessLine

DIV 1 - Function...

Sub businessLine

Preparation DL

Filing DL

Processing DL

12/31/2022

Report status

Reviewer

Responsible

Accountable

Task status

100%

Task name

Task status

In progress

Process DL

Comments

Business Overview (Research and Development)

Description of Relevant Transactions (Research and Development)

Transaction Matrix (Research and Development)

Functional Analysis (Research and Development)

Selection of the Transfer Pricing Method (Research and Development)

Application of the Transfer Pricing Method (Research and Development)

2022

DIV 2 - Function...

12/31/2022

100%

2022

GLOBAL - GLOB...

12/31/2022

100%

2022

U01 - DE-Demo ...

12/31/2023

Reviewer01

Responsible01

Accountable01

83%

17%

2022

U02 - FR-Demo S...

12/31/2022

Localuser02

Localuser02

100%

2022

U03 - CZ-Demo s...

12/31/2022

LocalResponsible01

Localuser02

100%

2022

U09 - US-Demo S...

12/31/2022

Localuser02

Localuser02

100%

2022

U100 - U100

09/22/2023

Localuser02

Localuser02

100%

2022

U101 - U101

09/22/2023

Localuser02

Localuser02

100%

Figure 147: Entity filter selection

← Tasks

U01 - DE-Demo Headquarters AG

1/1/2022 - 12/31/2022

1/1/2022 - 12/31/2022

Standard Local File

Entity

Options

Export

Reporting period

Entity name

Preparation DL

Filing DL

Processing DL

Report status

Reviewer

Responsible

Accountable

Task status

>

2022

DIV 1 - Function_Res...

12/31/2022

ReviewerD1

ResponsibleD1

AccountableD1

100%

>

2022

DIV 2 - Function_Sup...

12/31/2022

100%

>

2022

GLOBAL - GLOBAL

12/31/2022

ReviewerG

ResponsibleG

AccountableG

100%

▼

2022

U01 - DE-Demo Head...

12/31/2023

Reviewer01

Responsible01

Accountable01

66%16%16%

Search...

Task name

Task status

Process DL

Comments

Organisational chart

Waiting for approval

12/31/2022

1

Key Competitors

Final

12/31/2023

Company history

In progress

08/30/2024

- Showcase variables + Attachments -

Delegated

12/31/2023

Local Benchmarking Study (Research and Development)

In progress

Questionnaire

In progress

12/17/2023

>

2022

U02 - FR-Demo S.A.

12/31/2022

Localuser02

Localuser02

100%

>

2022

U03 - CZ-Demo s.r.o.

12/31/2022

LocalResponsible01

Localuser02

20%80%

>

2022

U09 - US-Demo Sales ...

12/31/2022

Localuser02

Localuser02

83%17%

>

2022

U12 - MEX-Demo Sal...

12/31/2022

Localuser02

Localuser02

80%20%

>

2022

U16 - CH-Demo Fina...

12/17/2023

LocalResponsible01

Localuser02

100%

>

2022

U22 - IT-Demo sales ...

12/31/2022


Localuser02

Localuser02

100%

Figure 148: Entity without activating Business line

3. **Options:** This button **Options** can be used to reduce or expand the view of filtered data. This means, for example, that you can control whether business lines or sub-business lines should be displayed or not. For all filter criteria, the options, except "Only show my tasks", are activated by default; these must be deactivated manually and are only valid for the current session.



- **Show only my tasks:** This option displays only management tasks and hides all module tasks that have no associated management task. This could especially include questionnaire and transaction matrix tasks.
- **Toggle business lines:** This option is a way of configuring within the task view whether Business Line, Sub Business Line or Sub Sub Business Line should be displayed as a column. By default they are activated.
- **Show entities only once:** If a company is assigned to several business lines, the company is displayed once under the alphabetically sorted top level of the business line. If this option is not activated, the company may be displayed multiple times under all sub-business lines assigned to it.

← Tasks

 U01 - DE-Demo Headquarters AG  1/1/2022 - 12/31/2022



1/1/2022 - 12/31/2022

Standard Local File

Country - Business line - Entity

Options

Export

Country name

> No country

> DE - Germany

> FR - France

Country preparation DL

06/30/2023

Country filing DL

Report status

100%

100%

100%

Business line

> HEC - Healthcare

Report status

100%

Sub business line

> PHA - Pharmaceuticals

Report status

100%

Reporting period

Entity name

BusinessLine

Sub businessLi...

Preparation DL

Filing DL

Processing DL

Report status

Reviewer

Responsible

Accountable

Task status

>

2022

U02 - FR-Demo ...

12/31/2022

Localuser02

Localuser02

100%

> CZ - Czech Republic

100%

> US - United States

100%

Figure 149: Show entities only once - activated

← Tasks

U01 - DE-Demo Headquarters AG >

1/1/2022 - 12/31/2022

▼

1/1/2022 - 12/31/2022

▼

Standard Local File

▼

Country - Business line - Entity

▼

Options

Export

Country name

▼

>

No country

>

DE - Germany

▼

FR - France

Country preparation DL

▼

06/30/2023

Country filing DL

▼

Report status

▼

100%

100%

100%

Business line

▼

▼

HEC - Healthcare

Report status

▼

100%

Sub business line

▼

▼

PHA - Pharmaceuticals

Report status

▼

100%

Reporting period

▼

Entity name

▼

BusinessLine

▼

Sub businessLi...

▼

Preparation DL

▼

Filing DL

▼

Processing DL

▼

Report status

▼

Reviewer

▼

Responsible

▼

Accountable

▼

Task status

▼

>

2022

U02 - FR-Demo ...

12/31/2022

Localuser02

Localuser02

100%

▼

BIT - Biotechnology

Report status

▼

100%

Reporting period

▼

Entity name

▼

BusinessLine

▼

Sub businessLi...

▼

Preparation DL

▼

Filing DL

▼

Processing DL

▼

Report status

▼

Reviewer

▼

Responsible

▼

Accountable

▼

Task status

▼

▼

2022

U02 - FR-Demo ...

12/31/2022

Localuser02

Localuser02

100%

Task name

▼

Organisational chart

Key Competitors

Company history

- Showcase variables + Attachments -

Questionnaire

Task status

▼

In progress

In progress

In progress

In progress

In progress

Process DL

▼

12/31/2022

09/22/2023

09/22/2023

09/22/2023

12/17/2023

Comments

▼

>

LFS - Life sciences

Report status

▼

100%

>

EOU - Equipoment

Report status

▼

100%

Figure 150: Show entities only once - not activated

4. **Export:** Administrators can use this button to export **Export** the complete task list for the desired period.

	A	B	C	D	E	F	G	H	I
1	Name	Processing deadline Linked to	End date	Module class	Country	Code	Full name	Chapter	
2	Module assignment - Storia e evoluzione recente della società	31.12.2022 Storia e evoluzione recente della società	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		1 Descrizione generale della Società	
3	Module assignment - Lineamenti generali dei mercati di riferimento	31.12.2022 Lineamenti generali dei mercati di riferimento	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		1 Descrizione generale della Società	
4	Module assignment - Struttura operativa della società	31.12.2022 Struttura operativa della società	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		1 Descrizione generale della Società	
5	Module assignment - Descrizione dell'attività imprenditoriale	31.12.2022 Descrizione dell'attività imprenditoriale	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		1 Descrizione generale della Società	
6	Module assignment - Attività e strategia imprenditoriale perseguita	31.12.2022 Attività e strategia imprenditoriale perseguita	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		1 Descrizione generale della Società	
7	Update organizational structure	31.12.2022 Organizational Structure	1/1/2022 - 12/31/2022	1	GLOBAL	GLOBAL		2 General information	
8	Add organizational chart	31.12.2022 Organizational chart	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		2 General information	
9	Add two main competitors	31.12.2022 Key Competitors	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		2 General information	
10	Describe company history	31.12.2022 Company history	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		2 General information	
11	Showcase the variables and attachment features	31.12.2022 - Showcase variables + Attachments -	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3 Operazioni infragruppo	
12	Module assignment - Sommario delle operazioni infragruppo	31.12.2022 Sommario delle operazioni infragruppo	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3 Operazioni infragruppo	
13	Module assignment - Operazioni di tipo	31.12.2022 Operazioni di tipo	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1 Operazioni di tipo	
14	Module assignment - Descrizione delle operazioni	31.12.2022 Descrizione delle operazioni	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1.1 Descrizione delle operazioni	
15	Module assignment - Ammontare dei pagamenti effettuati e/o ricevuti	31.12.2022 Ammontare dei pagamenti effettuati e/o ricevuti	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1.1 Descrizione delle operazioni	
16	Module assignment - Identificazione delle imprese associate coinvolte	31.12.2022 Identificazione delle imprese associate coinvolte	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1.1 Descrizione delle operazioni	
17	Module assignment - Operazioni comparabili indipendenti (esterne e interne) e indicatori finan.	31.12.2022 Operazioni comparabili indipendenti (esterne e interne) e indicatori finan.	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1.1 Descrizione delle operazioni	
18	Module assignment - Analisi di comparabilità	31.12.2022 Analisi di comparabilità	1/1/2022 - 12/31/2022	3	GLOBAL	GLOBAL		3.1.2 Analisi di comparabilità	

4.2. Menu item Task management

Provided that a local user has been assigned the role of a local task administrator ("Task administration" role) by the system/security administrator, the menu item **"Task management"** is also displayed under the program item "Tasks".

Via **"Tasks/Task Management"**, the user is directed to the overview page of the already created tasks (see Figure "Task Management" below) as well as to the available functions for managing them:

globalDoc Solution 9.6

Task management 4/1/2023 3/31/2024

Reporting entity

Tasks

Overview

Task management

	Name	Navigation item	Scope	Linked to	Processing deadline	Checklist	annually recurring	Assigned	Modified by	Modified date
☐	Module assignment - Busina Documentation content		MODULE		1/13/2025	☐	☐	o global.admin		6/17/2024 5:40:25 AM
☐	Module assignment - Busina Documentation content		MODULE		1/13/2025	☐	☐	o didem.mur.yilmaz		10/1/2024 11:59:24 PM
☐	Module assignment - Busina Documentation content		MODULE		1/13/2025	☐	☐	o didem.mur.yilmaz		10/8/2024 11:58:00 PM
☐	Module assignment - Busina Documentation content		MODULE		1/13/2025	☐	☐	o global.admin		6/17/2024 5:40:27 AM
☐	Module assignment - Busina Documentation content		MODULE	Sub-Business Line Description Helicopter	1/13/2025	☐	☐	1 didem.mur.yilmaz		10/10/2024 9:50:30 AM
☐	Module assignment - Busina Documentation content		MODULE		1/13/2025	☐	☐	o global.admin		6/17/2024 5:40:36 AM
☐	Module assignment - Busina Documentation content		MODULE	Sub-Business Line Description Satellite	1/13/2025	☐	☐	1 didem.mur.yilmaz		10/10/2024 9:50:39 AM
☐	Update Master File (Descrip Documentation content		MODULE	Description of Demco Group business	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Update Master File (Financial Documentation content		MODULE	Financial activities	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Update Master File (Financial Documentation content		MODULE	Financial and tax position	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Update Master File (Intangi Documentation content		MODULE	Intangibles	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Update Master File (Organizational structure		MODULE	Organizational structure	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Update Master File (Purpose Documentation content		MODULE	Purpose and scope (Master File)	12/31/2024	☐	☐	1 global.admin		6/17/2024 5:39:25 AM
☐	Questionnaire (copy 2) (org) Manage-questionnaire		QUESTIONNAIRE		12/17/2023	☐	☐	22 didem.mur.yilmaz		10/8/2024 11:49:27 PM

Page 1 of 1

About | globalDoc Solution 9.6.0.27-66 © 2023 - PwC. All rights reserved.

Figure 151: Task management - Task administration

The view of all existing reporting periods (tasks) can be sorted by the following attributes by clicking on the corresponding field:

- Last status change
- Name
- Navigation item
- Linked to
- Processing deadline
- Area
- Checklist
- annually recurring
- Assigned
- Modified by
- Modified date

The selected task can be deleted directly using the  symbol or edited using the  symbol.

The overview page provides various functions for managing tasks, which are briefly described below:

 New	Create a new task
 Delete	Delete the selected tasks
 Export to Excel	Issues the task overview as an Excel table
 Search options	Configure the search: Select "Simple search", "Advanced search" or columns. The search can also be updated here.

Under *Tasks/Task management*, the detail view for creating a new task is opened by selecting the  **New** button.

The detail view of a new task consists of the tabs "**Task details**" (see Figure "Create new task")

globalDoc Solution 9.6

Task management

4/1/2023 - 3/31/2024

Task details

Navigation item*

Name*

Description*

Processing deadline *

☒ annually recurring

☐ Checklist mandatory

Save

Save and close

New

Delete

Close

globalDoc Solution 9.6 © 2023 - PwC. All rights reserved.

Figure 152: Create new task

The creation of a new task requires in the tab **"Task details"** the input of a navigation item, which can be selected with the help of a dropdown menu, by clicking on the empty field, a name must be given to the task, as well as a short description and the processing time.

By checking the boxes in the lower area, it can be selected whether a task is annually recurring and whether a mandatory checklist should be activated.

After saving and then clicking on of the corresponding task, the **"Reporting entities"** **"Additional guidance"** and **"Change history"** tabs are displayed next to the **"Task details"** tab.

On the **"Task details"** tab, the according modules have to be chosen. If the box next to the option **"Checklist mandatory"** is checked, the **"Checklist"** area is displayed in the **"Task details"** tab. By clicking on **"Add item to Checklist..."** a new item can be created on the checklist.

For more information, see also the [Review process for the modul/Checklist](#).

globalDoc Solution 9.6

Task management

4/1/2023 - 3/31/2024

Task details

Additional guidance

Change history

Navigation item*

Module*

Name*

Module assignment - Business Line Description

Description*

Please submit the module according to the deadline.

Processing deadline *

1/15/2025

☒ annually recurring

☐ Checklist mandatory

☐ Exclude administrators from responsables

Assigned reporting entities

Name	Code	Processing deadline	Approver level content: Responsible	Approver level content: Module	Approver level content: Module	Approver level report: Report	Approver level report: Accountable

Drop selected reporting entities

Assign reporting entity

Note: Please double click on the assigned reporting entity to edit the entity specific deadline and responsible editor.

globalDoc Solution 9.6 © 2023 - PwC. All rights reserved.

Figure 153: Task details

In the second tab **"Reporting entities"**, after saving the new task, provided it refers to Local modules, certain reporting companies can be assigned or removed using the buttons **+ Assign reporting entity** or **Drop selected reporting company** function (see Figure "Create new task - Assignment of reporting entities").




Figure 154: Create new task - Assignment of reporting entities

By double-clicking on the selected reporting entity, you can also enter a company-specific deadline (**Processing deadline**) (see Figure "Create new task - Edit reporting entity").




Figure 155: Create new task - Edit reporting entity

Various attachments can be uploaded in the **"Additional guidance"** tab. These are listed in tabular form in the overview and can be downloaded or deleted on request.

NOTE: The attachments uploaded in the **"Additional guidance"** tab should not be confused with the module attachments (see "Module attachments") as they are only used for additional internal explanation of the respective task or give processing instructions. They are not attached to the transfer pricing documentation under **"Create report"**.

The **"Change history"** tab allows the user to track the changes made to the corresponding task.

The program item **"Tasks"** allows you to open the menu item **"Documentation content"** directly from the **"Task management"** in the column **"Navigation element"** by clicking on **"Documentation content"**. When the modules are open, the field **"Status of module"** is displayed in the upper right part of the detail view (see Figure **"Status of module"**).




Figure 156: Status of module

By clicking on the  icon, a display window opens on the right side of the screen in which the possible actions ("Action"), details of the corresponding task ("Comments") as well as the specified additional information ("Info"), change history ("History") and, if applicable, a checklist ("Checklist") is displayed. (as explained in the document section status of the module).




Figure 157: Starting the approval workflow

Once the module has been processed, the user (Delegated user) can change the status of the workflow management in this display window by clicking the corresponding button in the "Action" section. If required, the system generates an email to the relevant users informing them of the approval submitted.

The Accountable, Responsible or Reviewer has the authority to ultimately confirm the module after checking it by clicking on the button "Final confirm" (button to be inserted as an image if necessary). If desired, the system will also generate an e-mail to the relevant users to inform them about the final confirmation.

5. Definition of Terms

Archive:

Under *Menu item Create report*, it is possible to archive generated reports or to upload separate files as final reports to the archive (e.g., translations into local languages). You can manage the archived reports in the same place via "Display archive".

Divisional Level:

The Divisional level contains information relevant to a particular group of reporting companies.

Divisions:

Divisions represent a specific group of reporting companies. For example, divisions can be divided into regions, functions or business units. Modules with documentation relevant to a specific group of reporting companies can then be assigned to a division. Specific user rights can also be distributed for each created division.

Documentation content:

The content of all modules assigned to a reporting company forms the documentation content of this reporting company. Transactions, details and optional information (all of which can be inserted into the text as placeholders) also belong to the documentation content.

Documentation structure:

The documentation structure contains the chapter structure as well as all modules of a reporting period. When a new reporting period is created, the structure of the previous reporting period is initially adopted but can be adjusted.

Documentation types:

After uploading, module attachments can be classified into different document types. When a report is generated, these attachments are sorted accordingly. The document types can be created and edited by a system administrator under *Settings/Administration/Document types*.

General materiality threshold:

Threshold value used throughout the Group to determine whether or not a module related to a transaction should be included in the final report and in the attachments. The threshold is country-specific and therefore depends on the legal requirements applicable to the local reporting companies. The general materiality thresholds are set by the system administrator.

Global Level:

The Global level contains information relevant for all reporting companies. However, Global modules can also be distributed individually to reporting companies as required.

Group companies:

Group companies are all legal entities and branches of the group that are created in *globalDoc* and are available as transaction partners for the business relationships to be documented. They can, but do not necessarily have to be, reporting companies (legal entities and permanent establishments) for which a documentation report is prepared.

Local Level:

The Local level contains information that is relevant for the local reporting company.

Menu items:

Menu items in *globalDoc* are the selection fields of the main menu released by the system/security administrator for the respective user.

Module:

A module is a placeholder for documentation content. The documentation contents can be added to a module in the form of a Word upload (Word module) or by using the Online Editor feature. Module contents basically consist of Microsoft Word documents (docx format) and are merged into a single document when a report is generated. Any number of attachments can be added to each module, which are output as separate files when a report is generated.

Global, Divisional and Local modules can be created according to the three information levels. The contents of the Global and Divisional modules are created once and thus, displayed equally to all assigned reporting companies. Local modules can also be assigned to all reporting companies. However, the content and appendices are specifically filled by each reporting company without affecting the content of other reporting companies.

Module attachments:

Module attachments are files attached to a module. These can be different document types (Word, Excel, PowerPoint, Zip, Visio, PDF files, etc.). In the case of centrally specified modules, it is important that these documents only contain information that is valid for several companies. When generating reports, these documents can be included in the appendix to the report.

Module cluster:

Modules can be combined into module clusters. These module cluster can then be assigned as a whole to reporting companies, so that the distribution is always uniform and consistent. Module clusters can be created for homogeneous and similar reporting companies to which the identical modules are to be assigned.

Report:

The report includes the transfer pricing documentation of the selected reporting company and its appendices.

Report templates:

Report templates determine the format of the document in which a report is generated. *globalDoc* formats the headings, font and font size, line spacing, title page, table of contents etc. according to the selected report template. In addition to the "*Default template*", which is stored in the system by default, any number of report templates can be uploaded.

Reporting company:

Reporting companies are group entities or permanent establishments for which a documentation is prepared. For this purpose, a check mark must be set by a system/security administrator under "*Creates report?*" under *Settings/Administration/Group entities*. A check mark must also be set under "*Has transactions?*" to be able to use the *Reporting company/Transactions* function.

Reporting periods:

Reporting periods are the periods for which documentation reports must be created using *globalDoc*. The documentation contents are separated according to time periods. A new reporting period is usually created by copying a previous reporting period. The master data is copied, but can be adjusted for each reporting period. Reporting companies and divisions can be copied with their contents into the new reporting period, but this is not absolutely necessary (for example, in case a reporting company is no longer documented).

Roles:

Roles are access rights to the individual areas of *globalDoc*. This includes in particular read and write rights. The roles are managed by the system/security administrator.

In addition to these access rights (roles), specific user roles with specific tasks (such as System administrator, task administrator and Approve tasks) are also assigned in *globalDoc* to individual users.

Single sign-on:

"Single sign-on" refers to an authentication procedure in which the user has to log on to the software once with his or her access data.

Template document:

Local modules are specifically filled by the individual reporting companies. These are usually empty. Alternatively, template documents can be created centrally and uploaded to Local modules. These can then be used and edited by the local user as a template.

Transactions:

Transactions are business events such as purchases/sales of goods, services, loans, deliveries, licenses, etc. with affiliated group companies at a certain price (transfer price).

Transaction groups:

Transaction groups are defined in the settings by the system administrator and can be selected under "Reporting companies/Transactions/Transaction matrix" when creating transactions. This is about a group-wide uniform naming of the Transaction types/Transaction groups?.

Transfer pricing analysis - Attachments:

Transfer pricing analysis attachments are files that serve as evidence of appropriateness (e.g. benchmarking studies). These files can also be inserted in the appendix to the re-port.

Types of documents:

Module attachments can be classified into different document types after uploading. When you generate a report, these attachments are sorted accordingly. The document types can be created and edited under Settings/Administration/Document types.

User:

Users are the users created by the system/security administrator in *globalDoc*. Each user has an account with which he or she can log in to the respective *globalDoc* instance. The system/security administrator is responsible for access rights (roles) granted to the individual users, in particular read and write rights, as well as the user roles granted to the individual users (e.g. Task administrator and Approve tasks).

Variables:

Variables are placeholders in the documentation content, which are automatically replaced in by the information on the respective reporting company (name, short name, fiscal year, address, etc.) when generating a report. Information on the companies can be defined either under Settings/Administration/Group companies by the system administrator or locally under Reporting companies/Reporting company details.

The transactions entered in the Matrix under Reporting company/Transactions/Matrix can also be displayed in the report using variables.

6. Appendix

6.1. General click paths

6.1.1. Tasks

Via click  you can directly open the relevant task (module).




Figure 158: Home screen of globalDoc

Via submenus you can open task overview.




Figure 159: Task overview

- If necessary, select „Entity“ or „Current entity“ under **Dimension***, select the period under **Reporting period**, select the task area under **Responsible** and confirm with „Apply Filter“ (The "Export" button generates an Excel table with a list of all the tasks previously selected by the applied criteria). Then click on  the icon to edit the list of tasks. If "Entity" was selected under Dimension*, you will now be forwarded

to the view of the selected company. If "Current entity" has been selected under Dimension*, you will now be forwarded directly to the selected task.

- To create a new task, first click on „Task management“ and then in the window that opens (see following figure) click on one of the visible manual tasks created by the task administrator to edit it. You can also click **+ New** to create a (custom) manual task.
- You can also click on one of the visible manual tasks created by the task administrator to edit it (3).

NOTE: Only users with the necessary rights have access to the menu item "Task administration".

	Name	Navigation item	Scope	Linked to	Processing deadline	Checklist	annually recurring	Assigned	Modified by	Modified date
☒	Module assignment - Business Documentation content	MODULE			1/13/2005	☐	☐		o globaladmin	6/17/2004 9:40:33 AM
☒	Module assignment - Business Documentation content	MODULE			1/13/2005	☐	☐		o didem.mur.yilmaz	10/1/2004 9:05:03 PM
☒	Module assignment - Business Documentation content	MODULE			1/13/2005	☐	☐		o didem.mur.yilmaz	10/8/2004 9:08:00 PM
☒	Module assignment - Business Documentation content	MODULE			1/13/2005	☐	☐		o globaladmin	6/17/2004 9:40:37 AM
☒	Module assignment - Business Documentation content	MODULE		Sub-Business Line Description Helicopter	1/13/2005	☐	☐		o didem.mur.yilmaz	10/10/2004 9:30:30 AM
☒	Module assignment - Business Documentation content	MODULE			1/13/2005	☐	☐		o globaladmin	6/17/2004 9:40:36 AM
☒	Module assignment - Business Documentation content	MODULE		Sub-Business Line Description Satellite	1/13/2005	☐	☐		o didem.mur.yilmaz	10/10/2004 9:30:29 AM
☒	Update Master File (Description) Documentation content	MODULE		Description of Demo Group business	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:26 AM
☒	Update Master File (Financial) Documentation content	MODULE		Financial activities	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:25 AM
☒	Update Master File (Financial) Documentation content	MODULE		Financial and tax position	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:25 AM
☒	Update Master File (Intangibles) Documentation content	MODULE		Intangibles	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:25 AM
☒	Update Master File (Organizational) Documentation content	MODULE		Organizational structure	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:25 AM
☒	Update Master File (Purpose) Documentation content	MODULE		Purpose and scope (Master File)	12/31/2004	☐	☐		o globaladmin	6/17/2004 9:39:25 AM
☒	Questionnaire (copy 2) (corp) Manage questionnaire	QUESTIONNAIRE			12/17/2003	☐	☐		o didem.mur.yilmaz	10/8/2004 9:14:27 PM

Figure 160: Task management

Via click on you can manage tasks in the editing mode:

Figure 161: Edit task mode

Fill in the tabs "Task details", "Reporting entities" and, if required, "Additional guidance".

NOTE: Only users with the relevant rights have access to the individual tabs.

6.1.2. Create report

Start report generation by clicking on the icon or to the menu item "Reporting company/Create report".




Figure 162: Home screen of globalDoc




Figure 163: Create report

Select content type (Individual, Master File, Local File), report template and output format (PDF, Word).

Select content type: Standard Local File
Select report template: PwC Template
Select output format: Word

Create Report
Create & archive report
View archive
Upload report

If required: Set detailed configuration.

Select or deselect chapters to appear in the report.





Figure 164: Print report



NOTE: Depending on the documentation process of your group, it is possible that the system/security administrator will only grant you the right to request the report output ("Request for Print"). In addition, depending on the documentation process of your company, it is possible that you can only generate a report in PDF format with draft watermarks, as long as not all modules have the status **"Finished"**:


Status of module Finished ● <

6.1.3. Final approve process of a Report


The submission of a documentation report for approval is carried out by the reviewer, provided that a reviewer has been specified for the reporting company concerned. If more than one reviewer has been specified for the reporting company, each reviewer submits the report to the next reviewer in the chain. If no reviewer has been specified for the reporting company concerned, the submission for approval is made by the responsible party.

In each case, the documentation report is finally approved by the Accountable.

1. The reviewer/responsible opens the menu item Documentation content in the navigation point Reporting entity and selects the documentation report to be released (in the following example: Standard Local File):




- In the documentation report to be released, the reviewer/responsible clicks on "Status of TP-Documents" in the navigation item "Overview" at the upper left edge of the screen in order to show the workflow area on the left side of the screen:




If required, a text can be entered here in the field "Optional comment", which will then appear in the system-generated e-mail when the reviewer / responsible **subsequently** clicks on "Submit for approval".

With the click on "Submit for approval", *globalDoc* automatically sends an e-mail to the accountable to inform them about the task, if the function is activated. The user interface also changes as follows:



I.e.: the status of the TP documentation is now "Waiting for approval" and the button in the workflow area on the left side of the screen changes to "Re-open".


- The Accountable start screen now looks like this (if the status of the TP documentation is "Waiting for approval"):




Note 1: The Accountable will see the same start screen if he clicks on the link in the e-mail that was automatically triggered by the Reviewer / Responsible!

Note 2: If the status of the TP-Dokumentation is "In progress", the accountable will see the previous, normal start screen when he logs in!

- Click on  to open the report to be released.




- After the accountable has clicked on "Confirm as final" (and later logs back into globalDoc), his start screen looks like this:




For the Responsible and Reviewer, the start screen is still the previous, normal start screen. However, no tasks are open there, because the report is already final.

Furthermore, neither the responsible nor the reviewer can reset the status of the TP-Documentation, as the report is already final:




6. If the Accountable (= CFO) clicks on the pencil symbol "Show finalized Standard Local File" in his start screen, the following screen appears:



Only the Accountable (and any System Administrator) can re-open the report via the "Re-open" button if required!


After clicking on "Re-open" the status is "In progress" again!

Note: To completely close a reporting period, only a system administrator can click on the checkbox in front of "Locked" in Settings / Administration / Reporting Periods / *selecting the corresponding period* / in the following screen:



To save the closing of the reporting period, he must then click on "Save" or "Save and close" in the command column at the top right.


After the system administrator has locked the reporting period for editing (by clicking on "Locked"), the accountable (= CFO) can no longer open the status of the report (since the period is locked altogether):



- When the approve process is completed, the report is not archived in globalDoc at the same time!

To archive a report in globalDoc, an authorized user must navigate to the corresponding globalDoc page via the "Create Report" button in order to archive a report in globalDoc via the "Create & archive Report" function.

Only then is the released and archived report available for download on the globalDoc start screen.



6.2. Variables to be used in globalDoc

6.2.1. Standard variables

Navigation point	Text field	Variable
Group entity variables		
Group entity details		
Settings / Administration / Group entities / Group entity details	Full name	«ReportingCompanyName»
	e.g. "DE-Demo Headquarters AG"	
Settings / Administration / Group entities / Group entity details	Short name	«ReportingCompanyShortName»
	e.g.	
	"Demo-HQ"	
Settings / Administration / Group entities / Group entity details	Code	«ReportingCompanyCode»
	e.g.	
	"U01"	
Settings / Administration / Group entities / Group entity details	ERP number	«ReportingCompanyErpNumber»
	e.g.	
	"U01"	
Settings / Administration / Group entities / Group entity details	Previous name	«ReportingCompanyFormer-Name»
	e.g.	
	"Demo AG"	
Settings / Administration / Group entities / Group entity details	Country	«ReportingCompanyCountryCode»
	e.g.	
	"GB"	
Settings / Administration / Group entities / Group entity details	Country	«ReportingCompanyCountry-Name»
	e.g.	
	"United Kingdom"	
Settings / Administration / Group entities / Group entity details	Address	«ReportingCompanyAddress»
	e.g.	
	"Musterstraße 11	
	11111 Musterstadt"	
Settings / Administration / Group entities / Group entity details	Local currency	«ReportingCompanyCurrencyCode»
	e.g.	
	„EUR“	
	Local currency	

Settings / Administration / Group entities / Group entity details	e.g.	«ReportingCompanyCurrency-Name»
	„Euro“	
Settings / Administration / Group entities / Group entity details	<i>“Business line name level 1”</i>	«ReportingCompanyBusiness-LineName1»
Settings / Administration / Group entities / Group entity details	<i>“Business line name level 2”</i>	«ReportingCompanyBusiness-LineName2»
Settings / Administration / Group entities / Group entity details	<i>“Business line name level 3”</i>	«ReportingCompanyBusiness-LineName3»
Settings / Administration / Group entities / Group entity details	<i>“Business line name level 4”</i>	«ReportingCompanyBusiness-LineName4»
Settings / Administration / Group entities / Group entity details	<i>“Business line name level 5”</i>	«ReportingCompanyBusiness-LineName5»
Settings / Administration / Group entities / Group entity details	<i>“Default related party type”</i>	«ReportingCompanyDefaultRelatedPartyType»
Settings / Administration / Group entities / Group entity details	<i>“Company type”</i>	«ReportingCompanyType»
Optional information		
Settings / Administration / Group entities / Optional information	Name of Tax Office	«ReportingCompanyTaxOffice»
	e.g.	
	“Finanzamt Musterstadt”	
Settings / Administration / Group entities / Optional information	Address of tax office	«ReportingCompanyTaxOfficeAddress»
	e.g.	
	“Musterstraße 47	
	11111 Musterstadt”	
Settings / Administration / Group entities / Optional information	Tax Number	«ReportingCompanyTaxNumber»
	e.g.	
	“11/11111111”	
Settings / Administration / Group entities / Optional information	Number of trade register	«ReportingCompanyTradeRegisterNumber»
	e.g.	
	“123456789”	
Settings / Administration / Group entities / Optional information	Name of trade register	«ReportingCompanyTradeRegisterName»
	e.g.	
	“Musterstadt”	
Settings / Administration / Group entities / Optional information	Address of trade register	«ReportingCompanyTradeRegisterAddress»
	e.g.	
	“Musterstraße 364, 11111 Musterstadt”	
Settings / Administration / Group entities / Optional information	<i>Legal representative (with address)</i>	«ReportingCompanyLegalRepresentative»
	e.g.	

	<i>“Max Mustermann”</i>	
Settings / Administration / Group entities / Optional information	<i>Business objective of the company</i>	«ReportingCompanyCoreBusinessDesc»
	e.g.	
	<i>“The company is the ultimate parent of...”</i>	
Settings / Administration / Group entities / Optional information	Formation date	«ReportingCompanyFormationDate»
	e.g.	
	“01/01/2012”	
Settings / Administration / Group entities / Optional information	Acquisition date	«ReportingCompanyAcquisitionDate»
	e.g.	
	“07/01/1997”	
Settings / Administration / Group entities / Optional information	Alternative business year	«ReportingCompanyAlternativeBusinessYear»
	e.g.	
	“07/01/2017 – 06/30/2018”	
Settings / Administration / Group entities / Optional information	Short business year	«ReportingCompanyShortBusinessYear»
	e.g.	
	“01/01/2018 – 06/30/2018”	
Settings / Administration / Group entities / Optional information	<i>Optional information</i>	«ReportingCompanyOptionalInformation»
	e.g.	
	<i>“No business restructurings...”</i>	

List of shareholders			
Shareholders	Share in %	From	To
«TableStart:RepCompShareholderList»«RepCompShareHolder»	«RepCompShareholderShare»	«RepCompShareholderFrom»	«RepCompShareholderTo»«TableEnd:RepCompShareholderList»

Reporting period variables		
Settings / Administration / Reporting periods / Reporting period details	Start date / end date	«PeriodStartDate»- «PeriodEndDate»
	e.g.	
	“01/01/2018“ / “12/31/2018”	
Settings / Administration / Reporting periods / Reporting period details	Based on start and end date	«PeriodStartYear»- «PeriodEndYear»
	e.g. “2018”	
Reporting period settings variables		

Settings / Administration / Reporting period settings	Enterprise name	«ReportingEnterpriseName»
	“Demo Corporation”	
Workflow variables		
System variables (based on editors’ login name)	Name of the editing user	«SessionUserPrettyName»
System variables (based on creation date)		
System variables (based on creation date)	Date of report generation	«ReportCreationDate»
Configurable variables*		
Can be optional enabled	Optional text 1	«ReportingCompanyOptionalText1»
	Optional text 2	«ReportingCompanyOptionalText2»
	Optional text 3	«ReportingCompanyOptionalText3»
	Optional text 4	«ReportingCompanyOptionalText4»
	Optional text 5	«ReportingCompanyOptionalText5»

*These variables can be customized and enabled according to your individual needs. Please contact the globalDoc Solution® support team.

6.2.2. Complex Variables

Contract list template

This table-template contains information about files in contract-list:

Description	Document type	File
«TableStart:ContractList»«DisplayString»	«DocumentTypeDisplayString»	«Path»«TableEnd:ContractList»

Additional fields useable in the table-template:

Short name	«ShortName»
Report	«Optional2»
Reference	«Optional3»
Navigation item	«LocalizedDescription»
Description	«Description»
Name	«Name»

Business transactions for a module

In general, transactions can be included per module, by using the variables described in the next section. If a module has a transaction group, the transactions are filtered by this group.

Summary by transaction group:

Transaction group	Role	Invoice Currency	Total (Invoice)
«TableStart:ByGroupBTList»«Group»	«Role»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupBTList»

Summary top ten by transaction group:

Transaction group	Role	Invoice Currency	Total (Invoice)
«TableStart:ByGroupBTList10»«Group»	«Role»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupBTList10»

Summary by transaction group and partners:

Transaction group	Role	Transaction partner	Transaction partner country	Transaction partner country name	Invoice Currency	Total (Invoice)
«TableStart:ByGroupPartnerBTList»«Group»	«Role»	«PartnerDisplayString»	«PartnerCountry»	«PartnerCountryName»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupPartnerBTList»

Summary of top ten by transaction group and partners:

Transaction group	Role	Transaction partner	Transaction partner country	Transaction partner country name	Invoice Currency	Total (Invoice)
«TableStart:ByGroupPartnerBTList10»«Group»	«Role»	«PartnerDisplayString»	«PartnerCountry»	«PartnerCountryName»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByGroupPartnerBTList10»

Summary by partners

Role	Transaction partner	Transaction partner country	Transaction partner country name	Invoice Currency	Total (Invoice)
«TableStart:ByPartnerBTList»«Role»	«PartnerDisplayString»	«PartnerCountry»	«PartnerCountryName»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByPartnerBTList»

Summary of top ten by partners:

Role	Transaction partner	Transaction partner country	Transaction partner country name	Invoice Currency	Total (Invoice)
«TableStart:ByPartnerBTList10»«Role»	«PartnerDisplayString»	«PartnerCountry»	«PartnerCountryName»	«LocalCurrencyID»	«RemunerationLocal»«TableEnd:ByPartnerBTList10»

The following table lists the useable fields:

Transaction group full name	«Group»
Transaction group code	«GroupCode»
Transaction group name	«GroupName»
Transaction group description	«GroupDescription»
Role within the transaction	«Role»
Transaction partner code	«PartnerCode»
Transaction partner name	«PartnerName»

Transaction partner short name	«PartnerShortName»
Transaction partner address	«PartnerAddress»
Transaction partner currency	«PartnerCurrency»
Transaction partner country code	«PartnerCountry»
Transaction partner country name	«PartnerCountryName»
Local /invoice currency	«InvoiceCurrencyID»
Local /invoice currency long name	«InvoiceCurrencyDisplayName»
Local /invoice currency name	«InvoiceCurrencyName»
Total (local value/invoice)	«RemunerationInvoice»
Total (local value/invoice) short	«RemunerationInvoiceShort»
Group currency	«GroupCurrencyID»
Total (group currency)	«RemunerationGroupCurrency»
Total (group currency) short	«RemunerationGroupCurrencyShort»
Company currency	«CompanyCurrencyCode»
Total (company currency)	«RemunerationCompanyCurrency»
Total (company currency) short	«RemunerationCompanyCurrencyShort»
Earliest agreement date (non-empty values)	«AgreementDateMin»
Latest agreement date (non-empty values)	«AgreementDateMax»
Earliest last amendment date (non-empty values)	«LastAmendmentDateMin»

Latest last amendment date (non-empty values)	«LastAmendmentDateMax»
Product description (all values comma separated for non-empty values)	«ProductDesc»
Product description (alphabetically first value for non-empty values)	«ProductDescriptionMin»
Product description (alphabetically last value for non-empty values)	«ProductDescriptionMax»
Transaction detail (all values comma separated for non-empty values)	«TransactionDetail»
Transaction detail (alphabetically first value for non-empty values)	«TransactionDetailMin»
Transaction detail (alphabetically last value for non-empty values)	«TransactionDetailMax»
Comment (all values comma separated for non-empty values)	«Comment»
Comment (alphabetically first value for non-empty values)	«CommentMin»
Reporting Entity Code	«DPUCode»
Reporting Entity Name	«DPUName»
Reporting Entity CodeName	«DPUDisplayString»
Reporting Entity Country	«DPUCountry»
Provider Code	«ProviderCode»
Provider Name	«ProviderName»
Provider Short Name	«ProviderShortName»
Provider CodeName	«ProviderCodeName»
Provider Country	«ProviderCountry»
Provider Country Code	«ProviderCountryCode»

Provider Country Name	«ProviderCountryName»
Receiver Code	«ReceiverCode»
Receiver Name	«ReceiverName»
Receiver Short Name	«ReceiverShortName»
Receiver CodeName	«ReceiverCodeName»
Receiver Country	«ReceiverCountry»
Receiver Country Code	«ReceiverCountryCode»
Receiver Country Name	«ReceiverCountryName»
Comment (alphabetically last value for non-empty values)	«CommentMax»

If a second currency is activated for the reporting period, then the second value can be printed with the following variables:

Invoice currency	«LocalCurrencyID»
Invoice currency long name	«LocalCurrencyDisplayName»
Invoice currency name	«LocalCurrencyName»
Total (invoice)	«RemunerationLocal»
Total (invoice) short	«RemunerationLocalCurrencyShort»

Attachment List

Index	Type	Type	Short name
-------	------	------	------------

«TableStart:AttachmentList»«AttachmentIndex»	«AttachmentType»	«Filename»	«Shortname»«TableEnd:AttachmentList»
--	------------------	------------	--------------------------------------

The following fields are available:

Index	«AttachmentIndex»
Attachment type	«AttachmentType»
File name	«Filename»
Is contract (Yes/No)	«IsContract»
Module or transaction	«ModuleOrTransaction»
Name	«Name»
Short name	«Shortname»
Transaction group code	«Transaction group code»
Transaction group name	«Transaction group name»

	Please find attached the following additional information:
#	File name
1	Report_Variables.docx

6.3. Table of figures

Figure 1: globalDoc program items for all users.....	6
Figure 2: Additional program items for administrators.....	6
Figure 3: Documentation levels in globalDoc	8
Figure 4: Possible documentation contents within the various globalDoc documentation levels	9
Figure 5: Relationship between Accountable and Responsible	12
Figure 6: Relationship between Accountable, Responsible and Delegated User	13
Figure 7: Interaction of all roles	13
Figure 8: Module classes.....	15

Figure 9: Login to globalDoc.....	19
Figure 10: Two-factor authentication (OTP-Code entry)	20
Figure 11: Home screen of globalDoc	20
Figure 12 Start screen in the review status of the report:.....	21
Figure 13: Help section overview	22
Figure 14: External support page of globalDoc	22
Figure 15: User profile	23
Figure 16: Overview User Profile.....	23
Figure 17: User profile - Language selection.....	24
Figure 18: Display of the reporting entity and reporting period	24
Figure 19: Selection of the reporting entity and reporting period	24
Figure 20: Preparation and filing deadline.....	25
Figure 21: Program items of the home screen (local user)	25
Figure 22: Submenus of the program item "Reporting entity"	26
Figure 23: Submenus of the program item "Tasks"	26
Figure 24: Possible submenu ("menu items") of program item "Reporting entity"	28
Figure 25: Tab "Reporting company details"	29
Figure 26: Tab "Optional details"	29
Figure 27: Transactions' overview	30
Figure 28: Transaction matrix – Overview page.....	31
Figure 29: Transaction matrix - manual data entry – tab "Business transactions details"	32
Figure 30: Manual data entry - Default currencies	33
Figure 31: Centrally provided attachments - Warning message	33
Figure 32: Centrally provided attachment - Adding attachments	34
Figure 33: Transaction matrix – Overview.....	34
Figure 34: Transaction partners - Overview	35
Figure 35: Synchronization of transaction partners	36
Figure 36: Request new group entity.....	36
Figure 37: Not approved transaction partner.....	37
Figure 38: Transaction groups - Overview	38
Figure 39: Synchronization of transaction groups	38
Figure 40: Requesting a new transaction group.....	38
Figure 41: Unconfirmed transaction group	39
Figure 42: Determine local materiality thresholds	40
Figure 43: Functional analysis -Overview.....	41
Figure 44: Risk analysis - Detailed view.....	41
Figure 45: Overview of transfer pricing analyses	42
Figure 46: Creation of a transfer pricing analysis.....	42
Figure 47: Relevant report configurations	43
Figure 48: Overview Report configuration	44

Figure 49: Documentation content - Selected module	45
Figure 50: TP Documentation overview	46
Figure 51: Overview TP Documentation Confirm as final	46
Figure 52: Status type TP Documentation.....	47
Figure 53: Option section - Action - Status of TP Documentation.....	48
Figure 54: Option section - Info - TP Documentation	48
Figure 55: Search & replace.....	49
Figure 56: Search & replace input	50
Figure 57: Local module in preview mode.....	51
Figure 58: Buttons in an editable module	51
Figure 59: Edit module in Microsoft Word	52
Figure 60: Warning about switching to online editor	53
Figure 61: Edit module via the Online Editor	53
Figure 62: Variables - Insert variables.....	54
Figure 63: Variables - Insert benchmarking study	54
Figure 64: Selection of benchmarking studies	55
Figure 65: Documentation content - overview of modules	56
Figure 66: Upload Word-Documents.....	56
Figure 67: Replace Word-Documents.....	56
Figure 68: Temporary note that benchmarking is copied and attached	58
Figure 69: Insert benchmarking study from the clipboard	58
Figure 70: Attached benchmarking study	58
Figure 71: Central template document - message	59
Figure 72: Accept/reject central template document	59
Figure 73: Message – Use prefilled template.....	59
Figure 74: Module attachments	61
Figure 75: Set attachment characteristics	62
Figure 76: Reference to attachments in the module text.....	62
Figure 77: Module – Message centrally provided attachments	62
Figure 78: Overview module attachments with note: + Add centrally provided attachment	63
Figure 79: Selecting centrally provided attachments.....	63
Figure 80: Change history	64
Figure 81: Status of a module	64
Figure 82: Options of the review process.....	66
Figure 83: Options of a Responsible	66
Figure 84: Submit for approval	67
Figure 85: Edit delegation.....	67
Figure 86: Edit request for approval	68
Figure 87: Module classes - Status of module	68
Figure 88: Checklist warning	69

Figure 89: Add comments.....	69
Figure 90: Option section Info	70
Figure 91: Info details	71
Figure 92: Additional guidance	71
Figure 93: History	72
Figure 94: Checklist.....	72
Figure 95: Checklist details	73
Figure 96: Checklist warning	73
Figure 97: Insert standard variables in a module	74
Figure 98: Insert transaction group variables in the module with assigned transaction group	74
Figure 99: Insert transaction group variables in the module - no assigned transaction group.....	75
Figure 100: Assignment of a transaction group in the module configuration	75
Figure 101: Transaction table configuration	76
Figure 102: Selection of transaction tables	77
Figure 103: Selection of transaction tables	77
Figure 104: Transaction table configuration - Summary by transaction group.....	78
Figure 105: Editing a transaction table via the Microsoft Word “Table Design” function	78
Figure 106: Shareholders table configuration	79
Figure 107: Contracts table configuration.....	79
Figure 108: Attachments table configuration	80
Figure 109: Standard transaction variables.....	83
Figure 110: Preconfigured table inserted for further processing	84
Figure 111: Preconfigured table inserted for further processing	84
Figure 112: Edit field in Microsoft Word.....	85
Figure 113: Example for self-configured table.....	86
Figure 114: Create question over the questionnaire	86
Figure 115: View of the module after ALT+F9.....	87
Figure 116: Overview page attachments.....	88
Figure 117: Upload attachment	88
Figure 118: Export attachments	90
Figure 119: Create report	91
Figure 120: Review mode.....	92
Figure 121: Create report – Select chapters	92
Figure 122: Questionnaire	93
Figure 123: Options in the review process of a questionnaire	95
Figure 124: Questionnaire Checklist	96
Figure 125: Questionnaire Checklist-Note.....	96
Figure 126: Documentation overview – Submit for approval.....	97
Figure 127: Optional E-Mail.Text.....	97
Figure 128: Submit approval email to accountable	97


pwc
 globalDoc Solution 9.9
 
 U03 - CZ-Demo s.r.o. >
 1/1/2022 - 12/31/2022
 


Standard Local Fil...
 1 / 27
 - 100%
 +
 






1 / 27

Transfer Pricing Documentation

Reporting Company *CZ-Demo s.r.o.*

Company Address *Musterstraße 11*
11111 Musterstadt

Tax Office *Finanzamt Musterstadt*

Tax Number *11/1111111*

Report template

DefaultTemplate

Activity

☒ Send email?

Optional: email text

☒ Archive report

Confirm as final **Download**

Comments

The status of this task was changed to In progress on 2024-04-24 07:00:55.

Comment

Add

Status history

Attachments

 Business_Transactions_2022_CZ-Demo_s.r.o..xlsx
 Demo Attachment Excel.xlsx
 Demo Attachment PDF.pdf

Figure 129: View final review.....	98
Figure 130: Open Questionnaire	99
Figure 131: Questionnaire changing status.....	99
Figure 132: Final review - status change.....	100
Figure 133: Overview of tasks - All companies	101
Figure 134: Overview of tasks - All Entities	101
Figure 135: Overview of tasks by country - Business line - Entity - Options Business line activated	103
Figure 136: Overview of tasks by country - Business line - Entity - Options Business line no activated	103
Figure 137: Task management - search function.....	104
Figure 138: Task overview - show and hide columns	105
Figure 139: Filter Business line - Country - Entity with Business line activated.....	106
Figure 140: Filter Business line - Country - Entity no Business line activated	107
Figure 141: Task - business line - company.....	107
Figure 142: Filter selection task - business line - company.....	108
Figure 143: Filter selection task-country-company.....	108
Figure 144: Task - country - entity filter with Business line activated.....	109
Figure 145: Task - country - entity filter without activating Business line	109
Figure 146: Entity with Business line activated	110

Figure 147: Entity filter selection	110
Figure 148: Entity without activating Business line	110
Figure 149: Show entities only once - activated	111
Figure 150: Show entities only once - not activated	112
Figure 151: Task management - Task administration	113
Figure 152: Create new task	114
Figure 153: Task details	114
Figure 154: Create new task - Assignment of reporting entities.....	115
Figure 155: Create new task - Edit reporting entity	115
Figure 156: Status of module	116
Figure 157: Starting the approval workflow	116
Figure 158: Home screen of globalDoc	120
Figure 159: Task overview.....	120
Figure 160: Task management.....	121
Figure 161: Edit task mode.....	121
Figure 162: Home screen of globalDoc.....	122
Figure 163: Create report	122
Figure 164: Print report.....	123

globalDoc Solution® 9.8 / 9.9 User Manual

© PricewaterhouseCoopers GmbH Wirtschaftsprüfungsgesellschaft

© Fachverlag Moderne Wirtschaft GmbH

© PwC Solutions GmbH

August 2026